



Certificate of Analysis

Sample:AL30203002-004
Harvest/Lot ID: 36022-03FLW2
Batch#: 36022-03FLW2
Sample Size Received: 8 gram
Total Amount: 500 gram
Retail Product Size: 3.5
Sampled : 02/02/23

PASSED

Mar 07, 2023 | HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US



Pages 1 of 1


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
16.9058%



Total CBD
<LOQ



Total Cannabinoids
19.2063%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	0.267	<LOQ	<LOQ	2.4069	16.5324	<LOQ
mg/g	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	2.67	<LOQ	<LOQ	24.069	165.324	<LOQ
LOQ	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.213g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #4

This revision supersedes any and all previous versions of this document.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature

03/07/23

Signed On