

Albany, NY, 12205, US

Certificate of Analysis

Mar 15, 2023 | Nightshade Farm

686 Fox Creek Rd. Medusa, NY, 12120, US **Kaycha Labs**

Vanilla Latte 3.54g Vanilla Latte Matrix: Flower



Sample: AL30227001-001 Harvest/Lot ID: 00030

Batch#: 020723

Seed to Sale# LeafLogix

Sample Size Received: 8 units Total Amount: 614 units

Retail Product Size: 3.54 gram

PASSED


Pages 1 of 1

PRODUCT IMAGE

SAFETY RESULTS







18.9331%













Water Activity







PASSED

MISC.

Moisture NOT TESTED

Cannabinoid

Total THC

(6AR,9S) D10-THC

<L00

<LOQ

0.1

CBC

0.1

%

<L00

<LOQ

CBD

0.1

<L00

<LOQ



CBDA

0.1

%

<L00


<LOQ

Total CBD <L00



%

Total Cannabinoids 21.5769%



mg/unit

LOO

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Running on: 03/06/23 16:46:43

(6AR,9R) D10-THC

<L00

<LOQ

0.1

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOO for all cannabinoids is 1 mg/L).

CBG

0.1

%

<L00

<L0Q

CBGA

0.1

%

0.1725

6.1065

CBN

<L00

<LOQ

0.1

CBDV

0.1

<L00

<LOQ

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) ppp=Farts Per Bindlinn, RSD=Relative Standard Deviation. Limit of Detection (LCD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature

03/15/23

Signed On