



Certificate of Analysis

FOR COMPLIANCE

Sample:AL30916003-001

Harvest/Lot ID: 23256-C

Batch#: 23256-C

Seed to Sale# n/a

Sample Size Received: 13 units

Total Amount: 1628 units

Retail Product Size: 100 gram

Sample Density: 1.0 g/mL

Sampled: 09/14/23 01:00 PM

Sampling Start: 01:00 PM

Sampling End: 01:30 PM

PASSED

Opera Antefix 2

License # : OCM-AUCC-22-000032

25 N. Front Street

New Paltz, NY, 12561, US

Pages 1 of 1


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
NOT TESTED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.0568%

Total THC/Container : 56.800 mg



Total CBD

<LOQ

Total CBD/Container : 0.000 mg



Total Cannabinoids

0.0588%

Total Cannabinoids/Container : 58.800 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	0.0008	<LOQ	<LOQ	<LOQ	0.0012	<LOQ	<LOQ	<LOQ	0.0568	<LOQ	<LOQ
mg/unit	<LOQ	<LOQ	0.800	<LOQ	<LOQ	<LOQ	1.200	<LOQ	<LOQ	<LOQ	56.800	<LOQ	<LOQ
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.2838g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date : 09/18/23 13:25:20

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
 ISO 17025 Accreditation # 97164

Signature
 09/21/23