

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

Daytime Mango/Blood- Chew Matrix: Edible

Sample:AL40402003-002

Total Amount: 2009 units Retail Product Size: 70 gram Retail Serving Size: 70 gram

Sampled: 03/27/24 01:35 PM Sampling Start: 01:35 PM Sampling End: 01:45 PM Revision Date: 06/26/24

Sampling Method: SOP.T.20.010.NY

Sample Size Received: 13 units

Batch#: SFM-102 Seed to Sale# n/a

Servings: 1

Type: Gummy

Certificate of Analysis

FOR COMPLIANCE



Emerald City NY- Foy Group Inc

License #: OCM-AUCP-22-000023

Hopewell Junction, NY, 12533, US

46 Foster Road

SAFETY RESULTS















Mycotoxins **PASSED**



Residuals Solvents **PASSED**



Filth **NOT TESTED**



Pages 1 of 2

Water Activity **PASSED**



NOT TESTED

PASSED

MISC.

Terpenes **TESTED**

PASSED



Cannabinoid

Total THC

0.1626% Total THC/Container: 113.8200 mg



Total CBD

Total CBD/Container: 97.9300 mg



Total Cannabinoids

Total Cannabinoids/Container: 309.1200

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	СВС	CBD	CBDA	CBDV	CBG	CBGA	CBN	D9-THC	THCA	THCV	D8-THC
%	<0.0006	< 0.0007	0.0008	0.1399	< 0.0007	0.0007	0.1359	<0.0007	0.0017	0.1626	< 0.0007	< 0.0007	<0.0007
mg/unit	< 0.420	< 0.490	0.560	97.930	< 0.490	0.490	95.130	< 0.490	1.190	113.820	< 0.490	< 0.490	< 0.490
LOQ	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 04/03/24 17:20:07

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 04/08/24

Revision: #1 - Report revised to number



1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

Daytime Mango/Blood- Chew

Matrix: Edible Type: Gummy



Certificate of Analysis

PASSED

Emerald City NY- Foy Group Inc

46 Foster Road Hopewell Junction, NY, 12533, US Telephone: (866) 434-0318 Email: info@simplyfov.com **License # :** OCM-AUCP-22-000023 Sample : AL40402003-002 Batch#:SFM-102

Sample Size Received: 13 units Sampled: 03/27/24 01:35 PM Total Amount: 2009 units Sampling Method: SOP.T.20.010.NY

Page 2 of 2



Terpenes

TESTED

Terpenes	LOQ	mg/unit	%	Result (%)	Terpenes	LOQ	%) mg/unit	%	Result (%)
ALPHA TERPINEOL	(%) 0.04	<28.0	< 0.04		Weight:				
					1.0307g				
BETA-CARYOPHYLLENE	0.04	<28.0	< 0.04		Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.N	IY			
CAMPHENE	0.10	<70.0	< 0.10		Analyzed Date: 04/03/24 16:50:58				
CARYOPHYLLENE OXIDE	0.04	<28.0	< 0.04						
FARNESENE	0.10	<70.0	< 0.10						
FENCHYL ALCOHOL	0.04	<28.0	< 0.04						
GERANIOL	0.04	<28.0	< 0.04						
GUAIOL	0.04	<28.0	< 0.04						
LIMONENE	0.10	<70.0	< 0.10						
LINALOOL	0.10	<70.0	< 0.10						
MENTHOL	0.10	<70.0	< 0.10						
OCIMENE	0.10	<70.0	< 0.10						
TERPINOLENE	0.04	<28.0	< 0.04						
VALENCENE	0.10	<70.0	< 0.10						
ALPHA-BISABOLOL	0.04	<28.0	< 0.04						
ALPHA-HUMULENE	0.04	<28.0	< 0.04						
ALPHA-PHELLANDRENE	0.10	<70.0	< 0.10						
ALPHA-PINENE	0.10	<70.0	< 0.10						
ALPHA-TERPINENE	0.10	<70.0	< 0.10						
BETA-MYRCENE	0.10	<70.0	< 0.10						
BETA-PINENE	0.10	<70.0	< 0.10						
Total (%)		<	:0.10						

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 04/08/24

Revision: #1 - Report revised to update contact email and phone number.