



Certificate of Analysis

FOR COMPLIANCE



HPI Canna Inc

License # : OCM-AUCP-22-000022

886 Noxon Road
Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

30.2986%

Total THC/Container : 1060.451 mg



Total CBD

<0.1000

Total CBD/Container : 0.000 mg



Total Cannabinoids

35.4068%

Total Cannabinoids/Container : 1239.238 mg

| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | CBGA | CBN | D8-THC | D9-THC | THCA | THCV |
|---------|---------------------|---------------------|---------|---------|---------|---------|--------|--------|---------|--------|--------|----------|---------|
| % | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 0.1491 | 0.8066 | <0.1000 | 0.1166 | 0.5751 | 33.7594 | <0.1000 |
| mg/unit | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | 5.219 | 28.231 | <3.500 | 4.081 | 20.129 | 1181.579 | <3.500 |
| LOQ | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 |
| % | % | % | % | % | % | % | % | % | % | % | % | % | % |

Weight:
0.2138g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 05/09/24 15:05:33

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
05/13/24



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

.....
1/8 of Flower
Strawnana
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: info@hpicanna.com
License #: OCM-AUCP-22-000022

Sample : AL40509001-014

Harvest/Lot ID: DK12924FLWSNA01

Batch#: DK12924FLWSNA01

Sampled : 05/09/24 07:30 PM

Sample Size Received : 20 units

Total Amount : 2750 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOQ (%) | mg/unit | % | Result (%) | Terpenes | LOQ (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|---------|---|------------|
| BETA-MYRCENE | 0.00 | 25.9 | 0.74 | | Weight: | | | | |
| BETA-CARYOPHYLLENE | 0.00 | 9.1 | 0.26 | | 1.0045g | | | | |
| LIMONENE | 0.00 | 8.1 | 0.23 | | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY | | | | |
| LINALOOL | 0.00 | 4.6 | 0.13 | | Analyzed Date : 05/09/24 14:36:53 | | | | |
| GUAJOL | 0.00 | 4.2 | 0.12 | | | | | | |
| ALPHA-HUMULENE | 0.00 | 3.9 | 0.11 | | | | | | |
| ALPHA-BISABOLOL | 0.00 | 2.5 | 0.07 | | | | | | |
| BETA-PINENE | 0.00 | 1.4 | 0.04 | | | | | | |
| ALPHA-TERPINEOL | 0.00 | 1.1 | 0.03 | | | | | | |
| FENCHYL ALCOHOL | 0.00 | 1.1 | 0.03 | | | | | | |
| CARYOPHYLLENE OXIDE | 0.00 | 0.7 | 0.02 | | | | | | |
| ALPHA-PINENE | 0.00 | 0.7 | 0.02 | | | | | | |
| OCIMENE | 0.00 | 0.4 | 0.01 | | | | | | |
| VALENCENE | 0.00 | 0.4 | 0.01 | | | | | | |
| CAMPHENE | 0.00 | <0.1 | <0.00 | | | | | | |
| FARNESENE | 0.10 | <3.5 | <0.10 | | | | | | |
| GERANIOL | 0.00 | <0.1 | <0.00 | | | | | | |
| MENTHOL | 0.00 | <0.1 | <0.00 | | | | | | |
| TERPINOLENE | 0.00 | <0.1 | <0.00 | | | | | | |
| ALPHA-PHELLANDRENE | 0.00 | <0.1 | <0.00 | | | | | | |
| ALPHA-TERPINENE | 0.00 | <0.1 | <0.00 | | | | | | |
| Total (%) | | | 1.8 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
05/13/24



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

1/8 of Flower
Strawnana
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: info@hpicanna.com
License #: OCM-AUCP-22-000022

Sample : AL40509001-014

Harvest/Lot ID: DK12924FLWSNA01

Batch #: DK12924FLWSNA01

Sampled : 05/09/24 07:30 PM

Sample Size Received : 20 units

Total Amount : 2750 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOQ | Units | Action Level | Pass/Fail | Result | Pesticide | LOQ | Units | Action Level | Pass/Fail | Result |
|-----------------------|-----|-------|--------------|-----------|--------|--|-----|-------|--------------|-----------|--------|
| PYRETHRINS, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 | PACLOBUTRAZOL | 0.1 | ppm | 0.4 | PASS | <0.1 |
| AZADIRACHTIN | 0.1 | ppm | 1 | PASS | <0.1 | PERMETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| INDOLE-3-BUTYRIC ACID | 0.1 | ppm | 1 | PASS | <0.1 | PHOSMET | 0.1 | ppm | 0.2 | PASS | <0.1 |
| MYCLOBUTANIL | 0.1 | ppm | 0.2 | PASS | <0.1 | PRALLETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PIPERONYL BUTOXIDE | 0.1 | ppm | 2 | PASS | <0.1 | PROPICONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| ABAMECTIN B1A | 0.1 | ppm | 0.5 | PASS | <0.1 | PROPOXUR | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ACEPHATE | 0.1 | ppm | 0.4 | PASS | <0.1 | PYRIDABEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ACEQUINOCYL | 0.1 | ppm | 2 | PASS | <0.1 | SPINETORAM, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 |
| ACETAMIPRID | 0.1 | ppm | 0.2 | PASS | <0.1 | SPINOSAD, TOTAL | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ALDICARB | 0.1 | ppm | 0.4 | PASS | <0.1 | SPIROMESIFEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| AZOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <0.1 | SPIROTETRAMAT | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CHLORMEQUAT CHLORIDE | 0.1 | ppm | 1 | PASS | <0.1 | SPIROXAMINE | 0.1 | ppm | 0.2 | PASS | <0.1 |
| BIFENAZATE | 0.1 | ppm | 0.2 | PASS | <0.1 | TEBUCONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| BIFENTHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 | THIACLOPRID | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CARBARYL | 0.1 | ppm | 0.2 | PASS | <0.1 | THIAMETHOXAM | 0.1 | ppm | 0.2 | PASS | <0.1 |
| COUMAPHOS | 0.1 | ppm | 1 | PASS | <0.1 | TRIFLOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CHLORPYRIFOS | 0.1 | ppm | 0.2 | PASS | <0.1 | CAPTAN * | 0.1 | ppm | 1 | PASS | <0.1 |
| DAMINOZIDE | 0.1 | ppm | 1 | PASS | <0.1 | CHLORDANE * | 0.1 | ppm | 1 | PASS | <0.1 |
| BOSCALID | 0.1 | ppm | 0.4 | PASS | <0.1 | CHLORFENAPYR * | 0.1 | ppm | 1 | PASS | <0.1 |
| CARBOFURAN | 0.1 | ppm | 0.2 | PASS | <0.1 | CYFLUTHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CHLORANTRANILIPROLE | 0.1 | ppm | 0.2 | PASS | <0.1 | CYPERMETHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CLOFENTZINE | 0.1 | ppm | 0.2 | PASS | <0.1 | METHYL PARATHION * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| DIAZINON | 0.1 | ppm | 0.2 | PASS | <0.1 | MGK-264 * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| DICHLORVOS | 0.1 | ppm | 1 | PASS | <0.1 | PENTACHLORONITROBENZENE * | 0.1 | ppm | 1 | PASS | <0.1 |
| DIMETHOATE | 0.1 | ppm | 0.2 | PASS | <0.1 | Weight: | | | | | |
| DIMETHOMORPH | 0.1 | ppm | 1 | PASS | <0.1 | 1.032g | | | | | |
| ETHOPROPHOS | 0.1 | ppm | 0.2 | PASS | <0.1 | Analysis Method :SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY | | | | | |
| ETOFENPROX | 0.1 | ppm | 0.4 | PASS | <0.1 | Analyzed Date :05/09/24 15:03:23 | | | | | |
| ETOXAZOLE | 0.1 | ppm | 0.2 | PASS | <0.1 | Weight: | | | | | |
| FENHEXAMID | 0.1 | ppm | 1 | PASS | <0.1 | 1.032g | | | | | |
| FENOXYCARB | 0.1 | ppm | 0.2 | PASS | <0.1 | Analysis Method :SOP.T.40.154.NY | | | | | |
| FENPYROXIMATE | 0.1 | ppm | 0.4 | PASS | <0.1 | Analyzed Date :05/09/24 15:06:12 | | | | | |
| FIPRONIL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| FLONICAMID | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| FLUDIOXONIL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| HEXYTHIAZOX | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| IMAZALIL | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| IMIDACLOPRID | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| KRESOXIM METHYL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| MALATHION | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METALAXYL | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METHIOCARB | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METHOMYL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| MEVINPHOS | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| NALED | 0.1 | ppm | 0.5 | PASS | <0.1 | | | | | | |
| OXAMYL | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
05/13/24



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

1/8 of Flower
Strawnana
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: info@hpicanna.com
License #: OCM-AUCP-22-000022

Sample : AL40509001-014

Harvest/Lot ID: DK12924FLWSNA01

Batch #: DK12924FLWSNA01

Sampled : 05/09/24 07:30 PM

Sample Size Received : 20 units

Total Amount : 2750 units

Sampling Method : SOP.T.20.010.NY

Page 4 of 5

| Microbial PASSED | | | | | | Mycotoxins PASSED | | | | | |
|---|-----|-------|-------------|-------------|--------------|--|-------|-------|--------|-------------|--------------|
| Analyte | LOQ | Units | Result | Pass / Fail | Action Level | Analyte | LOQ | Units | Result | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA | 100 | CFU/g | <100 | TESTED | | AFLATOXIN G2 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| TOTAL YEAST AND MOLD | 100 | CFU/g | 8300 | TESTED | | AFLATOXIN G1 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ESCHERICHIA COLI SHIGELLA SPP | | | Not Present | PASS | | AFLATOXIN B2 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| SALMONELLA SPECIES | | | Not Present | PASS | | AFLATOXIN B1 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | OCHRATOXIN A+ | 0.010 | ppm | <0.010 | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | TOTAL AFLATOXINS (B1, B2, G1, G2) | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | | | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | | | | | |
| Weight: 1.0091g | | | | | | Weight: 1.032g | | | | | |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY | | | | | | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY | | | | | |
| Analyzed Date : 05/09/24 13:07:12 | | | | | | Analyzed Date : 05/09/24 15:08:40 | | | | | |

| Heavy Metals PASSED | | | | | |
|--|--------|-------|---------|-------------|--------------|
| Metal | LOQ | Units | Result | Pass / Fail | Action Level |
| ANTIMONY | 0.1000 | ug/g | <0.1000 | PASS | 2 |
| ARSENIC | 0.1000 | ug/g | <0.1000 | PASS | 0.2 |
| CADMIUM | 0.1000 | ug/g | <0.1000 | PASS | 0.3 |
| CHROMIUM | 1.0000 | ug/g | <1.0000 | PASS | 110 |
| COPPER | 1.0000 | ug/g | <1.0000 | PASS | 30 |
| LEAD | 0.1000 | ug/g | <0.1000 | PASS | 0.5 |
| MERCURY | 0.0100 | ug/g | <0.0100 | PASS | 0.1 |
| NICKEL | 0.1000 | ug/g | <0.1000 | PASS | 5 |
| Weight: 0.4481g | | | | | |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY | | | | | |
| Analyzed Date : 05/09/24 17:30:23 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
05/13/24



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

.....
1/8 of Flower
Strawnana
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: info@hpicanna.com
License # : OCM-AUCP-22-000022

Sample : AL40509001-014

Harvest/Lot ID: DK12924FLWSNA01

Batch# : DK12924FLWSNA01

Sampled : 05/09/24 07:30 PM

Sample Size Received : 20 units

Total Amount : 2750 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 5



**Filth/Foreign
Material**

PASSED



Moisture

PASSED

| Analyte | LOQ | Units | Result | P/F | Action Level |
|-------------------|-----|-------|--------|------|--------------|
| Stems (>3mm) | | % | ND | PASS | 5 |
| Foreign Matter | | % | ND | PASS | 2 |
| Mammalian excreta | | mg | ND | PASS | 1 |

Weight:
8.6377g

Analysis Method : SOP.T.40.090
Analyzed Date : 05/09/24 10:12:58

| Analyte | LOQ | Units | Result | P/F | Action Level |
|------------------|-----|-------|--------|------|--------------|
| Moisture Content | 1.0 | % | 8.4 | PASS | 15 |

Weight:

1.066g

Analysis Method : SOP.T.40.021
Analyzed Date : 05/09/24 10:53:30



Water Activity

PASSED

| Analyte | LOQ | Units | Result | P/F | Action Level |
|----------------|------|-------|--------|------|--------------|
| Water Activity | 0.10 | aw | 0.38 | PASS | 0.65 |

Weight:
0.1344g

Analysis Method : SOP.T.40.019
Analyzed Date : 05/09/24 15:42:43

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
05/13/24