



Certificate of Analysis

FOR R&D

Laboratory Sample ID: AL50131013-004



Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

26 Powell Lane
Penn Yan, NY, 14527, US

Production Method: Glycerin

Harvest/Lot ID: 230-280

Batch#: 230-280

Sample Size Received: 1 units

Total Amount: 1 units

Retail Product Size: 170 gram

Retail Serving Size: 170 gram

Servings: 1

Sampled: 01/31/25 12:30 PM

Sampling Start: 12:30 PM

Sampling End: 12:50 PM

Sampling Method: SOP.T.20.010.NY

TESTED

Pages 1 of 1

SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
NOT TESTED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals
Solvents
NOT TESTED



Filth
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC
0.0201%



Total CBD
<0.0007



Total Cannabinoids
0.0201%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.0006	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	0.0201	<0.0007	<0.0007
mg/unit	<1.020	<1.190	<1.190	<1.190	<1.190	<1.190	<1.190	<1.190	<1.190	<1.190	34.170	<1.190	<1.190
LOQ	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.3059g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 02/05/25 08:20:59

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
02/05/25