

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

Dank | Flower | Mendo Breath | 3.5g 📆

Mendo Breath Matrix: Flower

Classification: Sativa Type: Flower - Cured

Production Method: Cured

Batch#: DANK-05025-MB Seed to Sale#: na

Sample Size Received: 13 units
Total Amount: 1900 units

Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram

Servings: 1

Sampled: 02/20/25 04:30 PM Sampling Start: 04:30 PM Sampling End: 07:30 PM Revision Date: 03/05/25

Sampling Method: SOP.T.20.010.NY

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50220003-007



HPI Canna Inc

License # : OCM-AUCP-22-000022

886 Noxon Road

Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 2

SAFETY RESULTS



PASSED





Heavy Metals



Microbials
PASSED



Mycotoxins PASSED



Residuals Solvents NOT TESTED



Filth PASSED



Water Activity
PASSED



Moisture PASSED



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC 28.8740%

Total THC/Container: 1010.5900 mg



Total CBD
<0.1000
Total CBD/Container: 0.0000 mg



Total Cannabinoids
33.4559%
Total Cannabinoids/Container:
1170.9565 mg

												и	
%	(6AR,9R) D10-THC <0.1000	(6AR,9S) D10-THC <0.1000	CBC <0.1000	CBD <0.1000	CBDA < 0.1000	CBDV <0.1000	свс 0.1458	D8-THC <0.1000	CBGA 0.6489	CBN <0.1000	D9-ТНС 1.8710	THCA 30,7902	THCV <0.1000
mg/unit	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	5.103	<3.500	22.712	<3.500	65.485	1077.657	
LOQ	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %

Weight:

Revision: #1

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY **Analyzed Date :** 02/25/25 16:42:30

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - The sample failed the micro test first. The client remediated the sample and retested after remediation. Retest sample ID: AL50301003-001.

Signature 02/27/25



1 Winners Circle Albany, NY, 12205, US (833) 465-8378



Certificate of Analysis

PASSED

886 Noxon Road Poughkeepsie, NY, 12603, US Telephone: (845) 533-5363 Fmail: TESTING@HPICANNA COM License # : OCM-AUCP-22-000022 Sample : AL50220003-007 Batch#: DANK-05025-MB

Sample Size Received: 13 units Sampled: 02/20/25 04:30 PM Total Amount: 1900 units Sampling Method: SOP.T.20.010.NY

Page 2 of 2



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
ETA-CARYOPHYLLENE	0.00	PASS	13.300	0.3800		Weight:				
ETA-MYRCENE	0.00	PASS	10.500	0.3000		1.0314g				
IMONENE	0.00	PASS	8.750	0.2500		Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
LPHA-HUMULENE	0.00	PASS	4.200	0.1200		Analyzed Date : 02/24/25 10:19:41				
INALOOL	0.00	PASS	3.150	0.0900						
LPHA-BISABOLOL	0.00	PASS	3.150	0.0900						
ENCHYL ALCOHOL	0.00	PASS	2.450	0.0700						
LPHA TERPINEOL	0.00	PASS	2.100	0.0600						
ETA-PINENE	0.00	PASS	1.750	0.0500						
ALENCENE	0.00	PASS	1.400	0.0400						
LPHA-PINENE	0.00	PASS	1.050	0.0300						
ERANIOL	0.00	PASS	0.700	0.0200						
AMPHENE	0.00	PASS	0.350	0.0100	T					
ARYOPHYLLENE OXIDE	0.00	PASS	0.350	0.0100	i i					
ERPINOLENE	0.00	PASS	0.350	0.0100	i i					
ARNESENE	0.10	PASS	<3.500	< 0.1000	The state of the s					
CIMENE	0.00	PASS	< 0.140	< 0.0040						
LPHA-PHELLANDRENE	0.00	PASS	< 0.140	< 0.0040						
UAIOL	0.00	PASS	< 0.140	< 0.0040						
IENTHOL	0.00	PASS	< 0.140	< 0.0040						
LPHA-TERPINENE	0.00	PASS	< 0.140	< 0.0040						

1.5300 Total (%)







Signature 02/27/25

Revision: #1 - The sample failed the micro test first. The client remediated the sample and retested after remediation. Retest sample ID: AL50301003-001.