

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

Dank | Flower | Jar | Afghani | 3.5g

Afghani Matrix: Flower

Classification: Sativa Type: Flower - Cured

Production Method: Cured **Batch#:** DANK-04925-AF

Seed to Sale#: na

Sample Size Received: 20 units Total Amount: 4375 units Retail Product Size: 3.5 gram

Retail Serving Size: 3.5 gram Servings: 1

Sampled: 02/20/25 04:30 PM Sampling Start: 04:30 PM Sampling End: 07:30 PM Revision Date: 03/04/25

Sampling Method: SOP.T.20.010.NY

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50220003-010



HPI Canna Inc

License # : OCM-AUCP-22-000022

886 Noxon Road

Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 2

SAFETY RESULTS







Heavy Metals PASSED



Microbials PASSED



Mycotoxins PASSED



Residuals Solvents NOT TESTED



Filth **PASSED**



Water Activity PASSED



Moisture PASSED



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC **29.5135%**

Total THC/Container: 1032.9725 mg



Total CBD
<0.1000
Total CBD/Container: 0.0000 mg



Total Cannabinoids
34.2069%
Total Cannabinoids/Container:
1197.2415 mg

												ш	
%	(6AR,9R) D10-THC <0.1000	(6AR,9S) D10-THC <0.1000	CBC <0.1000	CBD <0.1000	CBDA < 0.1000	CBDV <0.1000	св с 0.1665	D8-THC <0.1000	CBGA 0.5517	CBN < 0.1000	D9-ТНС 1.1701	THCA 32.3186	THCV <0.1000
mg/unit	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	5.828	<3.500	19.310	<3.500	40.954	1131.151	
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 02/25/25 16:46:09

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



remediated by the customer and retested again. Sample passed for Micro. The retest sample ID: AL50301003-008.

Revision: #1 - The sample was



1 Winners Circle Albany, NY, 12205, US (833) 465-8378



Type: Flower - Cured

PASSED

Certificate of Analysis

886 Noxon Road Poughkeepsie, NY, 12603, US Telephone: (845) 533-5363 Fmail: TESTING@HPICANNA COM License # : OCM-AUCP-22-000022 Sample : AL50220003-010 Batch#: DANK-04925-AF

Sample Size Received: 20 units Sampled: 02/20/25 04:30 PM Total Amount: 4375 units Sampling Method: SOP.T.20.010.NY

Page 2 of 2



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
SETA-CARYOPHYLLENE	0.00	PASS	34.300	0.9800	Weight:				
IMONENE	0.00	PASS	16.800	0.4800	1.0536g				
ETA-MYRCENE	0.00	PASS	14.700	0.4200	Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
LPHA-HUMULENE	0.00	PASS	10.850	0.3100	Analyzed Date : 02/24/25 10:22:34				
LPHA-BISABOLOL	0.00	PASS	3.500	0.1000					
ETA-PINENE	0.00	PASS	2.450	0.0700					
NCHYL ALCOHOL	0.00	PASS	1.750	0.0500					
ALENCENE	0.00	PASS	1.750	0.0500					
LPHA TERPINEOL	0.00	PASS	1.400	0.0400					
LPHA-PINENE	0.00	PASS	1.400	0.0400	i i				
AMPHENE	0.00	PASS	0.350	0.0100					
RYOPHYLLENE OXIDE	0.00	PASS	0.350	0.0100					
RPINOLENE	0.00	PASS	0.350	0.0100					
RNESENE	0.10	PASS	<3.500	< 0.1000					
NALOOL	0.00	PASS	< 0.140	< 0.0040					
IMENE	0.00	PASS	< 0.140	< 0.0040					
PHA-PHELLANDRENE	0.00	PASS	< 0.140	< 0.0040					
PHA-TERPINENE	0.00	PASS	< 0.140	< 0.0040					
RANIOL	0.00	PASS	< 0.140	< 0.0040					
JAIOL	0.00	PASS	< 0.140	< 0.0040					
ENTHOL	0.00	PASS	< 0.140	< 0.0040					

Total (%)

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



remediated by the customer and retested again. Sample passed for Micro. The retest sample ID: AL50301003-008.

Revision: #1 - The sample was