

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50313003-006



Production Method: Cured
Batch#: DANK-07025-AC
Seed to Sale#: na
Sample Size Received: 3 units
Total Amount: 2920 units
Retail Product Size: 3.5 gram
Retail Serving Size: 0.5 gram
Servings: 7
Sampled: 03/13/25 03:15 PM
Sampling Start: 03:15 PM
Sampling End: 04:15 PM
Sampling Method: SOP.T.20.010.NY

HPI Canna Inc
License # : OCM-AUCP-22-000022
886 Noxon Road
Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC
25.7907%

Total THC/Container : 902.6745 mg



Total CBD
<0.1000

Total CBD/Container : 0.0000 mg



Total Cannabinoids
29.9908%

Total Cannabinoids/Container :
1049.6780 mg

| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | D8-THC | CBGA | CBN | D9-THC | THCA | THCV |
|---------|---------------------|---------------------|---------|---------|---------|---------|--------|---------|--------|---------|--------|---------|---------|
| % | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 0.1466 | <0.1000 | 0.7621 | <0.1000 | 2.3231 | 26.7590 | <0.1000 |
| mg/unit | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | 5.131 | <3.500 | 26.674 | <3.500 | 81.309 | 936.565 | <3.500 |
| LOQ | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 |
| % | % | % | % | % | % | % | % | % | % | % | % | % | % |

Weight:
0.1926g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 03/18/25 12:37:53

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Erica

Signature
03/20/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Dank | Preroll 7 Pack | Alien Cookies | 3.5g
Alien Cookies
Matrix : Flower
Type: Pre-roll

Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: TESTING@HPICANNA.COM
License # : OCM-AUCP-22-000022

Sample : AL50313003-006

Batch# : DANK-07025-AC
Sampled : 03/13/25 03:15 PM

Sample Size Received : 3 units
Total Amount : 2920 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 2



Terpenes

PASSED

| Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|---------------------|---------|-----------|---------|------------|
| BETA-CARYOPHYLLENE | 0.00 | PASS | 7.000 | 0.2000 | BETA-CARYOPHYLLENE | 0.00 | PASS | 7.000 | 0.2000 |
| LINALOOL | 0.00 | PASS | 6.300 | 0.1800 | LINALOOL | 0.00 | PASS | 6.300 | 0.1800 |
| ALPHA-HUMULENE | 0.00 | PASS | 2.450 | 0.0700 | ALPHA-HUMULENE | 0.00 | PASS | 2.450 | 0.0700 |
| ALPHA-BISABOLOL | 0.00 | PASS | 2.100 | 0.0600 | ALPHA-BISABOLOL | 0.00 | PASS | 2.100 | 0.0600 |
| GUAIOL | 0.00 | PASS | 1.750 | 0.0500 | GUAIOL | 0.00 | PASS | 1.750 | 0.0500 |
| ALPHA TERPINEOL | 0.00 | PASS | 1.050 | 0.0300 | ALPHA TERPINEOL | 0.00 | PASS | 1.050 | 0.0300 |
| FENCHYL ALCOHOL | 0.00 | PASS | 1.050 | 0.0300 | FENCHYL ALCOHOL | 0.00 | PASS | 1.050 | 0.0300 |
| LIMONENE | 0.00 | PASS | 1.050 | 0.0300 | LIMONENE | 0.00 | PASS | 1.050 | 0.0300 |
| VALENCENE | 0.00 | PASS | 0.350 | 0.0100 | VALENCENE | 0.00 | PASS | 0.350 | 0.0100 |
| BETA-MYRCENE | 0.00 | PASS | 0.350 | 0.0100 | BETA-MYRCENE | 0.00 | PASS | 0.350 | 0.0100 |
| CARYOPHYLLENE OXIDE | 0.00 | PASS | <0.140 | <0.0040 | CARYOPHYLLENE OXIDE | 0.00 | PASS | <0.140 | <0.0040 |
| FARNESENE | 0.10 | PASS | <3.500 | <0.1000 | FARNESENE | 0.10 | PASS | <3.500 | <0.1000 |
| BETA-PINENE | 0.00 | PASS | <0.140 | <0.0040 | BETA-PINENE | 0.00 | PASS | <0.140 | <0.0040 |
| CAMPHERE | 0.00 | PASS | <0.140 | <0.0040 | CAMPHERE | 0.00 | PASS | <0.140 | <0.0040 |
| GERANIOL | 0.00 | PASS | <0.140 | <0.0040 | GERANIOL | 0.00 | PASS | <0.140 | <0.0040 |
| MENTHOL | 0.00 | PASS | <0.140 | <0.0040 | MENTHOL | 0.00 | PASS | <0.140 | <0.0040 |
| OCIMENE | 0.00 | PASS | <0.140 | <0.0040 | OCIMENE | 0.00 | PASS | <0.140 | <0.0040 |
| TERPINOLENE | 0.00 | PASS | <0.140 | <0.0040 | TERPINOLENE | 0.00 | PASS | <0.140 | <0.0040 |
| ALPHA-PHELLANDRENE | 0.00 | PASS | <0.140 | <0.0040 | ALPHA-PHELLANDRENE | 0.00 | PASS | <0.140 | <0.0040 |
| ALPHA-PINENE | 0.00 | PASS | <0.140 | <0.0040 | ALPHA-PINENE | 0.00 | PASS | <0.140 | <0.0040 |
| ALPHA-TERPINENE | 0.00 | PASS | <0.140 | <0.0040 | ALPHA-TERPINENE | 0.00 | PASS | <0.140 | <0.0040 |
| Total (%) | | | | 0.6700 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Erica

Signature
03/20/25