



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50404006-013



Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

26 Powell Lane  
 Penn Yan, NY, 14527, US

**Production Method:** CO2  
**Batch#:** EUV-LR-ORZ1G04-009  
**Sample Size Received:** 3 gram  
**Total Amount:** 1000 gram  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Sampled:** 04/04/25 08:30 AM  
**Sampling Start:** 08:30 AM  
**Sampling End:** 08:30 AM  
**Sampling Method:** SOP.T.20.010.NY

## PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**

### MISC.



Terpenes  
**PASSED**



### Cannabinoid

## PASSED



Total THC

**80.3451%**

Total THC/Container : 803.4510 mg



Total CBD

**1.4129%**

Total CBD/Container : 14.1290 mg



Total Cannabinoids

**90.7329%**

Total Cannabinoids/Container : 907.3290 mg

|      | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD    | CBDA    | CBDV    | CBG    | D8-THC  | CBGA   | CBN    | D9-THC  | THCA    | THCV   |
|------|---------------------|---------------------|--------|--------|---------|---------|--------|---------|--------|--------|---------|---------|--------|
| %    | 0.1501              | <0.1000             | 1.1785 | 1.4129 | <0.1000 | <0.1000 | 1.8923 | <0.1000 | 0.7015 | 1.6071 | 60.3646 | 22.6117 | 0.8142 |
| mg/g | 1.501               | <1.000              | 11.785 | 14.129 | <1.000  | <1.000  | 18.923 | <1.000  | 7.015  | 16.071 | 603.646 | 226.117 | 8.142  |
| LOQ  | 0.1000              | 0.1000              | 0.1000 | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000 | 0.1000 | 0.1000  | 0.1000  | 0.1000 |
| %    | %                   | %                   | %      | %      | %       | %       | %      | %       | %      | %      | %       | %       | %      |

Weight:  
 0.1647g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
 Analyzed Date : 04/08/25 13:01:52

Label Claim

## PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



Signature  
 04/08/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs



OREOZ 1G

Matrix : Derivative

Type: Vape Cartridge

# Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-AUCP-22-000027

Sample : AL50404006-013

Batch# : EUV-LR-  
ORZ1G04-009

Sampled : 04/04/25 08:30 AM

Sample Size Received : 3 gram

Total Amount : 1000 gram

Sampling Method : SOP.T.20.010.NY

Page 2 of 5



## Terpenes

PASSED

| Terpenes            | LOQ (%) | Pass/Fail | mg/g   | Result (%) | Terpenes            | LOQ (%) | Pass/Fail | mg/g   | Result (%) |
|---------------------|---------|-----------|--------|------------|---------------------|---------|-----------|--------|------------|
| BETA-CARYOPHYLLENE  | 0.04    | PASS      | 7.100  | 0.7100     | BETA-CARYOPHYLLENE  | 0.04    | PASS      | 7.100  | 0.7100     |
| LIMONENE            | 0.10    | PASS      | 4.400  | 0.4400     | LIMONENE            | 0.10    | PASS      | 4.400  | 0.4400     |
| BETA-MYRCENE        | 0.10    | PASS      | 4.200  | 0.4200     | BETA-MYRCENE        | 0.10    | PASS      | 4.200  | 0.4200     |
| TERPINOLENE         | 0.04    | PASS      | 3.400  | 0.3400     | TERPINOLENE         | 0.04    | PASS      | 3.400  | 0.3400     |
| ALPHA-HUMULENE      | 0.04    | PASS      | 2.800  | 0.2800     | ALPHA-HUMULENE      | 0.04    | PASS      | 2.800  | 0.2800     |
| ALPHA-BISABOLOL     | 0.04    | PASS      | 2.200  | 0.2200     | ALPHA-BISABOLOL     | 0.04    | PASS      | 2.200  | 0.2200     |
| LINALOOL            | 0.10    | PASS      | 1.600  | 0.1600     | LINALOOL            | 0.10    | PASS      | 1.600  | 0.1600     |
| ALPHA-PINENE        | 0.10    | PASS      | 1.200  | 0.1200     | ALPHA-PINENE        | 0.10    | PASS      | 1.200  | 0.1200     |
| GUAJOL              | 0.04    | PASS      | 1.100  | 0.1100     | GUAJOL              | 0.04    | PASS      | 1.100  | 0.1100     |
| OCIMENE             | 0.10    | PASS      | 1.000  | 0.1000     | OCIMENE             | 0.10    | PASS      | 1.000  | 0.1000     |
| CARYOPHYLLENE OXIDE | 0.04    | PASS      | 0.500  | 0.0500     | CARYOPHYLLENE OXIDE | 0.04    | PASS      | 0.500  | 0.0500     |
| FENCHYL ALCOHOL     | 0.04    | PASS      | 0.500  | 0.0500     | FENCHYL ALCOHOL     | 0.04    | PASS      | 0.500  | 0.0500     |
| ALPHA TERPINEOL     | 0.04    | PASS      | 0.400  | 0.0400     | ALPHA TERPINEOL     | 0.04    | PASS      | 0.400  | 0.0400     |
| CAMPHERE            | 0.10    | PASS      | <1.000 | <0.1000    | CAMPHERE            | 0.10    | PASS      | <1.000 | <0.1000    |
| FARNESENE           | 0.10    | PASS      | <1.000 | <0.1000    | FARNESENE           | 0.10    | PASS      | <1.000 | <0.1000    |
| MENTHOL             | 0.10    | PASS      | <1.000 | <0.1000    | MENTHOL             | 0.10    | PASS      | <1.000 | <0.1000    |
| VALENCENE           | 0.10    | PASS      | <1.000 | <0.1000    | VALENCENE           | 0.10    | PASS      | <1.000 | <0.1000    |
| ALPHA-PHELLANDRENE  | 0.10    | PASS      | <1.000 | <0.1000    | ALPHA-PHELLANDRENE  | 0.10    | PASS      | <1.000 | <0.1000    |
| ALPHA-TERPINENE     | 0.10    | PASS      | <1.000 | <0.1000    | ALPHA-TERPINENE     | 0.10    | PASS      | <1.000 | <0.1000    |
| BETA-PINENE         | 0.10    | PASS      | <1.000 | <0.1000    | BETA-PINENE         | 0.10    | PASS      | <1.000 | <0.1000    |
| GERANIOL            | 0.04    | PASS      | <0.400 | <0.0400    | GERANIOL            | 0.04    | PASS      | <0.400 | <0.0400    |
| Total (%)           |         |           |        | 3.0400     |                     |         |           |        |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director


NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
04/08/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs



OREOZ 1G

Matrix : Derivative

Type: Vape Cartridge

# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-AUCP-22-000027

Sample : AL50404006-013

Batch# : EUV-LR-  
ORZ1G04-009

Sampled : 04/04/25 08:30 AM

Sample Size Received : 3 gram

Total Amount : 1000 gram

Sampling Method : SOP.T.20.010.NY

Page 3 of 5



## Pesticides

**PASSED**

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| ACEQUINOXYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | OXAMYL                                                                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| PRALLETHRIN           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PROPOCONAZOLE                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | 0.1906  | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TEBUXAMINE                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CLOFENTEZINE          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORANTHRANILIPROLE  | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.5808g                                                               |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date :04/07/25 13:49:14                                      |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| FENOXYCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.5808g                                                               |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date :04/07/25 12:36:57                                      |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
04/08/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs



OREOZ 1G

Matrix : Derivative

Type: Vape Cartridge

# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License #: OCM-AUCP-22-000027

Sample : AL50404006-013

Batch# : EUV-LR-  
ORZ1G04-009

Sampled : 04/04/25 08:30 AM

Sample Size Received : 3 gram

Total Amount : 1000 gram

Sampling Method : SOP.T.20.010.NY

Page 4 of 5



## Residual Solvents

**PASSED**

| Solvents                  | LOQ   | Units | Action Level | Pass/Fail | Result |
|---------------------------|-------|-------|--------------|-----------|--------|
| 1,1,1,2-TETRAFLUOROETHANE | 500.0 | ppm   | 1000         | PASS      | <500.0 |
| DIMETHYL SULFOXIDE        | 375.0 | ppm   | 5000         | PASS      | <375.0 |
| 1,1,1-TRICHLOROETHANE     | 375.0 | ppm   | 1500         | PASS      | <375.0 |
| HEXANE, TOTAL             | 125.0 | ppm   | 290          | PASS      | <125.0 |
| PENTANES, TOTAL           | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BUTANES, TOTAL            | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| XYLENES, TOTAL            | 125.0 | ppm   | 2170         | PASS      | <125.0 |
| 1,2-DICHLOROETHANE        | 1.3   | ppm   | 5            | PASS      | <1.3   |
| PROPANE                   | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| METHANOL                  | 125.0 | ppm   | 3000         | PASS      | <125.0 |
| ETHANOL                   | 125.0 | ppm   | 5000         | PASS      | 383.8  |
| ETHYL ETHER               | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONE                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| 2-PROPANOL                | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONITRILE              | 125.0 | ppm   | 410          | PASS      | <125.0 |
| DICHLOROMETHANE           | 125.0 | ppm   | 600          | PASS      | <125.0 |
| ETHYL ACETATE             | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BENZENE                   | 1.3   | ppm   | 2            | PASS      | <1.3   |
| N-HEPTANE                 | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| TOLUENE                   | 125.0 | ppm   | 890          | PASS      | <125.0 |
| CHLOROFORM                | 1.3   | ppm   | 60           | PASS      | <1.3   |

Weight:

0.0233g

Analysis Method : SOP.T.40.044.NY

Analyzed Date : 04/07/25 09:29:06


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
04/08/25



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

 26 Powell Lane  
 Penn Yan, NY, 14527, US  
 Telephone: (914) 960-3524  
 Email: RL@eurekavapor.com  
 License # : OCM-AUCP-22-000027

Sample : AL50404006-013

 Batch# : EUV-LR-  
 ORZ1G04-009

Sampled : 04/04/25 08:30 AM

Sample Size Received : 3 gram

Total Amount : 1000 gram

Sampling Method : SOP.T.20.010.NY

Page 5 of 5

|  <b>Microbial</b> <b>PASSED</b> |     |       |             |             |              |  <b>Mycotoxins</b> <b>PASSED</b> |        |       |         |             |              |
|------------------------------------------------------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                                                                          | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                                                                                           | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                                                           | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G2                                                                                                      | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                                                             | 100 | CFU/g | <100        | PASS        | 1000         | AFLATOXIN G1                                                                                                      | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                                                                    | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                                                                                      | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                                                               | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                                                                                      | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                                                              | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                                                                                     | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                                                                | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                                                                                 | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                                                               | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                                                            | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| Weight: 1.013g                                                                                                   |     |       |             |             |              | Weight: 0.5808g                                                                                                   |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY                             |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY                                                                |        |       |         |             |              |
| Analyzed Date : 04/07/25 15:01:04                                                                                |     |       |             |             |              | Analyzed Date : 04/07/25 13:44:34                                                                                 |        |       |         |             |              |

|  <b>Heavy Metals</b> <b>PASSED</b> |        |       |         |             |              |
|-----------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Metal                                                                                                                 | LOQ    | Units | Result  | Pass / Fail | Action Level |
| ANTIMONY                                                                                                              | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| ARSENIC                                                                                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CADMIUM                                                                                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CHROMIUM                                                                                                              | 1.0000 | ug/g  | <1.0000 | PASS        | 110          |
| COPPER                                                                                                                | 1.0000 | ug/g  | <1.0000 | PASS        | 30           |
| LEAD                                                                                                                  | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY                                                                                                               | 0.0100 | ug/g  | <0.0100 | PASS        | 0.1          |
| NICKEL                                                                                                                | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| Weight: 0.4952g                                                                                                       |        |       |         |             |              |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY                                                                    |        |       |         |             |              |
| Analyzed Date : 04/05/25 08:53:23                                                                                     |        |       |         |             |              |