



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50410003-016



Production Method: Cured
Batch#: DANK-09825-OGK
Sample Size Received: 8 units
Total Amount: 750 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Sampled: 04/10/25 01:00 PM
Sampling Start: 01:00 PM
Sampling End: 02:50 PM
Sampling Method: SOP.T.20.010.NY

HPI Canna Inc
License # : OCM-AUCC-22-000157
886 Noxon Road
Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

29.0865%

Total THC/Container : 4072.1100 mg



Total CBD

<0.1000

Total CBD/Container : 0.0000 mg



Total Cannabinoids

33.9032%

Total Cannabinoids/Container :
4746.4480 mg

| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | D8-THC | CBGA | CBN | D9-THC | THCA | THCV |
|---------|---------------------|---------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|---------|
| % | <0.5000 | <0.5000 | <0.5000 | <0.5000 | <0.5000 | <0.5000 | <0.5000 | <0.5000 | 0.8731 | <0.5000 | 0.9687 | 32.0614 | <0.5000 |
| mg/unit | <70.000 | <70.000 | <70.000 | <70.000 | <70.000 | <70.000 | <70.000 | <70.000 | 122.234 | <70.000 | 135.618 | 4488.596 | <70.000 |
| LOQ | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 | 0.5000 |
| % | % | % | % | % | % | % | % | % | % | % | % | % | % |

Weight:
0.2088g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 04/11/25 12:52:06

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
04/13/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Dank | Flower | OG Kush | 14g
OG Kush
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: TESTING@HPICANNA.COM
License # : OCM-AUCC-22-000157

Sample : AL50410003-016

Batch# : DANK-09825-OGK
Sampled : 04/10/25 01:00 PM

Sample Size Received : 8 units

Total Amount : 750 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 2



Terpenes

PASSED

| Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|----------------------|---------|-----------|---------|------------|----------------------|---------|-----------|---------|------------|
| BETA-CARYOPHYLLENE | 0.00 | PASS | 138.600 | 0.9900 | BETA-CARYOPHYLLENE | 0.00 | PASS | 138.600 | 0.9900 |
| BETA-MYRCENE | 0.00 | PASS | 92.400 | 0.6600 | BETA-MYRCENE | 0.00 | PASS | 92.400 | 0.6600 |
| LIMONENE | 0.00 | PASS | 89.600 | 0.6400 | LIMONENE | 0.00 | PASS | 89.600 | 0.6400 |
| ALPHA-HUMULENE | 0.00 | PASS | 39.200 | 0.2800 | ALPHA-HUMULENE | 0.00 | PASS | 39.200 | 0.2800 |
| LINALOOL | 0.00 | PASS | 32.200 | 0.2300 | LINALOOL | 0.00 | PASS | 32.200 | 0.2300 |
| BETA-PINENE | 0.00 | PASS | 14.000 | 0.1000 | BETA-PINENE | 0.00 | PASS | 14.000 | 0.1000 |
| ALPHA-BISABOLOL | 0.00 | PASS | 12.600 | 0.0900 | ALPHA-BISABOLOL | 0.00 | PASS | 12.600 | 0.0900 |
| FENCHYL ALCOHOL | 0.00 | PASS | 9.800 | 0.0700 | FENCHYL ALCOHOL | 0.00 | PASS | 9.800 | 0.0700 |
| ALPHA TERPINEOL | 0.00 | PASS | 8.400 | 0.0600 | ALPHA TERPINEOL | 0.00 | PASS | 8.400 | 0.0600 |
| ALPHA-PINENE | 0.00 | PASS | 7.000 | 0.0500 | ALPHA-PINENE | 0.00 | PASS | 7.000 | 0.0500 |
| CARYOPHYLLENE OXIDE | 0.00 | PASS | 2.800 | 0.0200 | CARYOPHYLLENE OXIDE | 0.00 | PASS | 2.800 | 0.0200 |
| VALENCENE | 0.00 | PASS | 2.800 | 0.0200 | VALENCENE | 0.00 | PASS | 2.800 | 0.0200 |
| CAMPHENE | 0.00 | PASS | 1.400 | 0.0100 | CAMPHENE | 0.00 | PASS | 1.400 | 0.0100 |
| GERANIOL | 0.00 | PASS | 1.400 | 0.0100 | GERANIOL | 0.00 | PASS | 1.400 | 0.0100 |
| OCIMENE | 0.00 | PASS | 1.400 | 0.0100 | OCIMENE | 0.00 | PASS | 1.400 | 0.0100 |
| TERPINOLENE | 0.00 | PASS | 1.400 | 0.0100 | TERPINOLENE | 0.00 | PASS | 1.400 | 0.0100 |
| FARNESENE | 0.10 | PASS | <14.000 | <0.1000 | FARNESENE | 0.10 | PASS | <14.000 | <0.1000 |
| GUAJOL | 0.00 | PASS | <0.560 | <0.0040 | GUAJOL | 0.00 | PASS | <0.560 | <0.0040 |
| MENTHOL | 0.00 | PASS | <0.560 | <0.0040 | MENTHOL | 0.00 | PASS | <0.560 | <0.0040 |
| ALPHA-PHELLODENDRENE | 0.00 | PASS | <0.560 | <0.0040 | ALPHA-PHELLODENDRENE | 0.00 | PASS | <0.560 | <0.0040 |
| ALPHA-TERPINENE | 0.00 | PASS | <0.560 | <0.0040 | ALPHA-TERPINENE | 0.00 | PASS | <0.560 | <0.0040 |
| Total (%) | | | 3.2500 | | Total (%) | | | 3.2500 | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Erica Troy

Signature
04/13/25