

Kaycha Labs STRAWBERRY CLEM 1G Pod Matrix: Derivative

Classification: Unknown Type: Vape Cartridge

> **Production Method:** Ethanol Batch#: EUV-SC1G-060525 Sample Size Received: 6 units Total Amount: 741 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram Servings: 1

Sampled: 06/06/25 12:35 PM Sampling Start: 12:35 PM Sampling End: 01:30 PM

Sampling Method: SOP.T.20.010.NY

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50606009-002



Northeast Extracts- Eureka Vapor

License #: OCM-AUCP-22-000027

26 Powell Lane

Penn Yan, NY, 14527, US

PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



PASSED



PASSED



Residuals Solvents **PASSED**



NOT TESTED



Water Activity **NOT TESTED**



Moisture **NOT TESTED**





Terpenes PASSED

Bulk Oil for batch EUV-SC1G-060525 was tested under AL50606009-051 for all analyses except heavy metals. Results are attached below.

Lab Director







Certificate of Analysis


PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane Penn Yan, NY, 14527, US Telephone: (914) 960-3524 Email: RL@eurekavapor.com License # : OCM-AUCP-22-000027 Batch#: EUV-SC1G-060525 Sampled: 06/06/25 12:35 PM Total Amount: 741 units

Sampling Method: SOP.T.20.010.NY

Page 2 of 2



Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	< 0.1000	PASS	2
ARSENIC	0.1000	ug/g	< 0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	< 0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	< 0.1000	PASS	0.5
MERCURY	0.0100	ug/g	< 0.0100	PASS	0.1
NICKEL	0.1000	ug/g	0.1165	PASS	2

Weight: 0.5147g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 06/10/25 11:07:42

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 06/11/25



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50606009-051



Northeast Extracts- Eureka Vapor

License #: OCM-AUCP-22-000027

26 Powell Lane

Penn Yan, NY, 14527, US

PASSED

Pages 1 of 5

Kaycha Labs

3G Slides STRAWBERRY Matrix: Derivative Classification: Unknown

Type: Vape Cartridge

Production Method: Other Hydrocarbon

Batch#: EUV-SCND3G-060525 Sample Size Received: 42 gram Total Amount: 250 units

Retail Product Size: 3 gram

Retail Serving Size: 3 gram

Sampled: 06/06/25 12:35 PM Sampling Start: 12:35 PM Sampling End: 01:30 PM

Sampling Method: SOP.T.20.010.NY

Servings: 1

SAFETY RESULTS

0

Pesticides PASSED



Heavy Metals **PASSED**



PASSED



PASSED



Residuals Solvents **PASSED**



NOT TESTED



NOT TESTED



Moisture NOT TESTED





PASSED

PASSED



Cannabinoid

Total THC



Total CBD



Total Cannabinoids Total Cannabinoids/Container:

2801.0100 mg

											•		
											•		
											•		
	(6AR,9R) D10-THC	(6AR,9S) D10-THC	СВС	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	0.7225	< 0.1000	2.5136	2.4880	< 0.1000	<0.1000	2.8917	< 0.1000	<0.1000	2.5010	79.3988	0.9922	1.8592
mg/unit	21.675	<3.000	75.408	74.640	<3.000	<3.000	86.751	<3.000	<3.000	75.030	2381.964	29.766	55.776
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 06/12/25 10:33:38

Label Claim **PASSED**

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 06/12/25





Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane Penn Yan, NY, 14527, US Telephone: (914) 960-3524 Email: RL@eurekavapor.com License # : OCM-AUCP-22-000027

Batch#: EUV-SCND3G-060525 Sample Size Received: 42 gram Sampled: 06/06/25 12:35 PM Total Amount: 250 units

Sampling Method: SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
IMONENE	0.00	PASS	48.300	1.6100	Weight:	. , , ,			,
CIMENE	0.00	PASS	30.000	1.0000	0.4933g				
ETA-CARYOPHYLLENE	0.00	PASS	19.500	0.6500	Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
LPHA-BISABOLOL	0.00	PASS	10.500	0.3500	Analyzed Date : 06/11/25 16:19:46				
ETA-MYRCENE	0.00	PASS	9.600	0.3200					
LPHA-HUMULENE	0.00	PASS	8.700	0.2900					
INALOOL	0.00	PASS	7.800	0.2600					
LPHA-PINENE	0.00	PASS	7.800	0.2600					
ERPINOLENE	0.00	PASS	4.800	0.1600					
ENCHYL ALCOHOL	0.00	PASS	4.200	0.1400					
ARYOPHYLLENE OXIDE	0.00	PASS	3.600	0.1200					
UAIOL	0.00	PASS	3.000	0.1000					
LPHA TERPINEOL	0.00	PASS	2.400	0.0800					
AMPHENE	0.00	PASS	1.800	0.0600					
LPHA-PHELLANDRENE	0.00	PASS	1.200	0.0400					
ETA-PINENE	0.00	PASS	1.200	0.0400					
LPHA-TERPINENE	0.00	PASS	0.900	0.0300					
ARNESENE	0.10	PASS	<3.000	< 0.1000					
ERANIOL	0.00	PASS	< 0.120	< 0.0040					
ALENCENE	0.00	PASS	< 0.120	< 0.0040					
MENTHOL	0.00	PASS	< 0.120	< 0.0040					

Total (%)



Lab Director







Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane Penn Yan, NY, 14527, US Telephone: (914) 960-3524 Email: RL@eurekavapor.com License # : OCM-AUCP-22-000027 Batch#: EUV-SCND3G-060525 Sample Size Received: 42 gram Sampled: 06/06/25 12:35 PM Total Amount: 250 units

Sampling Method: SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide ACEOUINOCYL	LOQ 0.1000	Units ppm	Action Level	Pass/Fail	Result
PRALLETHRIN	0.1000	ppm	0.2	PASS	< 0.100
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	< 0.100
AZADIRACHTIN	0.1000	ppm	1	PASS	< 0.100
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	< 0.100
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	< 0.100
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	< 0.100
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	< 0.100
ACEPHATE	0.1000	ppm	0.4	PASS	< 0.100
ACETAMIPRID	0.1000	ppm	0.2	PASS	< 0.100
ALDICARB	0.1000	ppm	0.4	PASS	< 0.100
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	< 0.100
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	< 0.100
BIFENAZATE	0.1000	ppm	0.2	PASS	< 0.100
BIFENTHRIN	0.1000	ppm	0.2	PASS	< 0.100
CARBARYL	0.1000	ppm	0.2	PASS	< 0.100
COUMAPHOS	0.1000	ppm	1	PASS	< 0.100
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	< 0.100
CARBOFURAN	0.1000	ppm	0.2	PASS	< 0.100
DAMINOZIDE	0.1000	ppm	1	PASS	< 0.100
BOSCALID	0.1000	ppm	0.4	PASS	< 0.100
DIAZINON	0.1000	ppm	0.2	PASS	< 0.100
CLOFENTEZINE	0.1000	ppm	0.2	PASS	< 0.100
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	< 0.100
DICHLORVOS	0.1000	ppm	1	PASS	< 0.100
DIMETHOATE	0.1000	ppm	0.2	PASS	< 0.100
DIMETHOMORPH	0.1000	ppm	1	PASS	< 0.100
ETHOPROPHOS	0.1000	ppm	0.2	PASS	< 0.100
ETOFENPROX	0.1000	ppm	0.4	PASS	< 0.100
ETOXAZOLE	0.1000	ppm	0.2	PASS	< 0.100
FENHEXAMID	0.1000	ppm	1	PASS	< 0.100
FENOXYCARB	0.1000	ppm	0.2	PASS	< 0.100
FENPYROXIMATE	0.1000	ppm	0.4	PASS	< 0.100
FIPRONIL	0.1000 0.1000	ppm	0.4	PASS PASS	<0.100
FLONICAMID		ppm		PASS	< 0.100
FLUDIOXONIL	0.1000 0.1000	ppm	0.4	PASS	<0.100
HEXYTHIAZOX IMAZALIL	0.1000	ppm	0.2	PASS	<0.100
	0.1000		0.4	PASS	< 0.100
IMIDACLOPRID KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.100
MALATHION	0.1000	ppm	0.4	PASS	<0.100
METALAXYL	0.1000		0.2	PASS	<0.100
METALAXYL METHIOCARB	0.1000	ppm	0.2	PASS	<0.100
METHOCARB	0.1000		0.2	PASS	<0.100
METHOMYL MEVINPHOS	0.1000	ppm	0.4	PASS	<0.100
NALED	0.1000	ppm	0.5	PASS	<0.100
NALED	0.1000	Phili	0.0	- M33	<0.100

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
OXAMYL	0.1000	ppm	1	PASS	< 0.1000
PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	< 0.1000
PERMETHRIN	0.1000	ppm	0.2	PASS	< 0.1000
PHOSMET	0.1000	ppm	0.2	PASS	< 0.1000
PROPICONAZOLE	0.1000	ppm	0.4	PASS	< 0.1000
PROPOXUR	0.1000	ppm	0.2	PASS	< 0.1000
PYRIDABEN	0.1000	ppm	0.2	PASS	< 0.1000
SPINETORAM, TOTAL	0.1000	ppm	1	PASS	< 0.1000
SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	< 0.1000
SPIROMESIFEN	0.1000	ppm	0.2	PASS	< 0.1000
SPIROTETRAMAT	0.1000	ppm	0.2	PASS	< 0.1000
SPIROXAMINE	0.1000	ppm	0.2	PASS	< 0.1000
TEBUCONAZOLE	0.1000	ppm	0.4	PASS	< 0.1000
THIACLOPRID	0.1000	ppm	0.2	PASS	< 0.1000
THIAMETHOXAM	0.1000	ppm	0.2	PASS	< 0.1000
TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	< 0.1000
CAPTAN *	0.1000	ppm	1	PASS	< 0.1000
CHLORDANE *	0.1000	ppm	1	PASS	< 0.1000
CHLORFENAPYR *	0.1000	ppm	1	PASS	< 0.1000
CYFLUTHRIN *	0.1000	ppm	1	PASS	< 0.1000
CYPERMETHRIN *	0.1000	ppm	1	PASS	< 0.1000
METHYL PARATHION *	0.1000	ppm	0.2	PASS	< 0.1000
MGK-264 *	0.1000	ppm	0.2	PASS	< 0.1000
PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	< 0.1000

Weight: 0.5509g
Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY analysed Date: 06/10/25 12:16:26

Analysis Method : SOP.T.40.154.NY Analyzed Date : 06/10/25 14:35:59

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 06/12/25



Kaycha Labs ■ 3G Slides STRAWBERRY Matrix : Derivative : Type: Vape Cartridge

Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane Penn Yan, NY, 14527, US Telephone: (914) 960-3524 Email: RL@eurekavapor.com License # : OCM-AUCP-22-000027 Batch#: EUV-SCND3G-060525 Sample Size Received: 42 gram Sampled: 06/06/25 12:35 PM Total Amount: 250 units

Sampling Method: SOP.T.20.010.NY

Page 4 of 5



Residual Solvents

PASSED

LOQ	Units	Action Level	Pass/Fail	Result
500.0	ppm	1000	PASS	<500.0
375.0	ppm	5000	PASS	<375.0
375.0	ppm	1500	PASS	<375.0
125.0	ppm	290	PASS	<125.0
125.0	ppm	5000	PASS	<125.0
750.0	ppm	5000	PASS	<750.0
125.0	ppm	2170	PASS	<125.0
1.3	ppm	5	PASS	<1.3
750.0	ppm	5000	PASS	<750.0
125.0	ppm	3000	PASS	<125.0
125.0	ppm	5000	PASS	<125.0
125.0	ppm	5000	PASS	<125.0
125.0	ppm	5000	PASS	<125.0
125.0	ppm	5000	PASS	<125.0
125.0	ppm	410	PASS	<125.0
125.0	ppm	600	PASS	<125.0
125.0	ppm	5000	PASS	<125.0
1.3	ppm	2	PASS	<1.3
125.0	ppm	5000	PASS	<125.0
125.0	ppm	890	PASS	<125.0
1.3	ppm	60	PASS	<1.3
	500.0 375.0 375.0 125.0 125.0 750.0 125.0 1.3 750.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0	500.0 ppm 375.0 ppm 375.0 ppm 125.0 ppm	500.0 ppm 1000 375.0 ppm 5000 375.0 ppm 1500 125.0 ppm 290 125.0 ppm 5000 750.0 ppm 2170 1.3 ppm 5 750.0 ppm 5000 125.0 ppm 3000 125.0 ppm 5000 125.0 ppm 600 125.0 ppm 5000 125.0 ppm 5000 <td>500.0 ppm 1000 PASS 375.0 ppm 5000 PASS 375.0 ppm 1500 PASS 125.0 ppm 290 PASS 125.0 ppm 5000 PASS 750.0 ppm 5000 PASS 1.3 ppm 5 PASS 750.0 ppm 5000 PASS 125.0 ppm 3000 PASS 125.0 ppm 5000 PASS 125.0 ppm 600 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS <</td>	500.0 ppm 1000 PASS 375.0 ppm 5000 PASS 375.0 ppm 1500 PASS 125.0 ppm 290 PASS 125.0 ppm 5000 PASS 750.0 ppm 5000 PASS 1.3 ppm 5 PASS 750.0 ppm 5000 PASS 125.0 ppm 3000 PASS 125.0 ppm 5000 PASS 125.0 ppm 600 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS <

0.0266g

rounding errors.

Analysis Method: SOP.T.40.044.NY Analyzed Date: 06/09/25 10:04:00

Erica Troy Lab Director





Kaycha Labs ■ 3G Slides STRAWBERRY Matrix : Derivative Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane Penn Yan, NY, 14527, US Telephone: (914) 960-3524 Fmail: BL@eurekayapor.com License # : OCM-AUCP-22-000027

Batch#: EUV-SCND3G-060525 Sample Size Received: 42 gram Sampled: 06/06/25 12:35 PM Total Amount: 250 units

Sampling Method: SOP.T.20.010.NY

Page 5 of 5



Microbial

PASSED



Mycotoxins

PASSED

LOQ	Units	Result	Pass / Fail	Action Level
100	CFU/g	<100	PASS	10000
100	CFU/g	<100	PASS	1000
1		Not Present	PASS	
1		Not Present	PASS	
1		Not Present	PASS	
1		Not Present	PASS	
1		Not Present	PASS	
1		Not Present	PASS	
	100 100 1	100 CFU/g 100 CFU/g 1	100 CFU/g <100 100 CFU/g <100 1 Not Present Not Present	Fail 100 CFU/g <100 PASS 100 CFU/g <100 PASS 1 Not Present PASS 1 No

LOO Units Result Pass / Analyte Action Fail Level 0.0100 ppm **AFLATOXIN G2** <0.0100 PASS 0.02 AFLATOXIN G1 0.0100 ppm <0.0100 PASS 0.02 <0.0100 PASS AFLATOXIN B2 0.0100 ppm 0.02 0.0100 ppm AFLATOXIN B1 <0.0100 PASS 0.02 OCHRATOXIN A+ 0.0100 ppm <0.0100 PASS 0.02 <0.0100 PASS TOTAL AFLATOXINS (B1, B2, G1, G2) 0.0100 ppm 0.02

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY

Analyzed Date: 06/10/25 12:11:37

Weight: 0.96g

Analysis Method: SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date: 06/10/25 09:04:16



Lab Director

