



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50606009-008



Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

26 Powell Lane  
Penn Yan, NY, 14527, US**Production Method:** Ethanol**Batch#:** EUV-JEL1G-060525**Sample Size Received:** 6 units**Total Amount:** 617 units**Retail Product Size:** 1 gram**Retail Serving Size:** 1 gram**Servings:** 1**Sampled:** 06/06/25 12:35 PM**Sampling Start:** 12:35 PM**Sampling End:** 01:30 PM**Sampling Method:** SOP.T.20.010.NY**PASSED**

Pages 1 of 2

### SAFETY RESULTS

Pesticides  
**PASSED**Heavy Metals  
**PASSED**Microbials  
**PASSED**Mycotoxins  
**PASSED**Residuals  
Solvents  
**PASSED**Filtration  
**NOT TESTED**Water Activity  
**NOT TESTED**Moisture  
**NOT TESTED**Terpenes  
**PASSED**

### MISC.

Bulk Oil for batch EUV-JEL1G-060525 was tested under AL50606009-042 for all analyses except heavy metals. Results are attached below.



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

JEALOUSY 1G Pod  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License #: OCM-AUCP-22-000027

Sample : AL50606009-008

Batch# : EUV-JEL1G-060525  
Sampled : 06/06/25 12:35 PM

Sample Size Received : 6 units

Total Amount : 617 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 2



## Heavy Metals

**PASSED**

| Metal    | LOQ    | Units | Result  | Pass / Fail | Action Level |
|----------|--------|-------|---------|-------------|--------------|
| ANTIMONY | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| ARSENIC  | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CADMIUM  | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CHROMIUM | 1.0000 | ug/g  | <1.0000 | PASS        | 110          |
| COPPER   | 1.0000 | ug/g  | <1.0000 | PASS        | 30           |
| LEAD     | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY  | 0.0100 | ug/g  | <0.0100 | PASS        | 0.1          |
| NICKEL   | 0.1000 | ug/g  | 1.6314  | PASS        | 2            |

Weight:  
0.4781g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date : 06/10/25 11:09:51

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/11/25



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50606009-042



Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

26 Powell Lane  
Penn Yan, NY, 14527, US

Production Method: Ethanol

Batch#: EVU-MIMJEL3G-060525

Sample Size Received: 42 gram

Total Amount: 245 units

Retail Product Size: 3 gram

Retail Serving Size: 3 gram

Servings: 1

Sampled: 06/06/25 12:35 PM

Sampling Start: 12:35 PM

Sampling End: 01:30 PM

Sampling Method: SOP.T.20.010.NY

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**

MISC.



Terpenes  
**PASSED**



### Cannabinoid

**PASSED**



Total THC

**83.1278%**

Total THC/Container : 2493.8340 mg



Total CBD

**2.6102%**

Total CBD/Container : 78.3060 mg



Total Cannabinoids

**95.9154%**

Total Cannabinoids/Container : 2877.4620 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD    | CBDA    | CBDV    | CBG    | D8-THC  | CBGA    | CBN    | D9-THC   | THCA    | THCV   |
|---------|---------------------|---------------------|--------|--------|---------|---------|--------|---------|---------|--------|----------|---------|--------|
| %       | 0.7551              | <0.1000             | 2.5973 | 2.6102 | <0.1000 | <0.1000 | 3.0730 | <0.1000 | <0.1000 | 2.5707 | 82.3727  | <0.1000 | 1.9364 |
| mg/unit | 22.653              | <3.000              | 77.919 | 78.306 | <3.000  | <3.000  | 92.190 | <3.000  | <3.000  | 77.121 | 2471.181 | <3.000  | 58.092 |
| LOQ     | 0.1000              | 0.1000              | 0.1000 | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000   | 0.1000  | 0.1000 |
| %       | %                   | %                   | %      | %      | %       | %       | %      | %       | %       | %      | %        | %       | %      |

Weight:  
0.1507g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 06/12/25 12:52:39

Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164




Signature  
06/12/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

3G Slides JEALOUSY  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-AUCP-22-000027

Sample : AL50606009-042

Batch# : EVU-  
MIMJEL3G-060525  
Sampled : 06/06/25 12:35 PM

Sample Size Received : 42 gram  
Total Amount : 245 units  
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



## Terpenes

PASSED

| Terpenes            | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes                                           | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|----------------------------------------------------|---------|-----------|---------|------------|
| LIMONENE            | 0.00    | PASS      | 26.400  | 0.8800     | Weight:                                            |         |           |         |            |
| OCIMENE             | 0.00    | PASS      | 19.200  | 0.6400     | 0.5305g                                            |         |           |         |            |
| ALPHA-BISABOLOL     | 0.00    | PASS      | 15.900  | 0.5300     | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY |         |           |         |            |
| BETA-CARYOPHYLLENE  | 0.00    | PASS      | 14.100  | 0.4700     | Analysis Date : 06/11/25 16:17:24                  |         |           |         |            |
| ALPHA-HUMULENE      | 0.00    | PASS      | 6.300   | 0.2100     |                                                    |         |           |         |            |
| BETA-MYRCENE        | 0.00    | PASS      | 5.400   | 0.1800     |                                                    |         |           |         |            |
| LINALOOL            | 0.00    | PASS      | 4.500   | 0.1500     |                                                    |         |           |         |            |
| CARYOPHYLLENE OXIDE | 0.00    | PASS      | 4.200   | 0.1400     |                                                    |         |           |         |            |
| ALPHA-PINENE        | 0.00    | PASS      | 4.200   | 0.1400     |                                                    |         |           |         |            |
| TERPINOLENE         | 0.00    | PASS      | 2.700   | 0.0900     |                                                    |         |           |         |            |
| FENCHYL ALCOHOL     | 0.00    | PASS      | 2.100   | 0.0700     |                                                    |         |           |         |            |
| GUAIOL              | 0.00    | PASS      | 1.800   | 0.0600     |                                                    |         |           |         |            |
| ALPHA TERPINEOL     | 0.00    | PASS      | 1.200   | 0.0400     |                                                    |         |           |         |            |
| VALENCENE           | 0.00    | PASS      | 0.900   | 0.0300     |                                                    |         |           |         |            |
| CAMPHERE            | 0.00    | PASS      | 0.600   | 0.0200     |                                                    |         |           |         |            |
| GERANIOL            | 0.00    | PASS      | 0.300   | 0.0100     |                                                    |         |           |         |            |
| ALPHA-PHELLANDRENE  | 0.00    | PASS      | 0.300   | 0.0100     |                                                    |         |           |         |            |
| ALPHA-TERPINENE     | 0.00    | PASS      | 0.300   | 0.0100     |                                                    |         |           |         |            |
| BETA-PINENE         | 0.00    | PASS      | 0.300   | 0.0100     |                                                    |         |           |         |            |
| FARNESENE           | 0.10    | PASS      | <3.000  | <0.1000    |                                                    |         |           |         |            |
| MENTHOL             | 0.00    | PASS      | <0.120  | <0.0040    |                                                    |         |           |         |            |
| Total (%)           |         |           |         | 3.6900     |                                                    |         |           |         |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy  
Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164


Signature  
06/12/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

3G Slides JEALOUSY  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License #: OCM-AUCP-22-000027

Sample : AL50606009-042

Batch# : EVU-  
MIMJEL3G-060525  
Sampled : 06/06/25 12:35 PM  
Sample Size Received : 42 gram  
Total Amount : 245 units  
Sampling Method : SOP.T.20.010.NY

Page 3 of 5



## Pesticides

**PASSED**

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| ACEQUINOXYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | OXAMYL                                                                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| PRALLETHRIN           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PROPOCONAZOLE                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROXAMINE                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CLOFENTEZINE          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORANTHANILIPROLE   | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.4869g                                                               |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date :06/10/25 12:14:28                                      |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| FENOXYCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.4869g                                                               |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date :06/10/25 14:19:31                                      |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164


Signature  
06/12/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

3G Slides JEALOUSY  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License #: OCM-AUCP-22-000027

Sample : AL50606009-042

Batch# : EVU-  
MIMJEL3G-060525  
Sampled : 06/06/25 12:35 PM

Sample Size Received : 42 gram  
Total Amount : 245 units  
Sampling Method : SOP.T.20.010.NY

Page 4 of 5



## Residual Solvents

**PASSED**

| Solvents                  | LOQ   | Units | Action Level | Pass/Fail | Result |
|---------------------------|-------|-------|--------------|-----------|--------|
| 1,1,1,2-TETRAFLUOROETHANE | 500.0 | ppm   | 1000         | PASS      | <500.0 |
| DIMETHYL SULFOXIDE        | 375.0 | ppm   | 5000         | PASS      | <375.0 |
| 1,1,1-TRICHLOROETHANE     | 375.0 | ppm   | 1500         | PASS      | <375.0 |
| HEXANE, TOTAL             | 125.0 | ppm   | 290          | PASS      | <125.0 |
| PENTANES, TOTAL           | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BUTANES, TOTAL            | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| XYLENES, TOTAL            | 125.0 | ppm   | 2170         | PASS      | <125.0 |
| 1,2-DICHLOROETHANE        | 1.3   | ppm   | 5            | PASS      | <1.3   |
| PROPANE                   | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| METHANOL                  | 125.0 | ppm   | 3000         | PASS      | <125.0 |
| ETHANOL                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ETHYL ETHER               | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONE                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| 2-PROPANOL                | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONITRILE              | 125.0 | ppm   | 410          | PASS      | <125.0 |
| DICHLOROMETHANE           | 125.0 | ppm   | 600          | PASS      | <125.0 |
| ETHYL ACETATE             | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BENZENE                   | 1.3   | ppm   | 2            | PASS      | <1.3   |
| N-HEPTANE                 | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| TOLUENE                   | 125.0 | ppm   | 890          | PASS      | <125.0 |
| CHLOROFORM                | 1.3   | ppm   | 60           | PASS      | <1.3   |

Weight:  
0.0277g

Analysis Method : SOP.T.40.044.NY  
Analyzed Date : 06/09/25 10:03:06


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/12/25



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

 26 Powell Lane  
 Penn Yan, NY, 14527, US  
 Telephone: (914) 960-3524  
 Email: RL@eurekavapor.com  
 License # : OCM-AUCP-22-000027

Sample : AL50606009-042

 Batch# : EVU-  
 MIMJEL3G-060525

Sampled : 06/06/25 12:35 PM

Sample Size Received : 42 gram

Total Amount : 245 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 5

|  <b>Microbial</b> <b>PASSED</b>          |     |       |             |             |              |  <b>Mycotoxins</b> <b>PASSED</b> |        |       |         |             |              |
|---------------------------------------------------------------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                                                                                   | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                                                                                           | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                                                                    | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                                                                      | 100 | CFU/g | <100        | PASS        | 1000         | AFLATOXIN G1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                                                                             | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                                                                        | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                                                                       | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                                                                                     | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                                                                         | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                                                                                 | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                                                                        | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                                                                     | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| Weight:<br>0.87g                                                                                                          |     |       |             |             |              | Weight:<br>0.4869g                                                                                                |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY<br>Analyzed Date : 06/10/25 09:03:19 |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY<br>Analyzed Date : 06/10/25 12:10:17                           |        |       |         |             |              |