



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50606009-053



Production Method: Ethanol

Batch#: EUV-MMSA3G-0605225

Sample Size Received: 42 gram

Total Amount: 222 units

Retail Product Size: 3 gram

Retail Serving Size: 3 gram

Servings: 1

Sampled: 06/06/25 12:35 PM

Sampling Start: 12:35 PM

Sampling End: 01:30 PM

Revision Date: 06/13/25

Sampling Method: SOP.T.20.010.NY

Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

26 Powell Lane

Penn Yan, NY, 14527, US

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
PASSED



Cannabinoid

PASSED



Total THC

80.8137%

Total THC/Container : 2424.4110 mg



Total CBD

2.5389%

Total CBD/Container : 76.1670 mg



Total Cannabinoids

93.2940%

Total Cannabinoids/Container :
2798.8200 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	0.7052	<0.1000	2.5543	2.5389	<0.1000	<0.1000	2.9378	<0.1000	<0.1000	2.5216	79.6499	0.5230	1.8633
mg/unit	21.156	<3.000	76.629	76.167	<3.000	<3.000	88.134	<3.000	<3.000	75.648	2389.497	15.690	55.899
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1816g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 06/12/25 10:29:02

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
06/12/25

Revision: #1 - Report revised to update batch id per client request.

Revision: #1 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
3G Slides MELON MADNESS
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-AUCP-22-000027

Sample : AL50606009-053

Batch# : EUV-
MMSA3G-0605225
Sampled : 06/06/25 12:35 PM

Sample Size Received : 42 gram
Total Amount : 222 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.00	PASS	49.800	1.6600	Weight:				
OCIMENE	0.00	PASS	31.800	1.0600	0.5082g				
BETA-CARYOPHYLLENE	0.00	PASS	19.500	0.6500	Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
ALPHA-BISABOLOL	0.00	PASS	11.100	0.3700	Analized Date : 06/11/25 16:21:24				
BETA-MYRCENE	0.00	PASS	9.900	0.3300					
ALPHA-HUMULENE	0.00	PASS	8.700	0.2900					
LINALOOL	0.00	PASS	8.100	0.2700					
ALPHA-PINENE	0.00	PASS	8.100	0.2700					
TERPINOLENE	0.00	PASS	4.800	0.1600					
FENCHYL ALCOHOL	0.00	PASS	4.200	0.1400					
CARYOPHYLLENE OXIDE	0.00	PASS	3.600	0.1200					
GUAIOL	0.00	PASS	3.000	0.1000					
ALPHA-TERPINEOL	0.00	PASS	2.400	0.0800					
VALENCE	0.00	PASS	2.400	0.0800					
CAMPHERE	0.00	PASS	1.800	0.0600					
ALPHA-PHELLANDRENE	0.00	PASS	1.200	0.0400					
BETA-PINENE	0.00	PASS	1.200	0.0400					
ALPHA-TERPINENE	0.00	PASS	0.900	0.0300					
FARNESENE	0.10	PASS	<3.000	<0.1000					
GERANIOL	0.00	PASS	<0.120	<0.0040					
MENTHOL	0.00	PASS	<0.120	<0.0040					
Total (%)			5.7500						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #1 This revision supersedes any and all previous versions of this document.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
06/12/25

Revision: #1 - Report revised to update batch id per client request.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
3G Slides MELON MADNESS
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-AUCP-22-000027

Sample : AL50606009-053

Batch# : EUV-
MMSA3G-0605225
Sampled : 06/06/25 12:35 PM
Sample Size Received : 42 gram
Total Amount : 222 units
Sampling Method : SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTHANILPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date :06/10/25 12:16:49					
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000						
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000						
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000						
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000						
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000						
FLONICAMID	0.1000	ppm	1	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000	Weight: 0.52g Analysis Method : SOP.T.40.154.NY Analyzed Date :06/10/25 14:36:45					
NALED	0.1000	ppm	0.5	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #1 This revision supersedes any and all previous versions of this document.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
06/12/25

Revision: #1 - Report revised to update batch id per client request.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
3G Slides MELON MADNESS
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-AUCP-22-000027

Sample : AL50606009-053

Batch# : EUV-
MMSA3G-0605225
Sampled : 06/06/25 12:35 PM

Sample Size Received : 42 gram
Total Amount : 222 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 5



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3
PROPANE	750.0	ppm	5000	PASS	<750.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	<125.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	1.3	ppm	2	PASS	<1.3
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	1.3	ppm	60	PASS	<1.3

Weight:
0.021g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 06/09/25 10:04:12

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
06/12/25

Revision: #1 - Report revised to
update batch id per client request.

Revision: #1 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
3G Slides MELON MADNESS
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-AUCP-22-000027

Sample : AL50606009-053

Batch# : EUV-
MMSA3G-0605225

Sampled : 06/06/25 12:35 PM

Sample Size Received : 42 gram

Total Amount : 222 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 5

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 1.12g						Weight: 0.52g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analyzed Date : 06/10/25 09:04:25						Analyzed Date : 06/10/25 12:12:04					

Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	<0.1000	PASS	2
Weight: 0.4598g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analyzed Date : 06/11/25 13:00:04					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #1 This revision supersedes any and all previous versions of this document.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
06/12/25

Revision: #1 - Report revised to update batch id per client request.