

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

## Kaycha Labs

Dank | Flower | Jar | Sour Maui | 3.5g

Sour Maui Matrix: Flower

Classification: Unknown Type: Flower - Cured

> Production Method: Cured Batch#: DANK-16725-SM Seed to Sale#: Biotrack

Sample Size Received: 20 units Total Amount: 3500 units Retail Product Size: 3.5 gram

Servings: 1

Sampled: 06/13/25 11:15 AM Sampling Start: 11:15 AM Sampling End: 02:00 PM

Retail Serving Size: 3.5 gram

Sampling Method: SOP.T.20.010.NY

## **Certificate of Analysis**

## FOR COMPLIANCE

Laboratory Sample ID: AL50614005-017



### **HPI Canna Inc**

License #: OCM-PROC-24-000237

886 Noxon Road

Poughkeepsie, NY, 12603, US



**PASSED** 

Pages 1 of 2

#### **SAFETY RESULTS**







Heavy Metals **PASSED** 



Microbials **PASSED** 



Mycotoxins Residuals **PASSED** 



Solvents **NOT TESTED** 



Filth **PASSED** 



Water Activity **PASSED** 



**PASSED** 



Terpenes PASSED

**PASSED** 



## Cannabinoid



**Total CBD** < 0.1000 Total CBD/Container: 0.0000 mg



**Total Cannabinoids** Total Cannabinoids/Container: 1172.4813 mg

												П	
	(6AR,9R) D10-THC	(6AR,9S) D10-THC	СВС	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	0.1404	0.1269	< 0.1000	< 0.1000	<0.1000	<0.1000	0.1091	0.7271	0.1223	0.4994	31.7741	< 0.1000
mg/unit	<3.500	4.913	4.441	<3.500	<3.500	<3.500	<3.500	3.819	25.449	4.281	17.479	1112.094	<3.500
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 06/19/25 09:02:14

**Label Claim PASSED** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 06/19/25



1 Winners Circle Albany, NY, 12205, US (833) 465-8378



# **Certificate of Analysis**

**PASSED** 

HPI Canna Inc

886 Noxon Road Poughkeepsie, NY, 12603, US **Telephone:** (845) 533-5363 **Email:** TESTING@HPICANNA.COM **License #:** OCM-PROC-24-000237 Sample : AL50614005-017 Batch# : DANK-16725-SM

 Batch#: DANK-16725-SM
 Sample Size Received: 20 units

 Sampled: 06/13/25 11:15 AM
 Total Amount: 3500 units

 Sampling Method: SOP.T.20.010.NY

Page 2 of 2



## **Terpenes**

**PASSED** 

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
ETA-CARYOPHYLLENE	0.00	PASS	19.250	0.5500		Weight:				
IMONENE	0.00	PASS	15.400	0.4400		0.9822g				
INALOOL	0.00	PASS	12.250	0.3500		Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
SETA-MYRCENE	0.00	PASS	10.150	0.2900		Analyzed Date: 06/18/25 09:20:41				
LPHA-HUMULENE	0.00	PASS	5.600	0.1600						
LPHA-BISABOLOL	0.00	PASS	5.250	0.1500						
UAIOL	0.00	PASS	4.200	0.1200		İ				
TA-PINENE	0.00	PASS	2.100	0.0600		İ				
LPHA TERPINEOL	0.00	PASS	1.400	0.0400						
NCHYL ALCOHOL	0.00	PASS	1.400	0.0400						
PHA-PINENE	0.00	PASS	1.050	0.0300						
RYOPHYLLENE OXIDE	0.00	PASS	0.700	0.0200						
LENCENE	0.00	PASS	0.700	0.0200						
AMPHENE	0.00	PASS	0.350	0.0100	"I					
ARNESENE	0.10	PASS	<3.500	< 0.1000						
CIMENE	0.00	PASS	< 0.140	< 0.0040						
RPINOLENE	0.00	PASS	< 0.140	< 0.0040						
ERANIOL	0.00	PASS	< 0.140	< 0.0040						
ENTHOL	0.00	PASS	< 0.140	<0.0040						
LPHA-PHELLANDRENE	0.00	PASS	< 0.140	<0.0040						
LPHA-TERPINENE	0.00	PASS	< 0.140	<0.0040						

Total (%) 2.280



Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

