

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Dank | Preroll | Gushers | 1g Gushers Matrix: Flower

Classification: Unknown Type: Pre-roll

> Production Method: Cured Batch#: DANK-14425-GU Sample Size Received: 20 units Total Amount: 4000 units

> > Retail Product Size: 1 gram
> > Retail Serving Size: 1 gram
> > Servings: 1

Sampled: 06/19/25 02:30 PM Sampling Start: 02:30 PM Sampling End: 03:40 PM

Revision Date: 06/24/25 Sampling Method: SOP.T.20.010.NY

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50619003-008



HPI Canna Inc

License # : OCM-AUCC-22-000157

886 Noxon Road

Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 2

SAFETY RESULTS







Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins Res PASSED Sol



Residuals Solvents NOT TESTED



Filth NOT TESTED



Water Activity
PASSED



Moisture PASSED



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC **28.2650%**



Total CBD
<0.1000
Total CBD/Container: 0.0000 mg



Total Cannabinoids 32.6570%

Total Cannabinoids/Container : 326.5705 mg

												П	
	(6AR,9R) D10-THC	(6AR,9S) D10-THC	СВС	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	тнсч
%	< 0.5000	< 0.5000	<0.5000	< 0.5000	< 0.5000	<0.5000	<0.5000	< 0.5000	0.7435	< 0.5000	2.2512	29.6622	< 0.5000
mg/unit	<5.000	<5.000	<5.000	<5.000	<5.000	<5.000	<5.000	<5.000	7.435	<5.000	22.512	296.622	<5.000
LOQ	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 06/24/25 16:27:23

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Originally, only one replicate was reported. The average of all three is now reported



1 Winners Circle Albany, NY, 12205, US (833) 465-8378



Certificate of Analysis

PASSED

886 Noxon Road Poughkeepsie, NY, 12603, US Telephone: (845) 533-5363 Fmail: TESTING@HPICANNA COM **License # :** OCM-AUCC-22-000157 Sample : AL50619003-008 Batch#: DANK-14425-GU Sampled: 06/19/25 02:30 PM Total Amount: 4000 units

Sample Size Received : 20 units Sampling Method: SOP.T.20.010.NY

Page 2 of 2



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
ETA-CARYOPHYLLENE	0.00	PASS	3.400	0.3400	Weight:				
IMONENE	0.00	PASS	2.000	0.2000	1.0132g				
INALOOL	0.00	PASS	1.200	0.1200	Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
LPHA-HUMULENE	0.00	PASS	1.200	0.1200	Analyzed Date : 06/20/25 08:21:55				
ARNESENE	0.10	PASS	1.100	0.1100	· ·				
LPHA TERPINEOL	0.00	PASS	0.400	0.0400					
ENCHYL ALCOHOL	0.00	PASS	0.400	0.0400					
ETA-MYRCENE	0.00	PASS	0.400	0.0400					
ALENCENE	0.00	PASS	0.200	0.0200					
ETA-PINENE	0.00	PASS	0.200	0.0200					
LPHA-BISABOLOL	0.00	PASS	0.100	0.0100					
PHA-PINENE	0.00	PASS	0.100	0.0100					
AMPHENE	0.00	PASS	< 0.040	< 0.0040					
ARYOPHYLLENE OXIDE	0.00	PASS	< 0.040	< 0.0040					
CIMENE	0.00	PASS	< 0.040	< 0.0040					
ERPINOLENE	0.00	PASS	< 0.040	< 0.0040					
ERANIOL	0.00	PASS	< 0.040	< 0.0040					
UAIOL	0.00	PASS	< 0.040	< 0.0040					
ENTHOL	0.00	PASS	< 0.040	< 0.0040					
LPHA-PHELLANDRENE	0.00	PASS	< 0.040	< 0.0040					
LPHA-TERPINENE	0.00	PASS	< 0.040	< 0.0040					

Total (%)

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 06/23/25

Revision: #1 - Originally, only one replicate was reported. The average of all three is now reported