

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50621005-009



Felas Farm

License #: OCM-MICR-24-000175 192 Albemarle Rd, White Plains, NY 10605, USA White Plains, NY, 10605, US



PASSED

Pages 1 of 2

Kaycha Labs

Classification: Hybrid

Type: Flower - Cured

Linzer Tart Matrix: Flower

Production Method: Cured

Batch#: 103700000005285 **Seed to Sale#:** Growflow

Sample Size Received: 8 units **Total Amount:** 1200 units

Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram

Sampled: 06/20/25 01:15 PM Sampling Start: 01:15 PM Sampling End: 02:15 PM

Sampling Method: Laboratory Dropoff

Harvest/Lot ID: 103700000005270

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals
PASSED



Microbials PASSED



Mycotoxins PASSED



Residuals Solvents NOT TESTED



PASSED



Water Activity
PASSED



Moisture **PASSED**



Servings: 1

Terpenes PASSED

PASSED



Cannabinoid

27.6297%

Total THC/Container: 967.0428 mg



Total CBD < **0.1000**Total CBD/Container: 0.0000 n



Total Cannabinoids
31.8580%
Total Cannabinoids/Container:
1115.0330 mg

												ш	
	(6AR,9R) D10-THC	(6AR,9S) D10-THC	СВС	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	< 0.1000	< 0.1000	< 0.1000	< 0.1000	< 0.1000	< 0.1000	< 0.1000	0.5740	< 0.1000	1.5746	29.7093	< 0.1000
mg/unit	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	20.090	<3.500	55.111	1039.826	<3.500
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	0/0	%	0/0	0/2	%	0/0	0/0	%	0/0	%	0/0	%	0/0

Weight:

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY **Analyzed Date :** 06/25/25 15:55:21

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 06/25/25



1 Winners Circle Albany, NY, 12205, US (833) 465-8378



Certificate of Analysis

PASSED

Felas Farm

192 Albemarle Rd, White Plains, NY 10605, USA White Plains, NY, 10605, US

Telephone: 9143934956 Email: dylansalaverria@gmail.com License #: OCM-MICR-24-000175 Sample : AL50621005-009 Harvest/Lot ID: 103700000005270

Batch#:103700000005285 Sample Size Received:8 units

Sampled: 06/20/25 01:15 PM Total Amount: 1200 units

Sampling Method : Laboratory Dropoff

Page 2 of 2



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpene	;	LOQ (%)	Pass/Fail	mg/unit	Result (%)
IMONENE	0.00	PASS	18.200	0.5200	Weight:					
ETA-CARYOPHYLLENE	0.00	PASS	14.000	0.4000	1.0161g					
LINALOOL	0.00	PASS	7.350	0.2100	Analysis Me	hod: SOP.T.30.064.NY, SOP.T.40.064.NY				
ALPHA-HUMULENE	0.00	PASS	4.550	0.1300	Analyzed Da	te: 06/25/25 16:01:20				
ARNESENE	0.10	PASS	3.500	0.1000	· ·					
LPHA-PINENE	0.00	PASS	2.800	0.0800						
ETA-MYRCENE	0.00	PASS	2.450	0.0700						
ENCHYL ALCOHOL	0.00	PASS	2.100	0.0600						
LPHA TERPINEOL	0.00	PASS	1.750	0.0500						
CIMENE	0.00	PASS	1.400	0.0400						
ALENCENE	0.00	PASS	1.050	0.0300						
AMPHENE	0.00	PASS	0.700	0.0200						
LPHA-BISABOLOL	0.00	PASS	0.700	0.0200						
ARYOPHYLLENE OXIDE	0.00	PASS	0.350	0.0100						
ERANIOL	0.00	PASS	0.350	0.0100	i					
ERPINOLENE	0.00	PASS	0.350	0.0100						
LPHA-PHELLANDRENE	0.00	PASS	0.350	0.0100						
LPHA-TERPINENE	0.00	PASS	0.350	0.0100						
UAIOL	0.00	PASS	< 0.140	< 0.0040						
ENTHOL	0.00	PASS	< 0.140	< 0.0040						
ETA-PINENE	0.00	PASS	< 0.140	< 0.0040						

Total (%) 1.7800



Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

