

Kaycha Labs PERMANENT CHERRIES

Matrix: Flower Classification: Unknown

Type: Flower - Cured



Servings: 5

Production Method: Cured

Batch#: NYSBNMF-20250703-001 Sample Size Received: 5 units Total Amount: 1867 units

Retail Product Size: 3.5 gram

Retail Serving Size: 0.7 gram

Sampled: 06/25/25 04:30 PM Sampling Start: 04:30 PM Sampling End: 05:15 PM Revision Date: 08/19/25

Sampling Method: SOP.T.20.010.NY

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50625004-001



PASSED

Pages 1 of 5

SENSIBUL

License #: OCM-PROC-24-000058

12 Shenandoah Drive Stillwater, NY, 12170, US

SAFETY RESULTS



Pesticides PASSED



Heavy Metals PASSED



Microbials PASSED



Mycotoxins PASSED



Residuals Solvents **NOT TESTED**



PASSED



Water Activity PASSED



Moisture PASSED MISC.



Terpenes PASSED

PASSED



Cannabinoid

Total THC

Total THC/Container: 1155.3640 mg



Total CBD <0.1

Total CBD/Container: 0



Total Cannabinoids Total Cannabinoids/Container: 1340.2375 mg

												_	
												_	
												_	
												_	
	(6AR,9R) D10- THC	(6AR,9S) D10- THC	СВС	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	< 0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.9894	<0.5	2.4027	34.9005	< 0.5
mg/unit	<17.5	<17.5	<17.5	<17.5	<17.5	<17.5	<17.5	<17.5	34.6275	<17.5	84.0944	1221.5189	<17.5
LOQ	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date : 06/30/25 13:11:26

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/01/25

Revision: #1 - Report revised to





Certificate of Analysis

PASSED

12 Shenandoah Drive Stillwater, NY, 12170, US Telephone: (518) 588-2825 Email: jeremy@besensibul.com License #: OCM-PROC-24-000058 Sample : AL50625004-001

Batch#: NYSBNMF-20250703-001

Total Amount: 1867 units Sampled: 06/25/25 04:30 PM Sampling Method: SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
IMONENE	0.004	PASS	23.8000	0.6800	Weight:				
ETA-CARYOPHYLLENE	0.004	PASS	23.1000	0.6600	1.0643g				
INALOOL	0.004	PASS	19.6000	0.5600	Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
LPHA-HUMULENE	0.004	PASS	7.7000	0.2200	Analyzed Date : 06/26/25 12:38:01				
ETA-MYRCENE	0.004	PASS	5.9500	0.1700					
ETA-PINENE	0.004	PASS	3.5000	0.1000					
LPHA TERPINEOL	0.004	PASS	2.8000	0.0800					
ENCHYL ALCOHOL	0.004	PASS	2.8000	0.0800					
LPHA-BISABOLOL	0.004	PASS	2.8000	0.0800					
LPHA-PINENE	0.004	PASS	1.7500	0.0500					
ALENCENE	0.004	PASS	1.4000	0.0400					
SERANIOL	0.004	PASS	1.0500	0.0300					
AMPHENE	0.004	PASS	0.7000	0.0200					
ERPINOLENE	0.004	PASS	0.7000	0.0200					
ARYOPHYLLENE OXIDE	0.004	PASS	0.3500	0.0100					
ARNESENE	0.1	PASS	<3.5000	<0.1000					
MENTHOL	0.004	PASS	< 0.1400	< 0.0040					
CIMENE	0.004	PASS	< 0.1400	< 0.0040					
LPHA-PHELLANDRENE	0.004	PASS	< 0.1400	< 0.0040					
GUAIOL	0.004	PASS	< 0.1400	< 0.0040					
LPHA-TERPINENE	0.004	PASS	< 0.1400	< 0.0040					

Total (%)









Certificate of Analysis

PASSED

12 Shenandoah Drive Stillwater, NY, 12170, US Telephone: (518) 588-2825 Email: jeremy@besensibul.com License #: OCM-PROC-24-000058

Batch#: NYSBNMF-20250703-001

Total Amount: 1867 units Sampled: 06/25/25 04:30 PM Sampling Method: SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PRALLETHRIN	0.1	ppm	0.2	PASS	< 0.1
ACEQUINOCYL	0.1	ppm	2	PASS	< 0.1
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	< 0.1
AZADIRACHTIN	0.1	ppm	1	PASS	< 0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	< 0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	< 0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	< 0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	< 0.1
ACEPHATE	0.1	ppm	0.4	PASS	< 0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	< 0.1
ALDICARB	0.1	ppm	0.4	PASS	< 0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	< 0.1
BIFENAZATE	0.1	ppm	0.2	PASS	< 0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	< 0.1
CARBARYL	0.1	ppm	0.2	PASS	< 0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	< 0.1
COUMAPHOS	0.1	ppm	1	PASS	< 0.1
DAMINOZIDE	0.1	ppm	1	PASS	< 0.1
CARBOFURAN	0.1	ppm	0.2	PASS	< 0.1
BOSCALID	0.1	ppm	0.4	PASS	< 0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	< 0.1
DIAZINON	0.1	ppm	0.2	PASS	< 0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	< 0.1
DICHLORVOS	0.1	ppm	1	PASS	< 0.1
DIMETHOATE	0.1	ppm	0.2	PASS	< 0.1
DIMETHOMORPH	0.1	ppm	1	PASS	< 0.1
ETHOPROPHOS	0.1	ppm	0.2	PASS	< 0.1
ETOFENPROX	0.1	ppm	0.4	PASS	< 0.1
ETOXAZOLE	0.1	ppm	0.2	PASS	< 0.1
FENHEXAMID	0.1	ppm	1	PASS	< 0.1
FENOXYCARB	0.1	ppm	0.2	PASS	< 0.1
FENPYROXIMATE	0.1	ppm	0.4	PASS	< 0.1
FIPRONIL	0.1	ppm	0.4	PASS	< 0.1
FLONICAMID	0.1	ppm	1	PASS	< 0.1
FLUDIOXONIL	0.1	ppm	0.4	PASS	< 0.1
HEXYTHIAZOX	0.1	ppm	1	PASS	< 0.1
IMAZALIL	0.1	ppm	0.2	PASS	< 0.1
IMIDACLOPRID	0.1	ppm	0.4	PASS	< 0.1
KRESOXIM METHYL	0.1	ppm	0.4	PASS	< 0.1
MALATHION	0.1	ppm	0.2	PASS	< 0.1
METALAXYL	0.1	ppm	0.2	PASS	<0.1
METHIOCARB	0.1	ppm	0.2	PASS	<0.1
METHOWYL	0.1	ppm	0.4	PASS	< 0.1
MEVINPHOS	0.1	ppm	1	PASS	<0.1
NALED	0.1	ppm	0.5	PASS	<0.1
	0.1	L b	5.5		-0.2

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
OXAMYL	0.1	ppm	1	PASS	< 0.1
PACLOBUTRAZOL	0.1	ppm	0.4	PASS	< 0.1
PERMETHRIN	0.1	ppm	0.2	PASS	< 0.1
PHOSMET	0.1	ppm	0.2	PASS	< 0.1
PROPICONAZOLE	0.1	ppm	0.4	PASS	< 0.1
PROPOXUR	0.1	ppm	0.2	PASS	< 0.1
PYRIDABEN	0.1	ppm	0.2	PASS	< 0.1
SPINETORAM, TOTAL	0.1	ppm	1	PASS	< 0.1
SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	< 0.1
SPIROMESIFEN	0.1	ppm	0.2	PASS	< 0.1
SPIROTETRAMAT	0.1	ppm	0.2	PASS	< 0.1
SPIROXAMINE	0.1	ppm	0.2	PASS	< 0.1
TEBUCONAZOLE	0.1	ppm	0.4	PASS	< 0.1
THIACLOPRID	0.1	ppm	0.2	PASS	< 0.1
THIAMETHOXAM	0.1	ppm	0.2	PASS	< 0.1
TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CAPTAN *	0.1	ppm	1	PASS	< 0.1
CHLORDANE *	0.1	ppm	1	PASS	< 0.1
CHLORFENAPYR *	0.1	ppm	1	PASS	< 0.1
CYFLUTHRIN *	0.1	ppm	1	PASS	< 0.1
CYPERMETHRIN *	0.1	ppm	1	PASS	< 0.1
METHYL PARATHION *	0.1	ppm	0.2	PASS	< 0.1
MGK-264 *	0.1	ppm	0.2	PASS	< 0.1
PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	< 0.1

Weight: 0.9465g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date : 07/01/25 12:35:38

Weight: 0.9465g

Analysis Method: SOP.T.40.154.NY Analyzed Date: 06/26/25 13:15:09

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/01/25

Revision: #1 - Report revised to change batch id per client request





Certificate of Analysis

PASSED

12 Shenandoah Drive Stillwater, NY, 12170, US Telephone: (518) 588-2825 Email: ieremv@besensibul.com License # : OCM-PROC-24-000058

Batch#: NYSBNMF-20250703-001

Sample Size Received: 5 units Total Amount: 1867 units Sampled: 06/25/25 04:30 PM Sampling Method: SOP.T.20.010.NY

Page 4 of 5



Microbial



Mycotoxins

PASSED

Analyte	LOQ	Units	Result	Pass / Fail	Action Level	An
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	TESTED		TC
TOTAL YEAST AND MOLD	100	CFU/g	<100	TESTED		AF
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AF
SALMONELLA SPECIES	1		Not Present	PASS		AF
ASPERGILLUS TERREUS	1		Not Present	PASS		00
ASPERGILLUS NIGER	1		Not Present	PASS		We
ASPERGILLUS FLAVUS	1		Not Present	PASS		0.9
ASPERGILLUS FUMIGATUS	1		Not Present	PASS		Ana

Weight:

Analysis Method: SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date: 06/30/25 08:08:10

Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AFLATOXINS (B1, B2, G1, G2)	0.01	ppm	< 0.01	PASS	0.02
AFLATOXIN G2	0.01	ppm	< 0.01	PASS	0.02
AFLATOXIN G1	0.01	ppm	< 0.01	PASS	0.02
AFLATOXIN B2	0.01	ppm	< 0.01	PASS	0.02
AFLATOXIN B1	0.01	ppm	< 0.01	PASS	0.02
OCHRATOXIN A+	0.01	ppm	< 0.01	PASS	0.02

Weight: 0.9465g

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY **Analyzed Date :** $07/01/25 \ 12:34:39$

Hg

Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1	ug/g	< 0.1	PASS	2
ARSENIC	0.1	ug/g	< 0.1	PASS	0.2
CADMIUM	0.1	ug/g	< 0.1	PASS	0.2
CHROMIUM	1	ug/g	<1	PASS	110
COPPER	1	ug/g	5.8059	PASS	30
LEAD	0.1	ug/g	< 0.1	PASS	0.5
MERCURY	0.01	ug/g	< 0.01	PASS	0.1
NICKEL	0.1	ug/g	< 0.1	PASS	5

Weight: 0.524g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 06/30/25 12:17:15

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOQ) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/01/25

Revision: #1 - Report revised to change batch id per client request





Certificate of Analysis

PASSED

12 Shenandoah Drive Stillwater, NY, 12170, US Telephone: (518) 588-2825 Email: ieremv@besensibul.com License # : OCM-PROC-24-000058

Batch#: NYSBNMF-20250703-001

Sample Size Received: 5 units Total Amount: 1867 units Sampled: 06/25/25 04:30 PM Sampling Method: SOP.T.20.010.NY

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture



Analyte	LOQ	Units	Result	P/F	Action Level	Analyte	LOQ	Units	Result	P/F	Action Level
Foreign Matter	0.1	%	ND	PASS	2	Moisture Content	1	%	7.6	PASS	15
Mammalian excreta	0.1	mg	ND	PASS	1	Weight:					
Stems (>3mm)	1	%	ND	PASS	5	1.038g					
Weight: 3.4952a						Analysis Method : SOP.T.40.021 Analyzed Date : 06/26/25 08:48:51					

Analysis Method: SOP.T.40.090 Analyzed Date: 07/01/25 09:33:34



Water Activity

PASSED

Analyte Water Activity	LOQ 0.1	Units aw	Result 0.52	P/F PASS	Action Level 0.65
Weight: 0.3778g					
Analysis Method : SOP T 40 019					

Analyzed Date : 06/26/25 12:28:55

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/01/25

Revision: #1 - Report revised to change batch id per client request