



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50628005-006

**Northeast Extracts- Eureka Vapor**

License # : OCM-AUCP-22-000027

26 Powell Lane
Penn Yan, NY, 14527, US**Production Method:** Ethanol**Batch#:** EUV-COCO2G-070125**Seed to Sale#:** DISTRU**Sample Size Received:** 24 gram**Total Amount:** 500 units**Retail Product Size:** 2 gram**Retail Serving Size:** 2 gram**Servings:** 1**Sampled:** 06/28/25 12:00 PM**Sampling Start:** 12:00 PM**Sampling End:** 01:30 PM**Sampling Method:** SOP.T.20.010.NY**PASSED**

Pages 1 of 2

SAFETY RESULTS**Pesticides**
PASSED**Heavy Metals**
PASSED**Microbials**
PASSED**Mycotoxins**
PASSED**Residuals**
Solvents
PASSED**Filth**
NOT TESTED**Water Activity**
NOT TESTED**Moisture**
NOT TESTED**Terpenes**
PASSED**MISC.**

Bulk Oil for batch EUV-COCO2G-070125 was tested under AL50628005-029 for all analyses except heavy metals. Results are attached below.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

COCO CLOUD 2G POD

Matrix : Derivative

Type: Vape Cartridge



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-AUCP-22-000027

Sample : AL50628005-006

Batch# : EUV-
COCO2G-070125
Sampled : 06/28/25 12:00 PM

Sample Size Received : 24 gram
Total Amount : 500 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 2



Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	0.2580	PASS	2

Weight:
0.4418g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 06/30/25 17:34:16

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/02/25



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50628005-029



Production Method: Ethanol
Batch#: EUV-COCO1G-070125
Sample Size Received: 15 gram
Total Amount: 500 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Sampled: 06/28/25 12:00 PM
Sampling Start: 12:00 PM
Sampling End: 01:30 PM
Sampling Method: SOP.T.20.010.NY

Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

 26 Powell Lane
 Penn Yan, NY, 14527, US

PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
NOT TESTED

 Water Activity
NOT TESTED

 Moisture
NOT TESTED

MISC.


 Terpenes
PASSED


Cannabinoid

PASSED



Total THC

47.4566%

Total THC/Container : 474.5663 mg



Total CBD

0.1568%

Total CBD/Container : 1.5685 mg



Total Cannabinoids

80.9801%

Total Cannabinoids/Container : 809.8007 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	0.8860	0.1568	<0.1000	<0.1000	2.6489	<0.1000	<0.1000	29.3032	47.4566	<0.1000	0.5285
mg/unit	<1.000	<1.000	8.860	1.569	<1.000	<1.000	26.489	<1.000	<1.000	293.032	474.566	<1.000	5.285
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

 Weight:
 0.1395g

 Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
 Analyzed Date : 07/03/25 09:10:41

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

 NY Permit # OCM-CPL-2022-00006
 ISO 17025 Accreditation # 97164



 Signature
 07/03/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

COCO CLOUD 1G POD

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-AUCP-22-000027

Sample : AL50628005-029

Batch# : EUV-
COCO1G-070125

Sampled : 06/28/25 12:00 PM

Sample Size Received : 15 gram

Total Amount : 500 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
ALPHA-BISABOLOL	0.00	PASS	0.700	0.0700	BETA-CARYOPHYLLENE	0.00	PASS	0.200	0.0200
BETA-CARYOPHYLLENE	0.00	PASS	0.200	0.0200	GUAIOL	0.00	PASS	0.100	0.0100
GUAIOL	0.00	PASS	0.100	0.0100	VALENCENE	0.00	PASS	0.100	0.0100
VALENCENE	0.00	PASS	0.100	0.0100	CARYOPHYLLENE OXIDE	0.00	PASS	<0.040	<0.0040
CARYOPHYLLENE OXIDE	0.00	PASS	<0.040	<0.0040	FARNESENE	0.10	PASS	<1.000	<0.1000
FARNESENE	0.10	PASS	<1.000	<0.1000	LINALOOL	0.00	PASS	<0.040	<0.0040
LINALOOL	0.00	PASS	<0.040	<0.0040	ALPHA-HUMULENE	0.00	PASS	<0.040	<0.0040
ALPHA-HUMULENE	0.00	PASS	<0.040	<0.0040	ALPHA-TERPINEOL	0.00	PASS	<0.040	<0.0040
ALPHA-TERPINEOL	0.00	PASS	<0.040	<0.0040	CAMPHENE	0.00	PASS	<0.040	<0.0040
CAMPHENE	0.00	PASS	<0.040	<0.0040	FENCHYL ALCOHOL	0.00	PASS	<0.040	<0.0040
FENCHYL ALCOHOL	0.00	PASS	<0.040	<0.0040	GERANIOL	0.00	PASS	<0.040	<0.0040
GERANIOL	0.00	PASS	<0.040	<0.0040	LIMONENE	0.00	PASS	<0.040	<0.0040
LIMONENE	0.00	PASS	<0.040	<0.0040	MENTHOL	0.00	PASS	<0.040	<0.0040
MENTHOL	0.00	PASS	<0.040	<0.0040	OCIMENE	0.00	PASS	<0.040	<0.0040
OCIMENE	0.00	PASS	<0.040	<0.0040	TERPINOLENE	0.00	PASS	<0.040	<0.0040
TERPINOLENE	0.00	PASS	<0.040	<0.0040	ALPHA-PHELLANDRENE	0.00	PASS	<0.040	<0.0040
ALPHA-PHELLANDRENE	0.00	PASS	<0.040	<0.0040	ALPHA-PINENE	0.00	PASS	<0.040	<0.0040
ALPHA-PINENE	0.00	PASS	<0.040	<0.0040	ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040
ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040	BETA-MYRCENE	0.00	PASS	<0.040	<0.0040
BETA-MYRCENE	0.00	PASS	<0.040	<0.0040	BETA-PINENE	0.00	PASS	<0.040	<0.0040
BETA-PINENE	0.00	PASS	<0.040	<0.0040					
Total (%)				0.1100					


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/03/25



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

 26 Powell Lane
 Penn Yan, NY, 14527, US
 Telephone: (914) 960-3524
 Email: RL@eurekavapor.com
 License # : OCM-AUCP-22-000027

Sample : AL50628005-029

 Batch# : EUV-
 COCO1G-070125
 Sampled : 06/28/25 12:00 PM

 Sample Size Received : 15 gram
 Total Amount : 500 units
 Sampling Method : SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000						
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	0.5256g					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/01/25 14:15:47					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000						
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	Weight:					
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000	0.5256g					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/02/25 10:38:07					
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

COCO CLOUD 1G POD

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License #: OCM-AUCP-22-000027

Sample : AL50628005-029

Batch# : EUV-
COCO1G-070125
Sampled : 06/28/25 12:00 PM

Sample Size Received : 15 gram
Total Amount : 500 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 5



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3
PROPANE	750.0	ppm	5000	PASS	<750.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	<125.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	1.3	ppm	2	PASS	<1.3
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	1.3	ppm	60	PASS	<1.3

Weight:
0.0205g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 07/02/25 10:37:31

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/03/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378



Kaycha Labs
COCO CLOUD 1G POD
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-AUCP-22-000027

Sample : AL50628005-029

Batch# : EUV-
COCO1G-070125
Sampled : 06/28/25 12:00 PM

Sample Size Received : 15 gram
Total Amount : 500 units
Sampling Method : SOP.T.20.010.NY

Page 5 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 1.01g						Weight: 0.5256g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analyzed Date : 07/01/25 07:53:07						Analyzed Date : 07/01/25 14:02:45					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/03/25