



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50705003-005



Production Method: Cured
Batch#: DANK-14525-OGK
Seed to Sale#: biotrack
Sample Size Received: 20 units
Total Amount: 3200 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Sampled: 07/03/25 01:00 PM
Sampling Start: 01:00 PM
Sampling End: 02:50 PM
Sampling Method: SOP.T.20.010.NY

HPI Canna Inc

License # : OCM-PROC-24-000237

886 Noxon Road
Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
PASSED



Moisture
PASSED

MISC.



Terpenes
PASSED



Cannabinoid

PASSED



Total THC

27.7713%

Total THC/Container : 277.7129 mg



Total CBD

<0.1000

Total CBD/Container : 0.0000 mg



Total Cannabinoids

32.0646%

Total Cannabinoids/Container : 320.6460 mg

| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | D8-THC | CBGA | CBN | D9-THC | THCA | THCV |
|---------|---------------------|---------------------|---------|---------|---------|---------|--------|---------|--------|---------|--------|---------|---------|
| % | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 0.1223 | <0.1000 | 0.6474 | <0.1000 | 2.6488 | 28.6458 | <0.1000 |
| mg/unit | <1.000 | <1.000 | <1.000 | <1.000 | <1.000 | <1.000 | 1.223 | <1.000 | 6.474 | <1.000 | 26.488 | 286.458 | <1.000 |
| LOQ | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 |
| % | % | % | % | % | % | % | % | % | % | % | % | % | % |

Weight:
0.202g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/07/25 14:14:14

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164




Signature
07/09/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Dank | Preroll | OG Kush | 1g
OG Kush
Matrix : Flower
Type: Pre-roll



Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: TESTING@HPICANNA.COM
License # : OCM-PROC-24-000237

Sample : AL50705003-005

Batch# : DANK-14525-OGK
Sampled : 07/03/25 01:00 PM

Sample Size Received : 20 units

Total Amount : 3200 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 2



Terpenes

PASSED

| Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|---------------------|---------|-----------|---------|------------|
| BETA-CARYOPHYLLENE | 0.00 | PASS | 5.200 | 0.5200 | BETA-CARYOPHYLLENE | 0.00 | PASS | 5.200 | 0.5200 |
| ALPHA-HUMULENE | 0.00 | PASS | 1.800 | 0.1800 | ALPHA-HUMULENE | 0.00 | PASS | 1.800 | 0.1800 |
| LIMONENE | 0.00 | PASS | 1.500 | 0.1500 | LIMONENE | 0.00 | PASS | 1.500 | 0.1500 |
| LINALOOL | 0.00 | PASS | 1.300 | 0.1300 | LINALOOL | 0.00 | PASS | 1.300 | 0.1300 |
| BETA-MYRCENE | 0.00 | PASS | 1.000 | 0.1000 | BETA-MYRCENE | 0.00 | PASS | 1.000 | 0.1000 |
| ALPHA-BISABOLOL | 0.00 | PASS | 0.700 | 0.0700 | ALPHA-BISABOLOL | 0.00 | PASS | 0.700 | 0.0700 |
| ALPHA-TERPINEOL | 0.00 | PASS | 0.400 | 0.0400 | ALPHA-TERPINEOL | 0.00 | PASS | 0.400 | 0.0400 |
| FENCHYL ALCOHOL | 0.00 | PASS | 0.400 | 0.0400 | FENCHYL ALCOHOL | 0.00 | PASS | 0.400 | 0.0400 |
| VALENCENE | 0.00 | PASS | 0.300 | 0.0300 | VALENCENE | 0.00 | PASS | 0.300 | 0.0300 |
| CARYOPHYLLENE OXIDE | 0.00 | PASS | 0.200 | 0.0200 | CARYOPHYLLENE OXIDE | 0.00 | PASS | 0.200 | 0.0200 |
| GERANIOL | 0.00 | PASS | 0.200 | 0.0200 | GERANIOL | 0.00 | PASS | 0.200 | 0.0200 |
| BETA-PINENE | 0.00 | PASS | 0.200 | 0.0200 | BETA-PINENE | 0.00 | PASS | 0.200 | 0.0200 |
| TERPINOLENE | 0.00 | PASS | 0.100 | 0.0100 | TERPINOLENE | 0.00 | PASS | 0.100 | 0.0100 |
| ALPHA-PINENE | 0.00 | PASS | 0.100 | 0.0100 | ALPHA-PINENE | 0.00 | PASS | 0.100 | 0.0100 |
| CAMPHENE | 0.00 | PASS | <0.040 | <0.0040 | CAMPHENE | 0.00 | PASS | <0.040 | <0.0040 |
| FARNESENE | 0.10 | PASS | <1.000 | <0.1000 | FARNESENE | 0.10 | PASS | <1.000 | <0.1000 |
| OCIMENE | 0.00 | PASS | <0.040 | <0.0040 | OCIMENE | 0.00 | PASS | <0.040 | <0.0040 |
| ALPHA-PHELLANDRENE | 0.00 | PASS | <0.040 | <0.0040 | ALPHA-PHELLANDRENE | 0.00 | PASS | <0.040 | <0.0040 |
| GUAIOL | 0.00 | PASS | <0.040 | <0.0040 | GUAIOL | 0.00 | PASS | <0.040 | <0.0040 |
| MENTHOL | 0.00 | PASS | <0.040 | <0.0040 | MENTHOL | 0.00 | PASS | <0.040 | <0.0040 |
| ALPHA-TERPINENE | 0.00 | PASS | <0.040 | <0.0040 | ALPHA-TERPINENE | 0.00 | PASS | <0.040 | <0.0040 |
| Total (%) | | | 1.3400 | | Total (%) | | | 1.3400 | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/09/25