



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50718009-003



Production Method: Ethanol

Batch#: EUV-CC1G-071625

Sample Size Received: 18 gram

Total Amount: 400 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Sampled: 07/18/25 01:40 PM

Sampling Start: 01:40 PM

Sampling End: 03:40 PM

Sampling Method: SOP.T.20.010.NY

Northeast Extracts- Eureka Vapor

License # : OCM-PROC-25-000283

26 Powell Lane
Penn Yan, NY, 14527, US

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
PASSED



Cannabinoid

PASSED



Total THC

86.5146%

Total THC/Container : 865.1456 mg



Total CBD

0.2416%

Total CBD/Container : 2.4157 mg



Total Cannabinoids

93.7089%

Total Cannabinoids/Container : 937.0886 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	1.2602	0.2416	<0.1000	<0.1000	3.3308	<0.1000	<0.1000	0.6654	86.2532	0.2980	1.6596
mg/unit	<1.000	<1.000	12.602	2.416	<1.000	<1.000	33.308	<1.000	<1.000	6.654	862.532	2.980	16.596
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1443g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/23/25 10:15:57

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
07/23/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



CONCORD

Matrix : Derivative

Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-003

Batch# : EUV-CC1G-071625
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram
Total Amount : 400 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.00	PASS	20.800	2.0800	BETA-CARYOPHYLLENE	0.00	PASS	5.300	0.5300
BETA-CARYOPHYLLENE	0.00	PASS	5.300	0.5300	BETA-MYRCENE	0.00	PASS	1.900	0.1900
BETA-MYRCENE	0.00	PASS	1.900	0.1900	LINALOOL	0.00	PASS	1.800	0.1800
LINALOOL	0.00	PASS	1.800	0.1800	ALPHA-BISABOLOL	0.00	PASS	1.600	0.1600
TERPINOLENE	0.00	PASS	1.600	0.1600	ALPHA-HUMULENE	0.00	PASS	1.200	0.1200
ALPHA-BISABOLOL	0.00	PASS	1.200	0.1200	OCIMENE	0.00	PASS	1.200	0.1200
ALPHA-HUMULENE	0.00	PASS	1.200	0.1200	ALPHA-PINENE	0.00	PASS	1.100	0.1100
OCIMENE	0.00	PASS	1.100	0.1100	BETA-PINENE	0.00	PASS	0.600	0.0600
ALPHA-PINENE	0.00	PASS	0.600	0.0600	ALPHA-TERPINEOL	0.00	PASS	0.600	0.0600
BETA-PINENE	0.00	PASS	0.500	0.0500	CARYOPHYLLENE OXIDE	0.00	PASS	0.200	0.0200
ALPHA-TERPINEOL	0.00	PASS	0.200	0.0200	FENCHYL ALCOHOL	0.00	PASS	0.200	0.0200
CARYOPHYLLENE OXIDE	0.00	PASS	0.100	0.0100	GUAIOL	0.00	PASS	0.100	0.0100
FENCHYL ALCOHOL	0.00	PASS	0.100	0.0100	ALPHA-PHELLANDRENE	0.00	PASS	0.100	0.0100
GUAIOL	0.10	PASS	<1.000	<0.1000	CAMPHERE	0.00	PASS	<0.040	<0.0040
ALPHA-PHELLANDRENE	0.00	PASS	<0.040	<0.0040	VALENCENE	0.00	PASS	<0.040	<0.0040
CAMPHERE	0.00	PASS	<0.040	<0.0040	FARNESENE	0.00	PASS	<0.040	<0.0040
VALENCENE	0.00	PASS	<0.040	<0.0040	GERANIOL	0.00	PASS	<0.040	<0.0040
FARNESENE	0.00	PASS	<0.040	<0.0040	ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040
GERANIOL	0.00	PASS	<0.040	<0.0040	MENTHOL	0.00	PASS	<0.040	<0.0040
ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040					
MENTHOL	0.00	PASS	<0.040	<0.0040					
Total (%)				4.4100					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/23/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



CONCORD

Matrix : Derivative

Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

Sample : AL50718009-003

Batch# : EUV-CC1G-071625

Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram

Total Amount : 400 units

Sampling Method : SOP.T.20.010.NY

26 Powell Lane

Penn Yan, NY, 14527, US

Telephone: (914) 960-3524

Email: RL@eurekavapor.com

License # : OCM-PROC-25-000283

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000						
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000	Weight:					
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	0.5371g					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analyzed Date : 07/22/25 13:52:06					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000						
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	0.5371g					
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/21/25 13:48:51					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000						
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/23/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



CONCORD

Matrix : Derivative

Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License #: OCM-PROC-25-000283

Sample : AL50718009-003

Batch#: EUV-CC1G-071625
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram
Total Amount : 400 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 5

Residual Solvents						PASSED
Solvents	LOQ	Units	Action Level	Pass/Fail	Result	
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0	
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0	
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0	
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0	
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0	
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0	
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0	
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3	
PROPANE	750.0	ppm	5000	PASS	<750.0	
METHANOL	125.0	ppm	3000	PASS	<125.0	
ETHANOL	125.0	ppm	5000	PASS	<125.0	
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0	
ACETONE	125.0	ppm	5000	PASS	<125.0	
2-PROPANOL	125.0	ppm	5000	PASS	<125.0	
ACETONITRILE	125.0	ppm	410	PASS	<125.0	
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0	
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0	
BENZENE	1.3	ppm	2	PASS	<1.3	
N-HEPTANE	125.0	ppm	5000	PASS	<125.0	
TOLUENE	125.0	ppm	890	PASS	<125.0	
CHLOROFORM	1.3	ppm	60	PASS	<1.3	
Weight: 0.0271g						
Analysis Method : SOP.T.40.044.NY						
Analyzed Date : 07/22/25 08:29:02						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/23/25



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

Sample : AL50718009-003

 26 Powell Lane
 Penn Yan, NY, 14527, US
 Telephone: (914) 960-3524
 Email: RL@eurekavapor.com
 License # : OCM-PROC-25-000283

 Batch# : EUV-CC1G-071625
 Sampled : 07/18/25 01:40 PM
 Sample Size Received : 18 gram
 Total Amount : 400 units
 Sampling Method : SOP.T.20.010.NY

Page 5 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 1.01g						Weight: 0.5371g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date : 07/21/25 11:28:00						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 07/22/25 14:12:22					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	0.1760	PASS	2
Weight: 0.5053g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 07/21/25 16:25:23					