1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

MIMOSA
Matrix: Derivative
Classification: Unknown
Type: Vape Cartridge

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50718009-024



Production Method: Ethanol
Batch#: EUV-MIM2G-071625
Sample Size Received: 6 units
Total Amount: 500 units
Retail Product Size: 2 gram
Retail Serving Size: 2 gram
Servings: 1
Sampled: 07/18/25 01:40 PM
Sampling Start: 01:40 PM
Sampling End: 03:40 PM
Sampling Method: SOP.T.20.010.NY

Northeast Extracts- Eureka Vapor
License # : OCM-PROC-25-000283
26 Powell Lane
Penn Yan, NY, 14527, US

PASSED

SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents
PASSED	PASSED	PASSED	PASSED	PASSED

MISC.

Filth	Water Activity	Moisture	Terpenes
NOT TESTED	NOT TESTED	NOT TESTED	PASSED

Bulk Oil for batch EUV-MIM2G-071625 was tested under AL50718009-010 for all analyses except heavy metals. Results are attached below.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25

1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
MIMOSA
Matrix : Derivative
Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-024
Batch# : EUV-MIM2G-071625
Sampled : 07/18/25 01:40 PM
Sample Size Received : 6 units
Total Amount : 500 units
Sampling Method : SOP.T.20.010.NY

Heavy Metals — PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	0.2481	PASS	2

Weight:
0.4563g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 07/22/25 08:07:51

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25

1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

MIMOSA
Matrix: Derivative
Classification: Unknown
Type: Vape Cartridge

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50718009-010



Production Method: Ethanol
Batch#: EUV-MIM1G-071625
Sample Size Received: 18 gram
Total Amount: 1000 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Sampled: 07/18/25 01:40 PM
Sampling Start: 01:40 PM
Sampling End: 03:40 PM
Sampling Method: SOP.T.20.010.NY

Northeast Extracts- Eureka Vapor
License # : OCM-PROC-25-000283
26 Powell Lane
Penn Yan, NY, 14527, US

PASSED

SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture
PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED

MISC.

Terpenes
PASSED

Cannabinoid

PASSED

Total THC
86.2514%
Total THC/Container : 862.5145 mg

Total CBD
0.2505%
Total CBD/Container : 2.5046 mg

Total Cannabinoids
93.2590%
Total Cannabinoids/Container : 932.5898 mg



	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	0.1883	1.0759	0.2505	<0.1000	<0.1000	3.3266	<0.1000	<0.1000	0.6268	86.0632	<0.1000	1.7278
mg/unit	<1.000	1.883	10.759	2.505	<1.000	<1.000	33.266	<1.000	<1.000	6.268	860.632	<1.000	17.278
LOQ	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %	0.1000 %

Weight:
0.1621g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/22/25 08:18:52

Label Claim **PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25

1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
MIMOSA
Matrix : Derivative
Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-010
Batch# : EUV-MIM1G-071625
Sampled : 07/18/25 01:40 PM
Sample Size Received : 18 gram
Total Amount : 1000 units
Sampling Method : SOP.T.20.010.NY

Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.00	PASS	6.300	0.6300
BETA-CARYOPHYLLENE	0.00	PASS	3.400	0.3400
BETA-MYRCENE	0.00	PASS	3.100	0.3100
OCIMENE	0.00	PASS	3.000	0.3000
TERPINOLENE	0.00	PASS	1.700	0.1700
ALPHA-HUMULENE	0.00	PASS	1.300	0.1300
LINALOOL	0.00	PASS	1.100	0.1100
ALPHA-BISABOLOL	0.00	PASS	0.800	0.0800
ALPHA-PINENE	0.00	PASS	0.800	0.0800
BETA-PINENE	0.00	PASS	0.800	0.0800
FENCHYL ALCOHOL	0.00	PASS	0.400	0.0400
CARYOPHYLLENE OXIDE	0.00	PASS	0.300	0.0300
ALPHA TERPINEOL	0.00	PASS	0.200	0.0200
CAMPHENE	0.00	PASS	0.100	0.0100
VALENCENE	0.00	PASS	0.100	0.0100
FARNESENE	0.10	PASS	<1.000	<0.1000
GUAIOL	0.00	PASS	<0.040	<0.0040
ALPHA-PHELLANDRENE	0.00	PASS	<0.040	<0.0040
GERANIOL	0.00	PASS	<0.040	<0.0040
MENTHOL	0.00	PASS	<0.040	<0.0040
ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
Weight: 0.8714g				
Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
Analyzed Date : 07/21/25 15:25:28				

Total (%) 2.3400

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25

1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
MIMOSA
Matrix : Derivative
Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-010
Batch# : EUV-MIM1G-071625
Sampled : 07/18/25 01:40 PM
Sample Size Received : 18 gram
Total Amount : 1000 units
Sampling Method : SOP.T.20.010.NY

Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOCYL	0.1000	ppm	2	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000
AZADIRACHTIN	0.1000	ppm	1	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000
FLONICAMID	0.1000	ppm	1	PASS	<0.1000
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000
MALATHION	0.1000	ppm	0.2	PASS	<0.1000
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000
NALED	0.1000	ppm	0.5	PASS	<0.1000

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
OXAMYL	0.1000	ppm	1	PASS	<0.1000
PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
PROPICONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000

Weight:
0.4893g
Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 07/22/25 13:59:59

.

Weight:
0.4893g
Analysis Method : SOP.T.40.154.NY
Analyzed Date : 07/21/25 13:52:31

.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25

1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
MIMOSA
Matrix : Derivative
Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-010
Batch# : EUV-MIM1G-071625
Sampled : 07/18/25 01:40 PM
Sample Size Received : 18 gram
Total Amount : 1000 units
Sampling Method : SOP.T.20.010.NY

Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3
PROPANE	750.0	ppm	5000	PASS	<750.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	<125.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	1.3	ppm	2	PASS	<1.3
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	1.3	ppm	60	PASS	<1.3

Weight:
0.027g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 07/22/25 08:29:27

.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25

1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
MIMOSA
Matrix : Derivative
Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-010
Batch# : EUV-MIM1G-071625
Sampled : 07/18/25 01:40 PM
Sample Size Received : 18 gram
Total Amount : 1000 units
Sampling Method : SOP.T.20.010.NY

Microbial — PASSED

Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS	
SALMONELLA SPECIES	1		Not Present	PASS	
ASPERGILLUS TERREUS	1		Not Present	PASS	
ASPERGILLUS NIGER	1		Not Present	PASS	
ASPERGILLUS FLAVUS	1		Not Present	PASS	
ASPERGILLUS FUMIGATUS	1		Not Present	PASS	

Weight:
1.01g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY
Analyzed Date : 07/21/25 11:29:14

Mycotoxins — PASSED

Analyte	LOQ	Units	Result	Pass / Fail	Action Level
AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02

Weight:
0.4893g

Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY
Analyzed Date : 07/22/25 14:13:38

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25