



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50718009-032



Northeast Extracts- Eureka Vapor

License # : OCM-PROC-25-000283

26 Powell Lane
Penn Yan, NY, 14527, US

Production Method: Ethanol

Batch#: EUV-MIMJEL3G-071625

Sample Size Received: 6 units

Total Amount: 300 units

Retail Product Size: 3 gram

Retail Serving Size: 3 gram

Servings: 1

Sampled: 07/18/25 01:40 PM

Sampling Start: 01:40 PM

Sampling End: 03:40 PM

Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 2

SAFETY RESULTS

Pesticides
PASSEDHeavy Metals
PASSEDMicrobials
PASSEDMycotoxins
PASSEDResiduals
Solvents
PASSEDFilth
NOT TESTEDWater Activity
NOT TESTEDMoisture
NOT TESTEDTerpenes
PASSED

MISC.

Bulk Oil for batch EUV-MIMJEL3G-071625 was tested under AL50718009-010 for all analyses except heavy metals. Results are attached below.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

MIMOSA 3G DUO
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-032

Batch# : EUV-
MIMJEL3G-071625
Sampled : 07/18/25 01:40 PM

Sample Size Received : 6 units
Total Amount : 300 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 2



Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	0.4553	PASS	2

Weight:
0.4985g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 07/22/25 08:10:05

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50718009-010



Northeast Extracts- Eureka Vapor

License # : OCM-PROC-25-000283

26 Powell Lane
Penn Yan, NY, 14527, US

Production Method: Ethanol

Batch#: EUV-MIM1G-071625

Sample Size Received: 18 gram

Total Amount: 1000 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Sampled: 07/18/25 01:40 PM

Sampling Start: 01:40 PM

Sampling End: 03:40 PM

Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
PASSED



Cannabinoid

PASSED



Total THC

86.2514%

Total THC/Container : 862.5145 mg



Total CBD

0.2505%

Total CBD/Container : 2.5046 mg



Total Cannabinoids

93.2590%

Total Cannabinoids/Container : 932.5898 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	0.1883	1.0759	0.2505	<0.1000	<0.1000	3.3266	<0.1000	<0.1000	0.6268	86.0632	<0.1000	1.7278
mg/unit	<1.000	1.883	10.759	2.505	<1.000	<1.000	33.266	<1.000	<1.000	6.268	860.632	<1.000	17.278
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1621g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/22/25 08:18:52

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
07/22/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



MIMOSA

Matrix : Derivative

Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-010

Batch# : EUV-MIM1G-071625
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram
Total Amount : 1000 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.00	PASS	6.300	0.6300	BETA-CARYOPHYLLENE	0.00	PASS	3.400	0.3400
BETA-CARYOPHYLLENE	0.00	PASS	3.400	0.3400	BETA-MYRCENE	0.00	PASS	3.100	0.3100
BETA-MYRCENE	0.00	PASS	3.000	0.3000	OCIMENE	0.00	PASS	1.700	0.1700
OCIMENE	0.00	PASS	1.300	0.1300	TERPINOLENE	0.00	PASS	1.100	0.1100
TERPINOLENE	0.00	PASS	0.800	0.0800	ALPHA-HUMULENE	0.00	PASS	0.800	0.0800
ALPHA-HUMULENE	0.00	PASS	0.800	0.0800	LINALOOL	0.00	PASS	0.400	0.0400
LINALOOL	0.00	PASS	0.400	0.0400	ALPHA-BISABOLOL	0.00	PASS	0.200	0.0200
ALPHA-BISABOLOL	0.00	PASS	0.100	0.0100	ALPHA-PINENE	0.00	PASS	0.100	0.0100
ALPHA-PINENE	0.00	PASS	0.100	0.0100	BETA-PINENE	0.00	PASS	0.040	0.0040
BETA-PINENE	0.00	PASS	0.040	0.0040	FENCHYL ALCOHOL	0.00	PASS	0.030	0.0030
FENCHYL ALCOHOL	0.00	PASS	0.030	0.0030	CARYOPHYLLENE OXIDE	0.00	PASS	0.020	0.0020
CARYOPHYLLENE OXIDE	0.00	PASS	0.010	0.0010	ALPHA TERPINEOL	0.00	PASS	0.010	0.0010
ALPHA TERPINEOL	0.00	PASS	0.010	0.0010	CAMPHERE	0.00	PASS	0.010	0.0010
CAMPHERE	0.00	PASS	0.010	0.0010	VALENCESENE	0.10	PASS	<1.000	<0.1000
VALENCESENE	0.00	PASS	<0.040	<0.0040	FARNESSENE	0.00	PASS	<0.040	<0.0040
FARNESSENE	0.00	PASS	<0.040	<0.0040	GUAJOL	0.00	PASS	<0.040	<0.0040
GUAJOL	0.00	PASS	<0.040	<0.0040	ALPHA-PHELLANDRENE	0.00	PASS	<0.040	<0.0040
ALPHA-PHELLANDRENE	0.00	PASS	<0.040	<0.0040	GERANIOL	0.00	PASS	<0.040	<0.0040
GERANIOL	0.00	PASS	<0.040	<0.0040	MENTHOL	0.00	PASS	<0.040	<0.0040
MENTHOL	0.00	PASS	<0.040	<0.0040	ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040
ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040					
Total (%)				2.3400					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



MIMOSA

Matrix : Derivative

Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-010

Batch# : EUV-MIM1G-071625
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram

Total Amount : 1000 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000						
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	0.4893g					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/22/25 13:59:59					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000						
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	Weight:					
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000	0.4893g					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/21/25 13:52:31					
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



MIMOSA

Matrix : Derivative

Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

Sample : AL50718009-010

26 Powell Lane

Penn Yan, NY, 14527, US

Telephone: (914) 960-3524

Email: RL@eurekavapor.com

License # : OCM-PROC-25-000283

Batch# : EUV-MIM1G-071625

Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram

Total Amount : 1000 units

Sampling Method : SOP.T.20.010.NY

Page 4 of 5

 Residual Solvents						PASSED
Solvents	LOQ	Units	Action Level	Pass/Fail	Result	
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0	
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0	
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0	
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0	
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0	
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0	
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0	
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3	
PROPANE	750.0	ppm	5000	PASS	<750.0	
METHANOL	125.0	ppm	3000	PASS	<125.0	
ETHANOL	125.0	ppm	5000	PASS	<125.0	
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0	
ACETONE	125.0	ppm	5000	PASS	<125.0	
2-PROPANOL	125.0	ppm	5000	PASS	<125.0	
ACETONITRILE	125.0	ppm	410	PASS	<125.0	
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0	
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0	
BENZENE	1.3	ppm	2	PASS	<1.3	
N-HEPTANE	125.0	ppm	5000	PASS	<125.0	
TOLUENE	125.0	ppm	890	PASS	<125.0	
CHLOROFORM	1.3	ppm	60	PASS	<1.3	
Weight: 0.027g						
Analysis Method : SOP.T.40.044.NY						
Analyzed Date : 07/22/25 08:29:27						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



MIMOSA

Matrix : Derivative

Type: Vape Cartridge

Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
Telephone: (914) 960-3524
Email: RL@eurekavapor.com
License # : OCM-PROC-25-000283

Sample : AL50718009-010

Batch# : EUV-MIM1G-071625
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram

Total Amount : 1000 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 1.01g						Weight: 0.4893g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analyzed Date : 07/21/25 11:29:14						Analyzed Date : 07/22/25 14:13:38					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/22/25