

Kaycha Labs

Dank | Flower | Sour Tangie | 28g Matrix: Flower

Classification: Unknown Type: Flower - Cured



Production Method: Cured

Sample Size Received: 8 units

Retail Product Size: 28 gram Retail Serving Size: 28 gram

Sampled: 08/01/25 04:45 PM Sampling Start: 04:45 PM Sampling End: 06:00 PM Revision Date: 08/12/25

Sampling Method: SOP.T.20.010.NY

Batch#: DANK-22425-AMC Seed to Sale#: n/a

Total Amount: 690 units

Servings: 1

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50801001-031



HPI Canna Inc

License #: OCM-PROC-24-000237

886 Noxon Road

Poughkeepsie, NY, 12603, US



PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



PASSED



Mycotoxins PASSED



Residuals Solvents **NOT TESTED**



PASSED



Water Activity **PASSED**



Moisture PASSED



Terpenes PASSED

PASSED



Cannabinoid

Total THC



Total CBD

Total CBD/Container : 0



Total Cannabinoids Total Cannabinoids/Container: 9703.4022 mg

												П	
	(6AR,9R) D10- THC	(6AR,9S) D10- THC	СВС	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1	<0.1	0.1656	< 0.1	< 0.1	< 0.1	<0.1	<0.1	0.6266	< 0.1	0.8553	33.0075	< 0.1
mg/unit	<28	<28	46.3798	<28	<28	<28	<28	<28	175.4430	<28	239.4719	9242.1076	<28
LOQ	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date : 08/06/25 08:37:20

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25

Revision: #1 - Report revised to update sample name per clien





Certificate of Analysis

PASSED

886 Noxon Road Poughkeepsie, NY, 12603, US Telephone: (845) 533-5363 Fmail: TESTING@HPICANNA COM License # : OCM-PROC-24-000237 Sample : AL50801001-031 Batch#: DANK-22425-AMC

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
ETA-CARYOPHYLLENE	0.004	PASS	182.0000	0.6500		Weight:				
IMONENE	0.004	PASS	154.0000	0.5500		0.993g				
LPHA-HUMULENE	0.004	PASS	58.8000	0.2100		Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
INALOOL	0.004	PASS	53.2000	0.1900		Analyzed Date: 08/04/25 11:12:41				
ETA-MYRCENE	0.004	PASS	22.4000	0.0800						
ETA-PINENE	0.004	PASS	22.4000	0.0800						
LPHA TERPINEOL	0.004	PASS	19.6000	0.0700						
ENCHYL ALCOHOL	0.004	PASS	19.6000	0.0700						
LPHA-PINENE	0.004	PASS	11.2000	0.0400						
ALENCENE	0.004	PASS	5.6000	0.0200	'I					
AMPHENE	0.004	PASS	2.8000	0.0100						
ARYOPHYLLENE OXIDE	0.004	PASS	2.8000	0.0100						
LPHA-BISABOLOL	0.004	PASS	2.8000	0.0100						
ARNESENE	0.1	PASS	<28.0000	< 0.1000						
SERANIOL	0.004	PASS	<1.1200	< 0.0040						
GUAIOL	0.004	PASS	<1.1200	< 0.0040						
MENTHOL	0.004	PASS	<1.1200	< 0.0040						
CIMENE	0.004	PASS	<1.1200	< 0.0040						
ERPINOLENE	0.004	PASS	<1.1200	< 0.0040						
LPHA-PHELLANDRENE	0.004	PASS	<1.1200	< 0.0040						
LPHA-TERPINENE	0.004	PASS	<1.1200	< 0.0040						

Total (%)

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25

Revision: #1 - Report revised to update sample name per clien





Certificate of Analysis

PASSED

886 Noxon Road Poughkeepsie, NY, 12603, US Telephone: (845) 533-5363 Fmail: TESTING@HPICANNA COM License #: OCM-PROC-24-000237 Sample : AL50801001-031 Batch#: DANK-22425-AMC

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PRALLETHRIN	0.1	ppm	0.2	PASS	< 0.1
ACEQUINOCYL	0.1	ppm	2	PASS	< 0.1
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	< 0.1
AZADIRACHTIN	0.1	ppm	1	PASS	< 0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	< 0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	< 0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	< 0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	< 0.1
ACEPHATE	0.1	ppm	0.4	PASS	< 0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	< 0.1
ALDICARB	0.1	ppm	0.4	PASS	< 0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	< 0.1
BIFENAZATE	0.1	ppm	0.2	PASS	< 0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	< 0.1
CARBARYL	0.1	ppm	0.2	PASS	< 0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	< 0.1
COUMAPHOS	0.1	ppm	1	PASS	< 0.1
DAMINOZIDE	0.1	ppm	1	PASS	< 0.1
CARBOFURAN	0.1	ppm	0.2	PASS	< 0.1
BOSCALID	0.1	ppm	0.4	PASS	< 0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	< 0.1
DIAZINON	0.1	ppm	0.2	PASS	< 0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	< 0.1
DICHLORVOS	0.1	ppm	1	PASS	< 0.1
DIMETHOATE	0.1	ppm	0.2	PASS	< 0.1
DIMETHOMORPH	0.1	ppm	1	PASS	< 0.1
ETHOPROPHOS	0.1	ppm	0.2	PASS	< 0.1
ETOFENPROX	0.1	ppm	0.4	PASS	< 0.1
ETOXAZOLE	0.1	ppm	0.2	PASS	< 0.1
FENHEXAMID	0.1	ppm	1	PASS	< 0.1
FENOXYCARB	0.1	ppm	0.2	PASS	< 0.1
FENPYROXIMATE	0.1	ppm	0.4	PASS	< 0.1
FIPRONIL	0.1	ppm	0.4	PASS	< 0.1
FLONICAMID	0.1	ppm	1	PASS	< 0.1
FLUDIOXONIL	0.1	ppm	0.4	PASS	< 0.1
HEXYTHIAZOX	0.1	ppm	1	PASS	< 0.1
IMAZALIL	0.1	ppm	0.2	PASS	< 0.1
IMIDACLOPRID	0.1	ppm	0.4	PASS	< 0.1
KRESOXIM METHYL	0.1	ppm	0.4	PASS	< 0.1
MALATHION	0.1	ppm	0.2	PASS	< 0.1
METALAXYL	0.1	ppm	0.2	PASS	< 0.1
METHIOCARB	0.1	ppm	0.2	PASS	< 0.1
METHOMYL	0.1	ppm	0.4	PASS	< 0.1
MEVINPHOS	0.1	ppm	1	PASS	< 0.1
NALED	0.1	ppm	0.5	PASS	< 0.1

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
OXAMYL	0.1	ppm	1	PASS	< 0.1
PACLOBUTRAZOL	0.1	ppm	0.4	PASS	< 0.1
PERMETHRIN	0.1	ppm	0.2	PASS	< 0.1
PHOSMET	0.1	ppm	0.2	PASS	< 0.1
PROPICONAZOLE	0.1	ppm	0.4	PASS	< 0.1
PROPOXUR	0.1	ppm	0.2	PASS	< 0.1
PYRIDABEN	0.1	ppm	0.2	PASS	< 0.1
SPINETORAM, TOTAL	0.1	ppm	1	PASS	< 0.1
SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	< 0.1
SPIROMESIFEN	0.1	ppm	0.2	PASS	< 0.1
SPIROTETRAMAT	0.1	ppm	0.2	PASS	< 0.1
SPIROXAMINE	0.1	ppm	0.2	PASS	< 0.1
TEBUCONAZOLE	0.1	ppm	0.4	PASS	< 0.1
THIACLOPRID	0.1	ppm	0.2	PASS	< 0.1
THIAMETHOXAM	0.1	ppm	0.2	PASS	< 0.1
TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CAPTAN *	0.1	ppm	1	PASS	< 0.1
CHLORDANE *	0.1	ppm	1	PASS	< 0.1
CHLORFENAPYR *	0.1	ppm	1	PASS	< 0.1
CYFLUTHRIN *	0.1	ppm	1	PASS	< 0.1
CYPERMETHRIN *	0.1	ppm	1	PASS	< 0.1
METHYL PARATHION *	0.1	ppm	0.2	PASS	< 0.1
MGK-264 *	0.1	ppm	0.2	PASS	< 0.1
PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	< 0.1

Weight: 0.9933g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date : 08/06/25 10:04:04

Weight: 0.9933g

Analysis Method: SOP.T.40.154.NY Analyzed Date: 08/06/25 09:40:34

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #2 - Report revised to update sample name per client

Revision: #1 - Report revised to

update sample name per clien

Signature 08/07/25





Certificate of Analysis

PASSED

886 Noxon Road Poughkeepsie, NY, 12603, US Telephone: (845) 533-5363 Fmail: TESTING@HPICANNA COM License #: OCM-PROC-24-000237 Sample : AL50801001-031 Batch#: DANK-22425-AMC

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 4 of 5

Units

ppm

ppm

LOO

0.01

0.01 ppm

0.01 ppm

0.01 maa

0.01

0.01 maa



Microbial

PASSED



AFLATOXIN G2

AFLATOXIN G1

AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A+

Analyte

Mycotoxins

TOTAL AFLATOXINS (B1, B2, G1, G2)

 $\textbf{Analyzed Date:}\ 08/06/25\ 10{:}04{:}13$

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

0.02

Result Pass /

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

Fail

Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	TESTED	
TOTAL YEAST AND MOLD	100	CFU/g	<100	TESTED	
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS	
SALMONELLA SPECIES	1		Not Present	PASS	
ASPERGILLUS TERREUS	1		Not Present	PASS	
ASPERGILLUS NIGER	1		Not Present	PASS	
ASPERGILLUS FLAVUS	1		Not Present	PASS	
ASPERGILLUS FUMIGATUS	1		Not Present	PASS	

Weight:

Analysis Method: SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date : 08/07/25 08:39:35

Н		h
Ш	На	Ш
ΙЦ	rig	Ц

Weight: 0.9933g

Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1	ug/g	< 0.1	PASS	2
ARSENIC	0.1	ug/g	< 0.1	PASS	0.2
CADMIUM	0.1	ug/g	< 0.1	PASS	0.2
CHROMIUM	1	ug/g	<1	PASS	110
COPPER	1	ug/g	7.6052	PASS	30
LEAD	0.1	ug/g	< 0.1	PASS	0.5
MERCURY	0.01	ug/g	< 0.01	PASS	0.1
NICKEL	0.1	ug/g	< 0.1	PASS	5

Weight: 0.5079g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 08/05/25 09:53:19

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25

Revision: #1 - Report revised to update sample name per clien





Certificate of Analysis

PASSED

886 Noxon Road Poughkeepsie, NY, 12603, US Telephone: (845) 533-5363 Fmail: TESTING@HPICANNA COM License #: OCM-PROC-24-000237 Sample : AL50801001-031

Batch#: DANK-22425-AMC

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture



Analyte Foreign Matter	LOQ 0.1	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content	LOQ 1	Units %	Result 9.4	P/F PASS	Action Level 15
Mammalian excreta Stems (>3mm)	0.1 1	mg %	ND ND	PASS PASS	1 5	Weight: 0.923g					
Weight: 99.0384g						Analysis Method : SOP.T.40.021 Analyzed Date : 08/05/25 13:51:28					

Analysis Method: SOP.T.40.090



Water Activity

PASSED

Analyte Water Activity	LOQ 0.1	Units aw	Result 0.54	P/F PASS	Action Level 0.65
Weight: 0.2733g					
Analysis Mothod L SOP T 40 0	10				

Analyzed Date: 08/04/25 14:30:44

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOQ) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25

Revision: #1 - Report revised to update sample name per clien