



Certificate of Analysis

Pages 1 of 5

FOR COMPLIANCE

PASSED



Batch #: EUV-MIMJEL3G-092525
Production Method: Ethanol
Total Amount: 1500 units
Retail Product Size: 1.5 gram
Retail Serving Size: 1.5 gram
Servings: 1
Metrc Package #: NA
Metrc Source Package # : NA

Lab ID: AL50926003-002
Sampled Date: 09/26/25
Sample Collection Time: 12:30 PM
Sampling End: 01:40 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 20 gram
Completed: 09/30/25

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
PASSED



Cannabinoid

PASSED



Total THC
79.9025%
Total THC : 1198.5370 mg



Total CBD
0.9848%
Total CBD : 14.7717 mg



Total Cannabinoids
88.5115%
Total Cannabinoids/Container :
1327.6720 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	0.1303	1.1554	0.9848	<0.1000	<0.1000	3.0907	<0.1000	<0.1000	2.4690	79.7721	<0.1000	0.9091
mg/unit	<1.5000	1.9550	17.3312	14.7717	<1.5000	<1.5000	46.3601	<1.5000	<1.5000	37.0354	1196.5820	<1.5000	13.6367
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1866g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 09/29/25 10:49:05

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/30/25



Certificate of Analysis

Pages 2 of 5

Northeast Extracts- Eureka Vapor

Sample: AL50926003-002

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Batch #: EUV-MIMJEL3G-092525
Seed to sale: NA

Ordered: 09/26/25
Sampled: 09/26/25
Completed: 09/30/25

PASSED



Label Claim Verification

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method : N/A

Analyzed Date : 09/30/25 18:21:20



Terpenes

PASSED

ANALYTES

	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.1000	10	PASS	0.1800	2.7000	
ALPHA-BISABOLOL	0.0040	10	PASS	0.1500	2.2500	
GUAJOL	0.0040	10	PASS	0.0200	0.3000	
BETA-CARYOPHYLLENE	0.0040	10	PASS	0.0100	0.1500	
ALPHA TERPINEOL	0.0040	10	PASS	<0.0040	<0.0600	
CAMPHENE	0.0040	10	PASS	<0.0040	<0.0600	
CARYOPHYLLENE OXIDE	0.0040	10	PASS	<0.0040	<0.0600	
FARNESENE	0.0400	10	PASS	<0.0400	<0.6000	
FENCHYL ALCOHOL	0.0040	10	PASS	<0.0040	<0.0600	
GERANIOL	0.0040	10	PASS	<0.0040	<0.0600	
LIMONENE	0.0040	10	PASS	<0.0040	<0.0600	
LINALOOL	0.0040	10	PASS	<0.0040	<0.0600	
MENTHOL	0.0040	10	PASS	<0.0040	<0.0600	
OCIMENE	0.0040	10	PASS	<0.0040	<0.0600	
TERPINOLENE	0.0040	10	PASS	<0.0040	<0.0600	
VALENCENE	0.0040	10	PASS	<0.0040	<0.0600	
ALPHA-HUMULENE	0.0040	10	PASS	<0.0040	<0.0600	
ALPHA-PHELLANDRENE	0.0040	10	PASS	<0.0040	<0.0600	
ALPHA-PINENE	0.0040	10	PASS	<0.0040	<0.0600	
ALPHA-TERPINENE	0.0040	10	PASS	<0.0040	<0.0600	
BETA-MYRCENE	0.0040	10	PASS	<0.0040	<0.0600	
BETA-PINENE	0.0040	10	PASS	<0.0040	<0.0600	

Weight:

0.9663g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date : 09/29/25 10:28:31



Pesticide

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

PRALLETHRIN	ppm	0.1000	0.2	PASS	<0.1000	
ACEQUINOCYL	ppm	0.1000	2	PASS	<0.1000	
PYRETHRINS, TOTAL	ppm	0.1000	1	PASS	<0.1000	
AZADIRACTIN	ppm	0.1000	1	PASS	<0.1000	
INDOLE-3-BUTYRIC ACID	ppm	0.1000	1	PASS	<0.1000	
MYCLOBUTANIL	ppm	0.1000	0.2	PASS	<0.1000	
PIPERONYL BUTOXIDE	ppm	0.1000	2	PASS	<0.1000	
ABAMECTIN B1A	ppm	0.1000	0.5	PASS	<0.1000	
ACEPHATE	ppm	0.1000	0.4	PASS	<0.1000	
ACETAMIPRID	ppm	0.1000	0.2	PASS	<0.1000	
ALDICARB	ppm	0.1000	0.4	PASS	<0.1000	
AZOXYSTROBIN	ppm	0.1000	0.2	PASS	<0.1000	
CHLORMEQUAT CHLORIDE	ppm	0.1000	1	PASS	<0.1000	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/30/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
.....
MIMSOA
Matrix: Derivative
Classification: Unknown
Type: Vape Cartridge



Certificate of Analysis

Pages 3 of 5

Northeast Extracts- Eureka Vapor

Sample: AL50926003-002

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Batch #: EUV-MIMJEL3G-092525
Seed to sale: NA

Ordered: 09/26/25
Sampled: 09/26/25
Completed: 09/30/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
BIFENAZATE	ppm	0.1000	0.2	PASS	<0.1000	
BIFENTHRIN	ppm	0.1000	0.2	PASS	<0.1000	
CARBARYL	ppm	0.1000	0.2	PASS	<0.1000	
CHLORPYRIFOS	ppm	0.1000	0.2	PASS	<0.1000	
COUMAPHOS	ppm	0.1000	1	PASS	<0.1000	
DAMINOZIDE	ppm	0.1000	1	PASS	<0.1000	
CARBOFURAN	ppm	0.1000	0.2	PASS	<0.1000	
BOSCALID	ppm	0.1000	0.4	PASS	<0.1000	
CHLORANTRANILIPROLE	ppm	0.1000	0.2	PASS	<0.1000	
DIAZINON	ppm	0.1000	0.2	PASS	<0.1000	
CLOFENTEZINE	ppm	0.1000	0.2	PASS	<0.1000	
DICHLORVOS	ppm	0.1000	1	PASS	<0.1000	
DIMETHOATE	ppm	0.1000	0.2	PASS	<0.1000	
DIMETHOMORPH	ppm	0.1000	1	PASS	<0.1000	
ETHOPROPHOS	ppm	0.1000	0.2	PASS	<0.1000	
ETOFENPROX	ppm	0.1000	0.4	PASS	<0.1000	
ETOXAZOLE	ppm	0.1000	0.2	PASS	<0.1000	
FENHEXAMID	ppm	0.1000	1	PASS	<0.1000	
FENOXYCARB	ppm	0.1000	0.2	PASS	<0.1000	
FENPYROXIMATE	ppm	0.1000	0.4	PASS	<0.1000	
FIPRONIL	ppm	0.1000	0.4	PASS	<0.1000	
FLONICAMID	ppm	0.1000	1	PASS	<0.1000	
FLUDIOXONIL	ppm	0.1000	0.4	PASS	<0.1000	
HEXYTHIAZOX	ppm	0.1000	1	PASS	<0.1000	
IMAZALIL	ppm	0.1000	0.2	PASS	<0.1000	
IMIDACLOPRID	ppm	0.1000	0.4	PASS	<0.1000	
KRESOXIM METHYL	ppm	0.1000	0.4	PASS	<0.1000	
MALATHION	ppm	0.1000	0.2	PASS	<0.1000	
METALAXYL	ppm	0.1000	0.2	PASS	<0.1000	
METHIOCARB	ppm	0.1000	0.2	PASS	<0.1000	
METHOMYL	ppm	0.1000	0.4	PASS	<0.1000	
MEVINPHOS	ppm	0.1000	1	PASS	<0.1000	
NALED	ppm	0.1000	0.5	PASS	<0.1000	
OXAMYL	ppm	0.1000	1	PASS	<0.1000	
PACLOBUTRAZOL	ppm	0.1000	0.4	PASS	<0.1000	
PERMETHRIN	ppm	0.1000	0.2	PASS	<0.1000	
PHOSMET	ppm	0.1000	0.2	PASS	<0.1000	
PROPICONAZOLE	ppm	0.1000	0.4	PASS	<0.1000	
PROPOXUR	ppm	0.1000	0.2	PASS	<0.1000	
PYRIDABEN	ppm	0.1000	0.2	PASS	<0.1000	
SPINETORAM, TOTAL	ppm	0.1000	1	PASS	<0.1000	
SPINOSAD, TOTAL	ppm	0.1000	0.2	PASS	<0.1000	
SPIROMESIFEN	ppm	0.1000	0.2	PASS	<0.1000	
SPIROTETRAMAT	ppm	0.1000	0.2	PASS	<0.1000	
SPIROXAMINE	ppm	0.1000	0.2	PASS	<0.1000	
TEBUCONAZOLE	ppm	0.1000	0.4	PASS	<0.1000	
THIACLOPRID	ppm	0.1000	0.2	PASS	<0.1000	
THIAMETHOXAM	ppm	0.1000	0.2	PASS	<0.1000	
TRIFLOXYSTROBIN	ppm	0.1000	0.2	PASS	<0.1000	
CAPTAN	ppm	0.1000	1	PASS	<0.1000	
CHLORDANE	ppm	0.1000	1	PASS	<0.1000	
CHLORFENAPYR	ppm	0.1000	1	PASS	<0.1000	
CYFLUTHRIN	ppm	0.1000	1	PASS	<0.1000	
CYPERMETHRIN	ppm	0.1000	1	PASS	<0.1000	
METHYL PARATHION	ppm	0.1000	0.2	PASS	<0.1000	
MGK-264	ppm	0.1000	0.2	PASS	<0.1000	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
09/30/25



Certificate of Analysis

Pages 4 of 5

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Sample: AL50926003-002

Batch #: EUV-MIMJEL3G-092525
Seed to sale: NA

Ordered: 09/26/25
Sampled: 09/26/25
Completed: 09/30/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
----------	------	-----	-------	-----------	--------	-----------

PENTACHLORONITROBENZENE

ppm 0.1000 1 **PASS** <0.1000

Weight:
0.5763g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 09/29/25 11:04:10

Weight:
0.5763g

Analysis Method : SOP.T.40.154.NY
Analyzed Date : 09/29/25 14:41:37



Residual Solvents

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
----------	------	-----	-------	-----------	--------	-----------

PENTANES, TOTAL

ppm 125.0 5000 **PASS** <125.0

HEXANE, TOTAL

ppm 125.0 290 **PASS** <125.0

1,1,1-TRICHLOROETHANE

ppm 375.0 1500 **PASS** <375.0

DIMETHYL SULFOXIDE

ppm 375.0 5000 **PASS** <375.0

1,1,1,2-TETRAFLUOROETHANE

ppm 500.0 1000 **PASS** <500.0

XYLENES, TOTAL

ppm 125.0 2170 **PASS** <125.0

BUTANES, TOTAL

ppm 750.0 5000 **PASS** <750.0

PROPANE

ppm 750.0 5000 **PASS** <750.0

1,2-DICHLOROETHANE

ppm 1.2 5 **PASS** <1.2

METHANOL

ppm 125.0 3000 **PASS** <125.0

ETHANOL

ppm 125.0 5000 **PASS** <125.0

ETHYL ETHER

ppm 125.0 5000 **PASS** <125.0

ACETONE

ppm 125.0 5000 **PASS** <125.0

2-PROPANOL

ppm 125.0 5000 **PASS** <125.0

ACETONITRILE

ppm 125.0 410 **PASS** <125.0

DICHLOROMETHANE

ppm 125.0 600 **PASS** <125.0

ETHYL ACETATE

ppm 125.0 5000 **PASS** <125.0

BENZENE

ppm 1.2 2 **PASS** <1.2

N-HEPTANE

ppm 125.0 5000 **PASS** <125.0

TOLUENE

ppm 125.0 890 **PASS** <125.0

CHLOROFORM

ppm 1.2 60 **PASS** <1.2

Weight:
0.024g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 09/30/25 09:17:38



Microbial

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
----------	------	-----	-------	-----------	--------	-----------

TOTAL AEROBIC BACTERIA

CFU/g 100 10000 **PASS** <100

TOTAL YEAST AND MOLD

CFU/g 100 1000 **PASS** <100

ESCHERICHIA COLI/SHIGELLA SPP.

Not Present **PASS** Not Present

SALMONELLA SPECIES

Not Present **PASS** Not Present

ASPERGILLUS TERREUS

Not Present **PASS** Not Present

ASPERGILLUS NIGER

Not Present **PASS** Not Present

ASPERGILLUS FLAVUS

Not Present **PASS** Not Present

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/30/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
.....
MIMSOA
Matrix: Derivative
Classification: Unknown
Type: Vape Cartridge



Certificate of Analysis

Pages 5 of 5

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Sample: AL50926003-002

Batch #: EUV-MIMJEL3G-092525
Seed to sale: NA

Ordered: 09/26/25
Sampled: 09/26/25
Completed: 09/30/25

PASSED



Microbial

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

ASPERGILLUS FUMIGATUS

Not Present PASS Not Present

Weight:
0.9071g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY
Analyzed Date : 09/29/25 08:29:51



Mycotoxins

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

TOTAL AFLATOXINS (B1, B2, G1, G2)

ppm 0.0100 0.02 PASS <0.0100

AFLATOXIN G2

ppm 0.0100 0.02 PASS <0.0100

AFLATOXIN G1

ppm 0.0100 0.02 PASS <0.0100

AFLATOXIN B2

ppm 0.0100 0.02 PASS <0.0100

AFLATOXIN B1

ppm 0.0100 0.02 PASS <0.0100

OCHRATOXIN A+

ppm 0.0100 0.02 PASS <0.0100

Weight:
0.5763g

Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY
Analyzed Date : 09/29/25 11:24:37



Heavy Metals

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

ANTIMONY

ug/g 0.1000 2 PASS <0.1000

ARSENIC

ug/g 0.1000 0.2 PASS <0.1000

CADMIUM

ug/g 0.1000 0.2 PASS <0.1000

CHROMIUM

ug/g 1.0000 110 PASS <1.0000

COPPER

ug/g 1.0000 30 PASS <1.0000

LEAD

ug/g 0.1000 0.5 PASS <0.1000

MERCURY

ug/g 0.0100 0.1 PASS <0.0100

NICKEL

ug/g 0.1000 2 PASS 0.4801

Weight:
0.482g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 09/29/25 15:43:27

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
09/30/25