



Certificate of Analysis

Pages 1 of 5

FOR COMPLIANCE

PASSED



Batch #: EUV-TTCS3G-103025
Production Method: Ethanol
Total Amount: 500 units
Retail Product Size: 1.5 gram
Retail Serving Size: 1.5 gram
Servings: 1
Metrc Source Package # : NA

Lab ID: AL51031002-009
Sampled Date: 10/31/25
Sample Collection Time: 12:20 PM
Sampling End: 01:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 22 gram
Completed: 11/03/25

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
PASSED



Cannabinoid

PASSED



Total THC
85.4367%
Total THC : 1281.5500 mg



Total CBD
0.2550%
Total CBD : 3.8250 mg



Total Cannabinoids
92.4830%
Total Cannabinoids/Container :
1387.2450 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	0.1400	1.8930	0.2550	<0.1000	<0.1000	3.1940	<0.1000	<0.1000	0.8720	85.0590	0.2710	0.7990
mg/unit	<1.5000	2.1000	28.3950	3.8250	<1.5000	<1.5000	47.9100	<1.5000	<1.5000	13.0800	1275.8850	4.0650	11.9850
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1108g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 11/02/25 18:05:55

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
11/03/25



Certificate of Analysis

Pages 2 of 5

Northeast Extracts- Eureka Vapor

Sample: AL51031002-009

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Batch #: EUV-TTCS3G-103025

Ordered: 10/31/25
Sampled: 10/31/25
Completed: 11/03/25

PASSED



Label Claim Verification

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method : N/A

Analyzed Date : 11/03/25 14:15:00



Terpenes

PASSED

ANALYTES

LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

ALPHA TERPINEOL	0.0400	10	PASS	<0.0400	<0.6000	
BETA-CARYOPHYLLENE	0.0400	10	PASS	<0.0400	<0.6000	
CAMPHENE	0.1000	10	PASS	<0.1000	<1.5000	
CARYOPHYLLENE OXIDE	0.0400	10	PASS	<0.0400	<0.6000	
FARNESENE	0.0400	10	PASS	<0.0400	<0.6000	
FENCHYL ALCOHOL	0.0400	10	PASS	<0.0400	<0.6000	
GERANIOL	0.0400	10	PASS	<0.0400	<0.6000	
GUAJOL	0.0400	10	PASS	<0.0400	<0.6000	
LIMONENE	0.1000	10	PASS	<0.1000	<1.5000	
LINALOOL	0.1000	10	PASS	<0.1000	<1.5000	
MENTHOL	0.1000	10	PASS	<0.1000	<1.5000	
OCIMENE	0.1000	10	PASS	<0.1000	<1.5000	
TERPINOLENE	0.0400	10	PASS	<0.0400	<0.6000	
VALENCENE	0.1000	10	PASS	<0.1000	<1.5000	
ALPHA-BISABOLOL	0.0400	10	PASS	<0.0400	<0.6000	
ALPHA-HUMULENE	0.0400	10	PASS	<0.0400	<0.6000	
ALPHA-PHELLANDRENE	0.1000	10	PASS	<0.1000	<1.5000	
ALPHA-PINENE	0.1000	10	PASS	<0.1000	<1.5000	
ALPHA-TERPINENE	0.1000	10	PASS	<0.1000	<1.5000	
BETA-MYRCENE	0.1000	10	PASS	<0.1000	<1.5000	
BETA-PINENE	0.1000	10	PASS	<0.1000	<1.5000	
TOTAL TERPENES	0.1000	11.5	PASS	<0.1000	<1.5000	

Weight:

0.8747g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date : 11/03/25 09:14:25



Pesticide

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

PRALLETHRIN	ppm	0.1000	0.2	PASS	<0.1000	
ACEQUINOCYL	ppm	0.1000	2	PASS	<0.1000	
PYRETHRINS, TOTAL	ppm	0.1000	1	PASS	<0.1000	
AZADIRACTIN	ppm	0.1000	1	PASS	<0.1000	
INDOLE-3-BUTYRIC ACID	ppm	0.1000	1	PASS	<0.1000	
MYCLOBUTANIL	ppm	0.1000	0.2	PASS	<0.1000	
PIPERONYL BUTOXIDE	ppm	0.1000	2	PASS	<0.1000	
ABAMECTIN B1A	ppm	0.1000	0.5	PASS	<0.1000	
ACEPHATE	ppm	0.1000	0.4	PASS	<0.1000	
ACETAMIPRID	ppm	0.1000	0.2	PASS	<0.1000	
ALDICARB	ppm	0.1000	0.4	PASS	<0.1000	
AZOXYSTROBIN	ppm	0.1000	0.2	PASS	<0.1000	
CHLORMEQUAT CHLORIDE	ppm	0.1000	1	PASS	<0.1000	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
11/03/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
CITRUS SPLASH
Matrix: Derivative
Classification: Unknown
Type: Vape Cartridge



Certificate of Analysis

Pages 3 of 5

Northeast Extracts- Eureka Vapor

Sample: AL51031002-009

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Batch #: EUV-TTCS3G-103025

Ordered: 10/31/25
Sampled: 10/31/25
Completed: 11/03/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
BIFENAZATE	ppm	0.1000	0.2	PASS	<0.1000	
BIFENTHRIN	ppm	0.1000	0.2	PASS	<0.1000	
CARBARYL	ppm	0.1000	0.2	PASS	<0.1000	
CHLORPYRIFOS	ppm	0.1000	0.2	PASS	<0.1000	
COUMAPHOS	ppm	0.1000	1	PASS	<0.1000	
DAMINOZIDE	ppm	0.1000	1	PASS	<0.1000	
CARBOFURAN	ppm	0.1000	0.2	PASS	<0.1000	
BOSCALID	ppm	0.1000	0.4	PASS	<0.1000	
CHLORANTRANILIPROLE	ppm	0.1000	0.2	PASS	<0.1000	
DIAZINON	ppm	0.1000	0.2	PASS	<0.1000	
CLOFENTEZINE	ppm	0.1000	0.2	PASS	<0.1000	
DICHLORVOS	ppm	0.1000	1	PASS	<0.1000	
DIMETHOATE	ppm	0.1000	0.2	PASS	<0.1000	
DIMETHOMORPH	ppm	0.1000	1	PASS	<0.1000	
ETHOPROPHOS	ppm	0.1000	0.2	PASS	<0.1000	
ETOFENPROX	ppm	0.1000	0.4	PASS	<0.1000	
ETOXAZOLE	ppm	0.1000	0.2	PASS	<0.1000	
FENHEXAMID	ppm	0.1000	1	PASS	<0.1000	
FENOXYCARB	ppm	0.1000	0.2	PASS	<0.1000	
FENPYROXIMATE	ppm	0.1000	0.4	PASS	<0.1000	
FIPRONIL	ppm	0.1000	0.4	PASS	<0.1000	
FLONICAMID	ppm	0.1000	1	PASS	<0.1000	
FLUDIOXONIL	ppm	0.1000	0.4	PASS	<0.1000	
HEXYTHIAZOX	ppm	0.1000	1	PASS	<0.1000	
IMAZALIL	ppm	0.1000	0.2	PASS	<0.1000	
IMIDACLOPRID	ppm	0.1000	0.4	PASS	<0.1000	
KRESOXIM METHYL	ppm	0.1000	0.4	PASS	<0.1000	
MALATHION	ppm	0.1000	0.2	PASS	<0.1000	
METALAXYL	ppm	0.1000	0.2	PASS	<0.1000	
METHIOCARB	ppm	0.1000	0.2	PASS	<0.1000	
METHOMYL	ppm	0.1000	0.4	PASS	<0.1000	
MEVINPHOS	ppm	0.1000	1	PASS	<0.1000	
NALED	ppm	0.1000	0.5	PASS	<0.1000	
OXAMYL	ppm	0.1000	1	PASS	<0.1000	
PACLOBUTRAZOL	ppm	0.1000	0.4	PASS	<0.1000	
PERMETHRIN	ppm	0.1000	0.2	PASS	<0.1000	
PHOSMET	ppm	0.1000	0.2	PASS	<0.1000	
PROPICONAZOLE	ppm	0.1000	0.4	PASS	<0.1000	
PROPOXUR	ppm	0.1000	0.2	PASS	<0.1000	
PYRIDABEN	ppm	0.1000	0.2	PASS	<0.1000	
SPINETORAM, TOTAL	ppm	0.1000	1	PASS	<0.1000	
SPINOSAD, TOTAL	ppm	0.1000	0.2	PASS	<0.1000	
SPIROMESIFEN	ppm	0.1000	0.2	PASS	<0.1000	
SPIROTETRAMAT	ppm	0.1000	0.2	PASS	<0.1000	
SPIROXAMINE	ppm	0.1000	0.2	PASS	<0.1000	
TEBUCONAZOLE	ppm	0.1000	0.4	PASS	<0.1000	
THIACLOPRID	ppm	0.1000	0.2	PASS	<0.1000	
THIAMETHOXAM	ppm	0.1000	0.2	PASS	<0.1000	
TRIFLOXYSTROBIN	ppm	0.1000	0.2	PASS	<0.1000	
CAPTAN	ppm	0.1000	1	PASS	<0.1000	
CHLORDANE	ppm	0.1000	1	PASS	<0.1000	
CHLORFENAPYR	ppm	0.1000	1	PASS	<0.1000	
CYFLUTHRIN	ppm	0.1000	1	PASS	<0.1000	
CYPERMETHRIN	ppm	0.1000	1	PASS	<0.1000	
METHYL PARATHION	ppm	0.1000	0.2	PASS	<0.1000	
MGK-264	ppm	0.1000	0.2	PASS	<0.1000	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
11/03/25



Certificate of Analysis

Pages 4 of 5

Northeast Extracts- Eureka Vapor

Sample: AL51031002-009

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Batch #: EUV-TTCS3G-103025

Ordered: 10/31/25
Sampled: 10/31/25
Completed: 11/03/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
PENTACHLORONITROBENZENE	ppm	0.1000	1	PASS	<0.1000	

Weight:
0.4674g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 11/03/25 12:08:32

Weight:
0.4674g

Analysis Method : SOP.T.40.154.NY
Analyzed Date : 11/03/25 12:58:20



Residual Solvents

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
PENTANES, TOTAL	ppm	125.0	5000	PASS	<125.0	
HEXANE, TOTAL	ppm	125.0	290	PASS	<125.0	
1,1,1-TRICHLOROETHANE	ppm	375.0	1500	PASS	<375.0	
DIMETHYL SULFOXIDE	ppm	375.0	5000	PASS	<375.0	
1,1,1,2-TETRAFLUOROETHANE	ppm	500.0	1000	PASS	<500.0	
XYLENES, TOTAL	ppm	125.0	2170	PASS	<125.0	
BUTANES, TOTAL	ppm	750.0	5000	PASS	<750.0	
PROPANE	ppm	750.0	5000	PASS	<750.0	
1,2-DICHLOROETHANE	ppm	1.2	5	PASS	<1.2	
METHANOL	ppm	125.0	3000	PASS	<125.0	
ETHANOL	ppm	125.0	5000	PASS	<125.0	
ETHYL ETHER	ppm	125.0	5000	PASS	<125.0	
ACETONE	ppm	125.0	5000	PASS	<125.0	
2-PROPANOL	ppm	125.0	5000	PASS	<125.0	
ACETONITRILE	ppm	125.0	410	PASS	<125.0	
DICHLOROMETHANE	ppm	125.0	600	PASS	<125.0	
ETHYL ACETATE	ppm	125.0	5000	PASS	<125.0	
BENZENE	ppm	1.2	2	PASS	<1.2	
N-HEPTANE	ppm	125.0	5000	PASS	<125.0	
TOLUENE	ppm	125.0	890	PASS	<125.0	
CHLOROFORM	ppm	1.2	60	PASS	<1.2	

Weight:
0.025g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 11/03/25 10:31:51



Microbial

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AEROBIC BACTERIA	CFU/g	100	10000	PASS	<100	
TOTAL YEAST AND MOLD	CFU/g	100	1000	PASS	<100	
ESCHERICHIA COLI/SHIGELLA SPP.			Not Present	PASS	Not Present	
SALMONELLA SPECIES			Not Present	PASS	Not Present	
ASPERGILLUS TERREUS			Not Present	PASS	Not Present	
ASPERGILLUS NIGER			Not Present	PASS	Not Present	
ASPERGILLUS FLAVUS			Not Present	PASS	Not Present	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
11/03/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
CITRUS SPLASH
Matrix: Derivative
Classification: Unknown
Type: Vape Cartridge



Certificate of Analysis

Pages 5 of 5

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Sample: AL51031002-009

Batch #: EUV-TTCS3G-103025

Ordered: 10/31/25
Sampled: 10/31/25
Completed: 11/03/25

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FUMIGATUS			Not Present	PASS	Not Present	
Weight: 0.95g						
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						
Analyzed Date : 11/03/25 09:17:13						



Mycotoxins

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AFLATOXINS (B1, B2, G1, G2)	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN G2	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN G1	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN B2	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN B1	ppm	0.0100	0.02	PASS	<0.0100	
OCHRATOXIN A+	ppm	0.0100	0.02	PASS	<0.0100	
Weight: 0.4674g						
Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY						
Analyzed Date : 11/03/25 11:37:38						



Heavy Metals

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ANTIMONY	ug/g	0.1000	2	PASS	ND	
ARSENIC	ug/g	0.1000	0.2	PASS	<0.1000	
CADMIUM	ug/g	0.1000	0.2	PASS	<0.1000	
CHROMIUM	ug/g	1.0000	110	PASS	<1.0000	
COPPER	ug/g	1.0000	30	PASS	<1.0000	
LEAD	ug/g	0.1000	0.5	PASS	<0.1000	
MERCURY	ug/g	0.0100	0.1	PASS	<0.0100	
NICKEL	ug/g	0.1000	2	PASS	<0.1000	
Weight: 0.4626g						
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY						
Analyzed Date : 11/03/25 12:11:59						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
11/03/25