



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: SD-25-RD
Production Method: Cured
Total Amount: 4 gram
Retail Product Size: 4 gram
Retail Serving Size: 4 gram
Servings: 1
Metrc Package #: Biotrack
Metrc Source Package #: NA

Lab ID: AL51122004-002
Sampled Date: 11/22/25
Sample Collection Time: 11:00 AM
Sampling End: 11:10 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 4 gram
Completed: 11/25/25

Harney Brothers Cannabis

5723 Rt 22
Millerton, NY, 12546, US
info@harneybrotherscannabis.com
License #: OCM-PROC-24-000006

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
24.3007%



Total CBD
<0.1000



Total Cannabinoids
28.2397%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	0.6343	<0.1000	0.7383	26.8670	<0.1000
mg/g	<1.0000	<1.0000	<1.0000	<1.0000	<1.0000	<1.0000	<1.0000	<1.0000	6.3433	<1.0000	7.3833	268.6700	<1.0000
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.2007g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 11/25/25 10:46:04

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
11/25/25