



Certificate of Analysis

Pages 1 of 5

FOR COMPLIANCE

PASSED



Batch #: EUV-MHTD3G-112625
Production Method: Ethanol
Total Amount: 1000 units
Retail Product Size: 1.5 gram
Retail Serving Size: 1.5 gram
Servings: 1
Metric Package #:
1A4120300000772000001022

Lab ID: AL51201001-055
Sampled Date: 12/01/25
Sample Collection Time: 02:40 PM
Sampling End: 04:50 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 28 gram
Completed: 12/04/25
Revised: 04/07/26

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

SAFETY RESULTS

MISC.

								
Pesticide PASSED	Heavy Metals PASSED	Microbial PASSED	Mycotoxins PASSED	Solvents PASSED	Filtration/Foreign Material NOT TESTED	Water Activity NOT TESTED	Moisture Content NOT TESTED	Terpenes PASSED



Cannabinoid

PASSED



Total THC
81.6770%
Total THC : 1225.1549 mg



Total CBD
0.2070%
Total CBD : 3.1050 mg



Total Cannabinoids
87.8710%
Total Cannabinoids/Container :
1318.0650 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	1.4200	0.1180	<0.1000	0.2070	<0.1000	<0.1000	4.3440	<0.1000	<0.1000	1.1100	80.0320	0.1220	0.5180
mg/unit	21.3000	1.7700	<1.5000	3.1050	<1.5000	<1.5000	65.1600	<1.5000	<1.5000	16.6500	1200.4800	1.8300	7.7700
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1595g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 12/02/25 09:12:23



Label Claim Verification

TESTED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CBD PER DOSE	mg	0.1000		TESTED	<0.1000	
TOTAL THC/DOSE	mg	0.1000		TESTED	<0.1000	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
12/04/25

Revision: #1 -
Report revised to add
virtual METRC id.
Revision: #2 -
Report revised to add
virtual METRC id.

Revision: #2 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

.....
3G Dual vape
Strain: Mango Haze
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 2 of 5

Northeast Extracts- Eureka Vapor

Sample: AL51201001-055

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Batch #: EUV-MHTD3G-112625
Seed to sale: 1A4120300000772000001022

Ordered: 12/01/25
Sampled: 12/01/25
Completed: 12/04/25

PASSED



Label Claim Verification

TESTED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method : N/A
Analyzed Date : 12/02/25 11:43:36



Terpenes

PASSED

ANALYTES

LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

TOTAL TERPENES	0.1000	11.5	PASS	0.1700	2.5500
ALPHA-BISABOLOL	0.0040	10	PASS	0.0700	1.0500
BETA-CARYOPHYLLENE	0.0040	10	PASS	0.0300	0.4500
CARYOPHYLLENE OXIDE	0.0040	10	PASS	0.0200	0.3000
GUAJOL	0.0040	10	PASS	0.0200	0.3000
ALPHA-HUMULENE	0.0040	10	PASS	0.0200	0.3000
VALENCENE	0.0040	10	PASS	0.0100	0.1500
ALPHA TERPINEOL	0.0040	10	PASS	<0.0040	<0.0600
CAMPHENE	0.0040	10	PASS	<0.0040	<0.0600
FARNESENE	0.0400	10	PASS	<0.0400	<0.6000
FENCHYL ALCOHOL	0.0040	10	PASS	<0.0040	<0.0600
GERANIOL	0.0040	10	PASS	<0.0040	<0.0600
LIMONENE	0.0040	10	PASS	<0.0040	<0.0600
LINALOOL	0.0040	10	PASS	<0.0040	<0.0600
MENTHOL	0.0040	10	PASS	<0.0040	<0.0600
OCIMENE	0.0040	10	PASS	<0.0040	<0.0600
TERPINOLENE	0.0040	10	PASS	<0.0040	<0.0600
ALPHA-PHELLANDRENE	0.0040	10	PASS	<0.0040	<0.0600
ALPHA-PINENE	0.0040	10	PASS	<0.0040	<0.0600
ALPHA-TERPINENE	0.0040	10	PASS	<0.0040	<0.0600
BETA-MYRCENE	0.0040	10	PASS	<0.0040	<0.0600
BETA-PINENE	0.0040	10	PASS	<0.0040	<0.0600

Weight:
0.4977g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY
Analyzed Date : 12/04/25 15:05:48



Pesticide

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

PRALLETHRIN	ppm	0.1000	0.2	PASS	<0.1000
ACEQUINOCYL	ppm	0.1000	2	PASS	<0.1000
PYRETHRINS, TOTAL	ppm	0.1000	1	PASS	<0.1000
AZADIRACTIN	ppm	0.1000	1	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	ppm	0.1000	1	PASS	<0.1000
MYCLOBUTANIL	ppm	0.1000	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	ppm	0.1000	2	PASS	<0.1000
ABAMECTIN B1A	ppm	0.1000	0.5	PASS	<0.1000
ACEPHATE	ppm	0.1000	0.4	PASS	<0.1000
ACETAMIPRID	ppm	0.1000	0.2	PASS	<0.1000
ALDICARB	ppm	0.1000	0.4	PASS	<0.1000

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
12/04/25

Revision: #1 -
Report revised to add
virtual METRC id.
Revision: #2 -
Report revised to add
virtual METRC id.

Revision: #2 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
.....
3G Dual vape
Strain: Mango Haze
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 3 of 5

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Sample: AL51201001-055

Batch #: EUV-MHTD3G-112625
Seed to sale: 1A4120300000772000001022

Ordered: 12/01/25
Sampled: 12/01/25
Completed: 12/04/25

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AZOXYSTROBIN	ppm	0.1000	0.2	PASS	<0.1000	
CHLORMEQUAT CHLORIDE	ppm	0.1000	1	PASS	<0.1000	
BIFENAZATE	ppm	0.1000	0.2	PASS	<0.1000	
BIFENTHRIN	ppm	0.1000	0.2	PASS	<0.1000	
CARBARYL	ppm	0.1000	0.2	PASS	<0.1000	
CHLORPYRIFOS	ppm	0.1000	0.2	PASS	<0.1000	
COUMAPHOS	ppm	0.1000	1	PASS	<0.1000	
DAMINOZIDE	ppm	0.1000	1	PASS	<0.1000	
CARBOFURAN	ppm	0.1000	0.2	PASS	<0.1000	
BOSCALID	ppm	0.1000	0.4	PASS	<0.1000	
CHLORANTRANILIPROLE	ppm	0.1000	0.2	PASS	<0.1000	
DIAZINON	ppm	0.1000	0.2	PASS	<0.1000	
CLOFENTEZINE	ppm	0.1000	0.2	PASS	<0.1000	
DICHLORVOS	ppm	0.1000	1	PASS	<0.1000	
DIMETHOATE	ppm	0.1000	0.2	PASS	<0.1000	
DIMETHOMORPH	ppm	0.1000	1	PASS	<0.1000	
ETHOPROPHOS	ppm	0.1000	0.2	PASS	<0.1000	
ETOFENPROX	ppm	0.1000	0.4	PASS	<0.1000	
ETOXAZOLE	ppm	0.1000	0.2	PASS	<0.1000	
FENHEXAMID	ppm	0.1000	1	PASS	<0.1000	
FENOXYCARB	ppm	0.1000	0.2	PASS	<0.1000	
FENPYROXIMATE	ppm	0.1000	0.4	PASS	<0.1000	
FIPRONIL	ppm	0.1000	0.4	PASS	<0.1000	
FLONICAMID	ppm	0.1000	1	PASS	<0.1000	
FLUDIOXONIL	ppm	0.1000	0.4	PASS	<0.1000	
HEXYTHIAZOX	ppm	0.1000	1	PASS	<0.1000	
IMAZALIL	ppm	0.1000	0.2	PASS	<0.1000	
IMIDACLOPRID	ppm	0.1000	0.4	PASS	<0.1000	
KRESOXIM METHYL	ppm	0.1000	0.4	PASS	<0.1000	
MALATHION	ppm	0.1000	0.2	PASS	<0.1000	
METALAXYL	ppm	0.1000	0.2	PASS	<0.1000	
METHIOCARB	ppm	0.1000	0.2	PASS	<0.1000	
METHOMYL	ppm	0.1000	0.4	PASS	<0.1000	
MEVINPHOS	ppm	0.1000	1	PASS	<0.1000	
NALED	ppm	0.1000	0.5	PASS	<0.1000	
OXAMYL	ppm	0.1000	1	PASS	<0.1000	
PACLOBUTRAZOL	ppm	0.1000	0.4	PASS	<0.1000	
PERMETHRIN	ppm	0.1000	0.2	PASS	<0.1000	
PHOSMET	ppm	0.1000	0.2	PASS	<0.1000	
PROPICONAZOLE	ppm	0.1000	0.4	PASS	<0.1000	
PROPOXUR	ppm	0.1000	0.2	PASS	<0.1000	
PYRIDABEN	ppm	0.1000	0.2	PASS	<0.1000	
SPINETORAM, TOTAL	ppm	0.1000	1	PASS	<0.1000	
SPINOSAD, TOTAL	ppm	0.1000	0.2	PASS	<0.1000	
SPIROMESIFEN	ppm	0.1000	0.2	PASS	<0.1000	
SPIROTETRAMAT	ppm	0.1000	0.2	PASS	<0.1000	
SPIROXAMINE	ppm	0.1000	0.2	PASS	<0.1000	
TEBUCONAZOLE	ppm	0.1000	0.4	PASS	<0.1000	
THIACLOPRID	ppm	0.1000	0.2	PASS	<0.1000	
THIAMETHOXAM	ppm	0.1000	0.2	PASS	<0.1000	
TRIFLOXYSTROBIN	ppm	0.1000	0.2	PASS	<0.1000	
CAPTAN	ppm	0.1000	1	PASS	<0.1000	
CHLORDANE	ppm	0.1000	1	PASS	<0.1000	
CHLORFENAPYR	ppm	0.1000	1	PASS	<0.1000	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
12/04/25

Revision: #1 -
Report revised to add
virtual METRC id.
Revision: #2 -
Report revised to add
virtual METRC id.

Revision: #2 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

.....
3G Dual vape
Strain: Mango Haze
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 4 of 5

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Sample: AL51201001-055

Batch #: EUV-MHTD3G-112625
Seed to sale: 1A4120300000772000001022

Ordered: 12/01/25
Sampled: 12/01/25
Completed: 12/04/25

PASSED



Pesticide

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
CYFLUTHRIN	ppm	0.1000	1	PASS	<0.1000	
CYPERMETHRIN	ppm	0.1000	1	PASS	<0.1000	
METHYL PARATHION	ppm	0.1000	0.2	PASS	<0.1000	
MGK-264	ppm	0.1000	0.2	PASS	<0.1000	
PENTACHLORONITROBENZENE	ppm	0.1000	1	PASS	<0.1000	

Weight:
0.5502g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 12/03/25 16:10:09

Weight:
0.5502g

Analysis Method : SOP.T.40.154.NY
Analyzed Date : 12/04/25 08:34:09



Residual Solvents

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
PENTANES, TOTAL	ppm	125.0	5000	PASS	<125.0	
HEXANE, TOTAL	ppm	125.0	290	PASS	<125.0	
1,1,1-TRICHLOROETHANE	ppm	375.0	1500	PASS	<375.0	
DIMETHYL SULFOXIDE	ppm	375.0	5000	PASS	<375.0	
1,1,1,2-TETRAFLUOROETHANE	ppm	500.0	1000	PASS	<500.0	
XYLENES, TOTAL	ppm	125.0	2170	PASS	<125.0	
BUTANES, TOTAL	ppm	750.0	5000	PASS	<750.0	
PROPANE	ppm	750.0	5000	PASS	<750.0	
1,2-DICHLOROETHANE	ppm	1.2	5	PASS	<1.2	
METHANOL	ppm	125.0	3000	PASS	<125.0	
ETHANOL	ppm	125.0	5000	PASS	<125.0	
ETHYL ETHER	ppm	125.0	5000	PASS	<125.0	
ACETONE	ppm	125.0	5000	PASS	<125.0	
2-PROPANOL	ppm	125.0	5000	PASS	<125.0	
ACETONITRILE	ppm	125.0	410	PASS	<125.0	
DICHLOROMETHANE	ppm	125.0	600	PASS	<125.0	
ETHYL ACETATE	ppm	125.0	5000	PASS	<125.0	
BENZENE	ppm	1.2	2	PASS	<1.2	
N-HEPTANE	ppm	125.0	5000	PASS	<125.0	
TOLUENE	ppm	125.0	890	PASS	<125.0	
CHLOROFORM	ppm	1.2	60	PASS	<1.2	

Weight:
0.0271g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 12/02/25 11:04:42



Microbial

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AEROBIC BACTERIA	CFU/g	100	10000	PASS	<100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
12/04/25

Revision: #1 -
Report revised to add
virtual METRC id.
Revision: #2 -
Report revised to add
virtual METRC id.

Revision: #2 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

.....
3G Dual vape
Strain: Mango Haze
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 5 of 5

Northeast Extracts- Eureka Vapor

26 Powell Lane
Penn Yan, NY, 14527, US
License # : OCM-PROC-25-000283

Sample: AL51201001-055

Batch #: EUV-MHTD3G-112625
Seed to sale: 1A4120300000772000001022

Ordered: 12/01/25
Sampled: 12/01/25
Completed: 12/04/25

PASSED



Microbial

PASSED

ANALYTES

TOTAL YEAST AND MOLD
ESCHERICHIA COLI/SHIGELLA SPP.
SALMONELLA SPECIES
ASPERGILLUS TERREUS
ASPERGILLUS NIGER
ASPERGILLUS FLAVUS
ASPERGILLUS FUMIGATUS

UNIT LOQ

CFU/g 100

LIMIT

1000

PASS/FAIL

PASS

RESULT

<100

QUALIFIER

Not Present

Not Present

PASS

Not Present

Not Present

PASS

Not Present

Not Present

PASS

Not Present

Not Present

PASS

Not Present

Not Present

PASS

Not Present

Not Present

PASS

Not Present

Weight:

1.1356g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY

Analyzed Date : 12/03/25 16:01:31



Mycotoxins

PASSED

ANALYTES

TOTAL AFLATOXINS (B1, B2, G1, G2)
AFLATOXIN G2
AFLATOXIN G1
AFLATOXIN B2
AFLATOXIN B1
OCHRATOXIN A+

UNIT LOQ

ppm 0.0100

ppm 0.0100

ppm 0.0100

ppm 0.0100

ppm 0.0100

ppm 0.0100

ppm 0.0100

LIMIT

0.02

0.02

0.02

0.02

0.02

0.02

0.02

PASS/FAIL

PASS

PASS

PASS

PASS

PASS

PASS

PASS

RESULT

<0.0100

<0.0100

<0.0100

<0.0100

<0.0100

<0.0100

<0.0100

QUALIFIER

<0.0100

Weight:

0.5502g

Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY

Analyzed Date : 12/03/25 16:12:34



Heavy Metals

PASSED

ANALYTES

ANTIMONY
ARSENIC
CADMIUM
CHROMIUM
COPPER
LEAD
MERCURY
NICKEL

UNIT LOQ

ug/g 0.1000

ug/g 0.1000

ug/g 0.1000

ug/g 1.0000

ug/g 1.0000

ug/g 0.1000

ug/g 0.1000

ug/g 0.1000

LIMIT

2

0.2

0.2

110

30

0.5

0.1

2

PASS/FAIL

PASS

PASS

PASS

PASS

PASS

PASS

PASS

PASS

RESULT

ND

<0.1000

ND

ND

ND

ND

ND

ND

QUALIFIER

ND

Weight:

0.5031g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date : 12/04/25 09:33:35

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #2 This revision supersedes any and all previous versions of this document.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
12/04/25

Revision: #1 -
Report revised to add
virtual METRC id.
Revision: #2 -
Report revised to add
virtual METRC id.