



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID: WS-2512-002E
Batch #: WS-2512-002E
Production Method: CO2
Total Amount: 1 ml
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Density: 0.96 g/mL
Servings: 1
Metric Source Package #: NA

Lab ID: AL51212008-005
Sampled Date: 12/12/25
Sample Collection Time: 01:00 PM
Sampling End: 01:00 PM
Sampling Method: Laboratory Dropoff
Sample Size: 1 ml
Completed: 12/17/25

S & A Scientific Laboratory

123 a
Plantation, FL, 33317, US

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
<0.1000



Total CBD
<0.1000



Total Cannabinoids
<0.1000

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000
mg/ml	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600	<0.9600
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 12/17/25 09:03:57

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
12/17/25