



Certificate of Analysis

Pages 1 of 1

FOR COMPLIANCE

PASSED



Batch #: TCR-F-GG-1126
Production Method: Cured
Total Amount: 500 units
Retail Product Size: 28 gram
Retail Serving Size: 28 gram
Servings: 1
Metrc Package #: NA
Metrc Source Package #: NA

Lab ID: AL51219005-001
Sampled Date: 12/19/25
Sample Collection Time: 01:25 PM
Sampling End: 02:15 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 5 units
Completed: 12/22/25

Grams Cannabis

360 Graham Avenue
Brooklyn, NY, 11211, US
gramsbk.com

License #: OCM-MICR-25-000223

SAFETY RESULTS

MISC.



Pesticide

NOT TESTED



Heavy Metals

NOT TESTED



Microbial

PASSED



Mycotoxins

NOT TESTED



Solvents

NOT TESTED



Filtration

NOT TESTED



Water Activity

NOT TESTED



Moisture Content

NOT TESTED



Terpenes

NOT TESTED



Microbial

PASSED

ANALYTES

TOTAL AEROBIC BACTERIA

UNIT

CFU/g

LOQ

100

LIMIT

PASS/FAIL

TESTED

RESULT

<100

QUALIFIER

TOTAL YEAST AND MOLD

CFU/g

100

TESTED

<100

ESCHERICHIA COLI/SHIGELLA SPP.

Not Present

PASS

Not Present

SALMONELLA SPECIES

Not Present

PASS

Not Present

ASPERGILLUS TERREUS

Not Present

PASS

Not Present

ASPERGILLUS NIGER

Not Present

PASS

Not Present

ASPERGILLUS FLAVUS

Not Present

PASS

Not Present

ASPERGILLUS FUMIGATUS

Not Present

PASS

Not Present

Weight:

1.0255g

Analysis Method: SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY

Analyzed Date: 12/22/25 15:15:59

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
12/22/25

Laboratory License #: OCM-
CPL-24-00006-L1