




Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: ppun60125
Production Method: Pressing
Total Amount: 5 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metric Package #: na

Lab ID: AL51220005-005
Sampled Date: 12/20/25
Sample Collection Time: 10:45 AM
Sampling End: 11:30 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 5 gram
Completed: 12/24/25

Donna's Buds & Edibles Farm LLC

122 Grape Hollow Road
Holmes, NY, 12531, US

License # : OCM-MICR-25-000225

SAFETY RESULTS

MISC.



Pesticide
NOT TESTED



Heavy Metals
TESTED



Microbial
NOT TESTED



Mycotoxins
NOT TESTED



Solvents
NOT TESTED



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
37.9682%



Total CBD
0.0982%



Total Cannabinoids
43.6570%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.2590	ND	0.1120	ND	0.1390	0.7970	ND	ND	6.7260	35.6240	ND
mg/g	ND	ND	2.5900	ND	1.1200	ND	1.3900	7.9700	ND	ND	67.2600	356.2400	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1459g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 12/22/25 08:31:26

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
12/24/25
Laboratory License #: OCM-
CPL-24-00006-L1