



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: 1226.cinnhon.01
Production Method: Other
Total Amount: 170 gram
Retail Product Size: 170 gram
Retail Serving Size: 170 gram
Servings: 1
Metrc Package #:
1A412030000227C000000013
Metrc Source Package #: n/a

Lab ID: AL60106005-003
Sampled Date: 01/06/26
Sample Collection Time: 09:15 AM
Sampling End: 09:15 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 170 gram
Completed: 01/07/26
Revised: 02/02/26
Manifest #: n/a

Beezy beez honey inc

3755c victory blvd
Staten Island , NY, 10314, US

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration

Material
NOT TESTED



Water Activity

NOT TESTED



Moisture Content

NOT TESTED



Terpenes

NOT TESTED



Cannabinoid

TESTED



Total THC
0.0330%



Total CBD
<0.0007



Total Cannabinoids
0.0330%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	<0.0006	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	0.0330	<0.0007	<0.0007
mg/g	<0.0060	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	0.3300	<0.0070	<0.0070
LOQ	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.3704g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 01/07/26 08:37:53

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
01/07/26
Laboratory License #: OCM-
CPL-24-00006-L1

Revision: #1 -
Report revised to add
METRC id.

Revision: #1 This revision supersedes any and all previous versions of this document.