




Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: 1226.oghon.01
Production Method: Other
Total Amount: 170 gram
Retail Product Size: 170 gram
Retail Serving Size: 170 gram
Servings: 1
Metric Package #: n/a
Metric Source Package #: n/a

Lab ID: AL60106005-004
Sampled Date: 01/06/26
Sample Collection Time: 09:15 AM
Sampling End: 09:15 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 170 gram
Completed: 01/07/26
Manifest #: n/a

Beezy beez honey inc

3755c victory blvd
Staten Island , NY, 10314, US

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.0360%



Total CBD
<0.0007



Total Cannabinoids
0.0360%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	<0.0006	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	0.0360	<0.0007	<0.0007
mg/g	<0.0060	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	0.3600	<0.0070	<0.0070
LOQ	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.2359g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 01/07/26 08:37:59

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
01/07/26

Laboratory License #: OCM-
CPL-24-00006-L1