



Certificate of Analysis

Pages 1 of 1

FOR COMPLIANCE

PASSED



Harvest/Lot ID:
1A4120300001010000000135
Batch #: 0135
Production Method: Cured
Total Amount: 1220 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Metrc Package #:
1A4120300001010000000150
Metrc Source Package #:
1A4120300001010000000135

Lab ID: AL60202008-003
Sampled Date: 02/02/26
Sample Collection Time: 03:00 PM
Sampling End: 03:40 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 13 units
Completed: 02/10/26
Manifest #: 0000075532

5 PC LLC dba Animal House

177 Sanfordville Rd
Warwick, NY, 10990, US
animalhouseny.com
License #: OCM-PROC-24-000187

SAFETY RESULTS

MISC.



Pesticide

NOT TESTED



Heavy Metals

NOT TESTED



Microbial

PASSED



Mycotoxins

NOT TESTED



Solvents

NOT TESTED



Filtration

NOT TESTED



Water Activity

NOT TESTED



Moisture Content

NOT TESTED



Terpenes

NOT TESTED



Microbial

PASSED

ANALYTES

TOTAL AEROBIC BACTERIA
TOTAL YEAST AND MOLD
ESCHERICHIA COLI/SHIGELLA SPP.
SALMONELLA SPECIES
ASPERGILLUS TERREUS
ASPERGILLUS NIGER
ASPERGILLUS FLAVUS
ASPERGILLUS FUMIGATUS

UNIT **LOQ**
CFU/g 100
CFU/g 100

LIMIT

PASS/FAIL

RESULT

QUALIFIER

TESTED <100
TESTED <100
Not Present PASS Not Present
Not Present PASS Not Present
Not Present PASS Not Present
Not Present PASS Not Present
Not Present PASS Not Present
Not Present PASS Not Present

Weight:
0.997g

Analysis Method: SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY
Analyzed Date: 02/06/26 10:44:41

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
02/10/26
Laboratory License #: OCM-
CPL-24-00006-L1