



Certificate of Analysis

Pages 1 of 2

FOR COMPLIANCE

PASSED



Batch #: Thank you
Production Method: CO2
Total Amount: 1 gram
Retail Product Size: 1 gram
Retail Serving Size: 11 gram
Servings: 0.090909
Metric Package #:
1A2B3C00000000000000000001

Lab ID: AL60210009-001
Sampled Date: 02/10/26
Sample Collection Time: 02:45 PM
Sampling End: 02:45 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 1 gram
Completed: 02/10/26
Revised: 02/12/26

JereCo

109 NE 11th St.
Gainesville, FL, 32601, US
www.jereco.com
License #: CULT2400021



SAFETY RESULTS

MISC.

								
Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filtration	Water Activity	Moisture	Terpenes
NOT TESTED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED



Cannabinoid

PASSED



Total THC
88.8800%



Total CBD
ND



Total Cannabinoids
88.8800%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	88.8800	ND	ND
mg/g	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	888.8000	ND	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
NA

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 02/10/26 14:58:42



Heavy Metals

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ANTIMONY	ug/g	0.1000	2	PASS	ND	
ARSENIC	ug/g	0.1000	0.2	PASS	ND	
CADMIUM	ug/g	0.1000	0.2	PASS	ND	
CHROMIUM	ug/g	1.0000	110	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
02/10/26
Laboratory License #: OCM-
CPL-24-00006-L1

Revision: #1 -
Check METRC date
after revision

Revision: #1 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Do not approve.
Strain: Better Than Yours OG (BTY)
Matrix: Derivative
Classification: Non-Solvent Concentrates
Type: RSO



Certificate of Analysis

Pages 2 of 2

JereCo

109 NE 11th St.
Gainesville, FL, 32601, US
www.jereco.com
License # : CULT2400021

Sample: AL60210009-001

Batch #: Thank you
Seed to sale: 1A2B3C00000000000000000001

Ordered: 02/10/26
Sampled: 02/10/26
Completed: 02/10/26

PASSED



Heavy Metals

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
COPPER	ug/g	1.0000	30	PASS	ND	
LEAD	ug/g	0.1000	0.5	PASS	ND	
MERCURY	ug/g	0.0100	0.1	PASS	ND	
NICKEL	ug/g	0.1000	2	PASS	ND	

Weight:
NA

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 02/10/26 14:58:18

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
02/10/26

Laboratory License #: OCM-
CPL-24-00006-L1

Revision: #1 -
Check METRC date
after revision

Revision: #1 This revision supersedes any and all previous versions of this document.