



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID:
1A412030000191D000002537
Batch #: 2537
Production Method: Cured
Total Amount: 4 gram
Servings: 1
Metc Package #:
1A412030000191D000002049
Metc Source Package #:
1A412030000191D000002537

Lab ID: AL60317011-017
Sampled Date: 03/17/26
Sample Collection Time: 09:45 AM
Sampling End: 09:45 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 4 gram
Completed: 03/20/26
Manifest #: 0000140739

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
www.hempproductions.com
License #: OCM-PROC-24-000237



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
26.8959%



Total CBD
0.0772%



Total Cannabinoids
30.6870%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	0.1060	ND	0.0710	ND	0.0880	ND	0.0540	0.2640	0.0590	0.0230	3.2650	26.7570	ND
mg/g	1.0600	ND	0.7100	ND	0.8800	ND	0.5400	2.6400	0.5900	0.2300	32.6500	267.5700	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.2221g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 03/20/26 09:28:33

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
03/20/26
Laboratory License #: OCM-
CPL-24-00006-L1