



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: 3020
Production Method: Cured
Total Amount: 4 gram
Servings: 1
Metrc Package #:
1A412030000191D000002030
Metrc Source Package #:
1A412030000191D000002030

Lab ID: AL60317011-057
Sampled Date: 03/17/26
Sample Collection Time: 11:45 AM
Sampling End: 11:45 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 4 gram
Completed: 03/20/26

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
www.hempproductions.com
License #: OCM-PROC-24-000237



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
30.3646%



Total CBD
0.0588%



Total Cannabinoids
35.2330%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.0980	ND	0.0670	ND	0.1020	0.7380	0.0270	0.0260	2.9770	31.1980	ND
mg/g	ND	ND	0.9800	ND	0.6700	ND	1.0200	7.3800	0.2700	0.2600	29.7700	311.9800	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.2337g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 03/20/26 09:31:32

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
03/20/26
Laboratory License #: OCM-
CPL-24-00006-L1