



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: 260227CO2
Production Method: CO2
Total Amount: 6.5 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metric Package #: 1A4120300000263000001714
Metric Source Package #: 1A4120300000263000001878

Lab ID: AL60317012-001
Sampled Date: 03/17/26
Sample Collection Time: 08:00 AM
Sampling End: 09:00 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 6.5 gram
Completed: 03/21/26
Manifest #: 0000140088

Etain LLC

6030-6032 State Route 9
Chestertown, NY, 12817, US
License #: MM0401M/OCM-XROD-23-000004



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
86.4475%



Total CBD
0.1460%



Total Cannabinoids
91.5760%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	<0.1000	0.2490	1.1390	0.1460	<0.1000	<0.1000	1.4480	<0.1000	<0.1000	0.6660	78.0740	9.2640	0.5900
mg/g	<1.0000	2.4900	11.3900	1.4600	<1.0000	<1.0000	14.4800	<1.0000	<1.0000	6.6600	780.7400	92.6400	5.9000
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1788g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 03/21/26 13:02:08

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
03/21/26

Laboratory License #: OCM-
CPL-24-00006-L1