



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID:
1A412030000227C0000000061
Batch #: 32326.cinnhon.01
Production Method: Other
Total Amount: 480 units
Retail Product Size: 170 ml
Density: 1.45 g/mL
Servings: 1
Metrc Package #:
1A412030000227C0000000063
Metrc Source Package #:
1A412030000227C0000000061

Lab ID: AL60325003-002
Sampled Date: 03/25/26
Sample Collection Time: 03:15 PM
Sampling End: 03:15 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 1 units
Completed: 03/27/26
Manifest #: 0000151891

Beezy beez honey inc

3755c victory blvd
Staten Island , NY, 10314, US
License # : OCM-PROC-24-000130

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.1280%



Total CBD
ND



Total Cannabinoids
0.1330%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.0020	ND	ND	ND	0.0030	ND	ND	ND	0.1280	ND	ND
mg/unit	ND	ND	4.9300	ND	ND	ND	7.3950	ND	ND	ND	315.5200	ND	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
3.0353g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 03/27/26 12:04:27

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
03/27/26
Laboratory License #: OCM-
CPL-24-00006-L1