



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID: BRW-0602-AL-0126-D
Batch #: BRW-0602-AL-0126-D
Production Method: Cured
Total Amount: 7.3 gram
Servings: 1
Metric Package #:
1A412030000025D000000875
Metric Source Package #:
1A412030000025D000000874

Lab ID: AL60326004-010
Sampled Date: 03/26/26
Sample Collection Time: 05:45 PM
Sampling End: 05:45 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 7.3 gram
Completed: 03/31/26
Manifest #: 0000154345

Etain- Buffalo

310 Ship Canal Pkwy Suite 100
Buffalo, NY, 14218, US
getfluent.com

License #: OCM-XROD-23-000004_MM0409M

SAFETY RESULTS

MISC.



Pesticide

NOT TESTED



Heavy Metals

NOT TESTED



Microbial

TESTED



Mycotoxins

NOT TESTED



Solvents

NOT TESTED



Filtration

NOT TESTED



Water Activity

NOT TESTED



Moisture Content

NOT TESTED



Terpenes

NOT TESTED



Cannabinoid

TESTED



Total THC
27.1646%



Total CBD
0.0842%



Total Cannabinoids
32.4810%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	0.0560	ND	0.0740	ND	0.0960	ND	0.0440	1.4120	ND	0.0110	0.8740	29.9140	ND
mg/g	0.5600	ND	0.7400	ND	0.9600	ND	0.4400	14.1200	ND	0.1100	8.7400	299.1400	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.2064g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 03/31/26 09:19:11

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
03/31/26
Laboratory License #: OCM-
CPL-24-00006-L1