



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID:
1A41203000018C4000000001
Batch #: 0001
Production Method: Other
Total Amount: 5000 units
Retail Product Size: 22 gram
Retail Serving Size: 22 gram
Servings: 1
Metrc Package #:
1A41203000018C4000000008
Metrc Source Package #:
1A41203000018C4000000001

Lab ID: AL60326006-001
Sampled Date: 03/26/26
Sample Collection Time: 04:30 PM
Sampling End: 04:40 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 3 units
Completed: 03/27/26
Manifest #: 0000154349

Emerald Private Label Corp

21 E Industry Ct
Deer Park, NY, 11729, US
d.martin@hpicanna.com
License #: OCM-PROC-24-000171

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.4720%



Total CBD
ND



Total Cannabinoids
0.5000%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	ND	ND	ND	ND	0.0210	ND	ND	0.0040	0.4720	ND	0.0030
mg/unit	ND	ND	ND	ND	ND	ND	4.6200	ND	ND	0.8800	103.8400	ND	0.6600
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
3.0889g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 03/27/26 12:04:32

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
03/27/26
Laboratory License #: OCM-
CPL-24-00006-L1