



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID:
1A4120300002395000000004
Batch #: TC-Rosin-001
Production Method: CO2
Total Amount: 10 gram
Servings: 1
Metrc Package #:
1A4120300002395000000181
Metrc Source Package #:
1A4120300002395000000004

Lab ID: AL60331003-003
Sampled Date: 03/31/26
Sample Collection Time: 11:15 AM
Sampling End: 11:35 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 10 gram
Completed: 04/02/26
Manifest #: 0000160230

Orgaceuticals NY LLC

17 Ransom Road
Hogansburg, NY, 13655, US
License #: AUCC-22-000270

SAFETY RESULTS

MISC.

								
Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filt/Foreign Material	Water Activity	Moisture Content	Terpenes
NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED



Cannabinoid

TESTED



Total THC
11.3683%



Total CBD
0.0260%



Total Cannabinoids
12.2530%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	0.0210	ND	0.2570	0.0260	ND	ND	0.4000	ND	ND	0.0600	11.3140	0.0380	0.1370
mg/g	0.2100	ND	2.5700	0.2600	ND	ND	4.0000	ND	ND	0.6000	113.1400	0.3800	1.3700
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1459g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 04/02/26 09:59:42

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
04/02/26
Laboratory License #: OCM-
CPL-24-00006-L1