



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID: 20260109-CAPJUNKY,
HB121025 NY-C3 KILIMANJARO, HB121025
NY-C3 TROPICANA CHERRY
Batch #: BCH2 B1
Production Method: Cured
Total Amount: 3 gram
Retail Product Size: 0.7 gram
Retail Serving Size: 0.7 gram
Servings: 1
Metric Package #:
1A41203000006B1000001150
Metric Source Package #:
1A41203000006B1000001149

Lab ID: AL60408018-002
Sampled Date: 04/08/26
Sample Collection Time: 01:45 PM
Sampling End: 01:45 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 3 gram
Completed: 04/14/26
Manifest #: 0000174896

Lightbird NY, LLC

171 E 2nd St
Huntington Station, NY, 11746, US
License #: OCM-PROC-24-000097

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
16.5932%



Total CBD
0.2055%



Total Cannabinoids
19.5839%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	0.0431	0.0549	0.1179	0.0999	ND	0.0677	0.5126	ND	ND	1.3082	17.3796	ND
mg/g	ND	0.4310	0.5490	1.1790	0.9990	ND	0.6770	5.1260	ND	ND	13.0820	173.7960	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.203g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 04/14/26 10:08:31

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
04/14/26
Laboratory License #: OCM-
CPL-24-00006-L1