




Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: 260324ACO2
Production Method: CO2
Total Amount: 6.0 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metric Package #:
1A4120300000263000001799
Metric Source Package #:
1A4120300000263000002003

Lab ID: AL60422001-002
Sampled Date: 04/22/26
Sample Collection Time: 11:00 AM
Sampling End: 12:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 6.0 gram
Completed: 04/27/26
Manifest #: 0000194574
Source Facility: Etain LLC

Etain LLC

6030-6032 State Route 9
Chestertown, NY, 12817, US
License #: MM0401M/OCM-XROD-23-000004



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
78.1776%



Total CBD
0.1768%



Total Cannabinoids
82.6040%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	0.0218	0.9350	0.1768	ND	ND	1.6393	ND	0.0611	0.6700	74.9784	3.5534	0.5682
mg/g	ND	0.2180	9.3500	1.7680	ND	ND	16.3930	ND	0.6110	6.7000	749.7840	35.5340	5.6820
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1684g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 04/27/26 10:51:48

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
04/27/26
Laboratory License #: OCM-
CPL-24-00006-L1