




Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: 260417THC Main Body
Production Method: CO2
Total Amount: 5.8 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metric Package #:
1A4120300000263000002008
Metric Source Package #:
1A4120300000263000002006

Lab ID: AL60422001-005
Sampled Date: 04/22/26
Sample Collection Time: 11:00 AM
Sampling End: 12:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 5.8 gram
Completed: 04/27/26
Manifest #: 0000194574
Source Facility: Etain LLC

Etain LLC

6030-6032 State Route 9
Chestertown, NY, 12817, US
License #: MM0401M/OCM-XROD-23-000004



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
85.7571%



Total CBD
1.6560%



Total Cannabinoids
93.4032%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	2.7779	0.4604	0.8101	1.6560	ND	ND	1.4344	ND	ND	2.7183	82.4757	0.0491	1.0213
mg/g	27.7790	4.6040	8.1010	16.5600	ND	ND	14.3440	ND	ND	27.1830	824.7570	0.4910	10.2130
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.152g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 04/27/26 10:51:57

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
04/27/26
Laboratory License #: OCM-
CPL-24-00006-L1