



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: S22TTM
Production Method: Other
Total Amount: 1 units
Retail Product Size: 56.6 gram
Retail Serving Size: 56.6 gram
Servings: 1
Metric Package #:
1A412030000070A000000319

Lab ID: AL60425006-010
Sampled Date: 04/25/26
Sample Collection Time: 02:40 PM
Sampling End: 03:25 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 1 units
Completed: 05/03/26
Manifest #: 0000199392

Kingston Reserve LLC

276 Fifth Avenue Suite 704
New York, NY, 10001, US
License # : OCM-PROC-24-000054

SAFETY RESULTS

MISC.



Pesticide
TESTED



Heavy Metals
TESTED



Microbial
NOT TESTED



Mycotoxins
TESTED



Solvents
NOT TESTED



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
1.8120%



Total CBD
2.1760%



Total Cannabinoids
4.3210%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	<0.0006	0.0040	0.0130	2.1760	<0.0007	0.0130	0.1800	<0.0007	<0.0007	0.0320	1.8080	<0.0007	0.0950
mg/unit	<0.3396	2.2640	7.3580	1231.6160	<0.3962	7.3580	101.8800	<0.3962	<0.3962	18.1120	1023.3280	<0.3962	53.7700
LOQ	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
2.8312g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 04/30/26 10:13:49

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
05/03/26
Laboratory License #: OCM-
CPL-24-00006-L1