



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #: Frodo Squeeze 04.07.2026
Row-10
Batch #: Frodo Squeeze 04.07.2026 Row-10
Production Method: Cured
Total Amount: 3 gram
Servings: 1
Metc Package #:
1A4120300001B06000000236
Metc Source Package #:
1A4120300001D1C000000015

Lab ID: AL60502009-002
Sampled Date: 05/02/26
Sample Collection Time: 08:15 AM
Sampling End: 08:15 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 3 gram
Completed: 06/01/26
Manifest #: 0000207386

Glenna and Co

x
Rush, NY, 14543, US
License # : OCM-PROC-24-000016-P1

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
23.2709%



Total CBD
0.0555%



Total Cannabinoids
27.4722%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	0.1077	ND	0.0448	ND	0.0633	ND	0.0921	0.8123	0.0685	0.0153	0.5657	25.6887	0.0138
mg/g	1.0770	ND	0.4480	ND	0.6330	ND	0.9210	8.1230	0.6850	0.1530	5.6570	256.8870	0.1380
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.2028g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 05/07/26 13:12:02

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
06/01/26
Laboratory License #: OCM-
CPL-24-00006-L1