



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #: FS_4_06_2026_A3_910
Batch #: FS_4_06_2026_A3_910
Production Method: Cured
Total Amount: 3 gram
Servings: 1
Metrc Package #:
1A4120300001B060000000231
Metrc Source Package #:
1A4120300001D1C000000006

Lab ID: AL60502009-005
Sampled Date: 05/02/26
Sample Collection Time: 08:15 AM
Sampling End: 08:15 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 3 gram
Completed: 06/01/26
Manifest #: 0000207386

Glenna and Co

x
Rush, NY, 14543, US
License #: OCM-PROC-24-000016-P1

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
26.5528%



Total CBD
0.0567%



Total Cannabinoids
30.9890%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.0520	ND	0.0646	0.0224	0.0747	0.5954	0.1230	0.0185	0.7003	29.3381	ND
mg/g	ND	ND	0.5200	ND	0.6460	0.2240	0.7470	5.9540	1.2300	0.1850	7.0030	293.3810	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.2186g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 05/07/26 13:12:10

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
06/01/26
Laboratory License #: OCM-
CPL-24-00006-L1