



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID:
1A412030000191D000000956
Batch #: 06926=bul-rri=sur-grb-hyb
Production Method: Cured
Total Amount: 1 gram
Retail Product Size: 20 gram
Retail Serving Size: 20 gram
Servings: 1
Metrc Package #:
1A412030000191D000001942
Metrc Source Package #:
1A412030000191D000000956

Lab ID: AL60509006-007
Sampled Date: 05/09/26
Sample Collection Time: 10:45 AM
Sampling End: 10:45 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 1 units
Completed: 05/12/26
Manifest #: 0000218447

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
www.hempproductions.com
License #: OCM-PROC-24-000237



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
18.0364%



Total CBD
0.0415%



Total Cannabinoids
20.7253%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.0615	ND	0.0473	ND	0.0991	0.3401	0.1329	0.0380	2.9093	17.0971	ND
mg/g	ND	ND	0.6150	ND	0.4730	ND	0.9910	3.4010	1.3290	0.3800	29.0930	170.9710	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1912g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 05/12/26 09:36:35

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
05/12/26
Laboratory License #: OCM-
CPL-24-00006-L1