


Signature
05/28/26
Laboratory License #: OCM-
CPL-24-00006-L1



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
Honey Banana x Honey Banana Live Resin Infused Pre-Roll | .5g | 2 pk
Strain: Honey Banana
Matrix: Flower
Classification: Infused Pre-rolls
Type: Pre-roll



Certificate of Analysis

Pages 2 of 2

MFNY Processor/Operations

320 Mt. Airy Rd.
New Windsor, NY, 12553, US
MFNY.co
License # : OCM-PROC-24-000175-P1

Sample: AL60522002-004

Batch #: PR52HBHB1
Harvest/Lot ID: GH4 Jan 2026 Grow 32 Honey Banana FF BHO
Seed to sale: 1A4120300000466000002384

Ordered: 05/21/26
Sampled: 05/22/26
Completed: 05/28/26

TESTED

	Microbial					TESTED		
ANALYTES			UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS NIGER					Not Present	TESTED	Not Present	
ASPERGILLUS FLAVUS					Not Present	TESTED	Not Present	
ASPERGILLUS FUMIGATUS					Not Present	TESTED	Not Present	
Weight: 0.987g								
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY								
Analyzed Date : 05/27/26 17:06:15								

	Mycotoxins	TESTED				
ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AFLATOXINS (B1, B2, G1, G2)	ppm	0.0100	0.02	TESTED	<0.0100	
AFLATOXIN G2	ppm	0.0100	0.02	TESTED	<0.0100	
AFLATOXIN G1	ppm	0.0100	0.02	TESTED	<0.0100	
AFLATOXIN B2	ppm	0.0100	0.02	TESTED	<0.0100	
AFLATOXIN B1	ppm	0.0100	0.02	TESTED	<0.0100	
OCHRATOXIN A+	ppm	0.0100	0.02	TESTED	<0.0100	
Weight: 0.819g						
Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 05/26/26 11:24:56						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
05/28/26
Laboratory License #: OCM-
CPL-24-00006-L1